















CAD

<p>201R</p>  <p>Astatic Mini Boundary Mic</p> <p>€ 123,07</p>	<p>40-117</p>  <p>Large tactile push switch LED Status indicator Selectable Push-To-Talk or Push-To-Mute (-55dB) Direct input connection via top panel-mount 3-pin female XLR type connector Special energy absorbing shock</p> <p>€ 78,00</p>	<p>CAD-12</p>  <p>Cad dyn. cardioid microfoon high output Nickel grill</p> <p>€ 36,00</p>
<p>201RW</p>  <p>Astatic Mini Boundary Mic White</p> <p>€ 123,07</p>	<p>40-306</p>  <p>Cad windscreen Mg serie mini gooseneck</p> <p>€ 11,00</p>	<p>CAD-22A</p>  <p>Live Vocals, Brass, Guitar Cabinets, Bass Cabinets. Operating Principle: Moving coil dynamic Polar Pattern: Supercardioid Frequency Response: 60Hz to 15KHz Sensitivity: -54dBV (2.0mV)</p> <p>€ 25,00</p>
<p>202R</p>  <p>Astatic Mini Boundary Mic Black</p> <p>€ 123,07</p>	<p>40-313A</p>  <p>Cad windscreen handheld</p> <p>€ 11,00</p>	<p>CAD-25A</p>  <p>Cad dyn. cardioid microfoon high output Nickel grill</p> <p>€ 52,00</p>
<p>202RW</p>  <p>Astatic Mini Boundary Mic White</p> <p>€ 123,07</p>	<p>50-20</p>  <p>Voet voor zwanenhals microfoons, met push-to-talk / push-to-mute knop, 30 dB attenuatie voor 80 Hz mechanische resonantie, vaste 2.5m kabel met 3-polige XLR aansluiting.</p> <p>€ 100,00</p>	<p>CM-100</p>  <p>Low noise, electret condensator cardioid koor-microfoon. Kleine, omgekeerde zwanenhals. Brede en platte frequentie response voor een natuurlijke en transparante klank.</p> <p>€ 176,00</p>
<p>220VP</p>  <p>Operating Principle: Condenser Polar Pattern: Continuously-variable Frequency Response: 90Hz -17KHz Sensitivity: -32dBV (25mV) @ 1 Pa Impedance: 120 ohms</p> <p>€ 245,00</p>	<p>905R</p>  <p>The Astatic 905R is a line-cardioid, quick-mount, miniature gooseneck condenser microphone designed for speech and vocal pick-up. The line-cardioid polar pattern (Locus™ technology) is engineered to attenuate</p> <p>€ 360,00</p>	<p>CM-100W</p>  <p>Cad electret condenser Choir Mic white</p> <p>€ 176,00</p>
<p>220VP/white</p>  <p>Operating Principle: Condenser Polar Pattern: Continuously-variable Frequency Response: 90Hz -17KHz Sensitivity: -32dBV (25mV) @ 1 Pa Impedance: 120 ohms</p> <p>€ 245,00</p>	<p>930VP</p>  <p>Astatic Boundary MIC, VAR Pattern</p> <p>€ 170,00</p>	<p>CM-217</p>  <p>Designed for drum overheads. Features include hi-pass filter and attenuator. Mic clip included. Sold only in DMTP packs</p> <p>€ 48,00</p>
<p>40-113DX</p>  <p>Voet met bar switch en LED signaal indicator voor MG115 / MG120 zwanenhals microfoons.</p> <p>€ 131,00</p>	<p>C-195</p>  <p>Live Vocals, Acoustic Instrument, Strings, Piano, Cymbals/Overheads Operating Principle: Condenser Polar Pattern: Cardioid Frequency Response: 55Hz to 20KHz</p> <p>€ 95,00</p>	<p>CTM-1000A</p>  <p>Packaged in a rugged, machined brass housing, the CTM 1000A condenser microphone provides accurate and transparent acoustic capture. The transformerless design reduces low-frequency amplitude and phase distortions</p> <p>€ 223,07</p>



















CAD

<p>D-189</p>  <p>Supercardioid microfoon, ontworpen voor professionele vocalisten en muzikanten. Brede en platte frequentie response voor een natuurlijk, transparant geluid.</p> <p>€ 108,00</p>	<p>E-200/2</p>  <p>CAD Multi Pattern Servo Condenser</p> <p>Nog niet leverbaar!</p> <p>€ 0,00</p>	<p>FM-1A</p>  <p>Installation flange with 3-pin female XLR stem mount Bottom of flange or side of stem cable exit Includes 6' balanced audio cable terminating in stripped and tinned ends Fits any mini condenser</p> <p>€ 30,00</p>
<p>DMC-1</p>  <p>CAD Mic clip</p> <p>€ 25,00</p>	<p>E-300/2</p>  <p>CAD Multi Pattern Biased condenser</p> <p>€ 500,00</p>	<p>FM-2A</p>  <p>Astatic Flange Mount and XLR Adapter Kit</p> <p>€ 16,95</p>
<p>DMTP-4</p>  <p>Four-piece Drum Mic Touring Pack Contains two TM211s, one SN210, and one KM212 in protective travel case</p> <p>€ 138,50</p>	<p>E-350</p>  <p>Groot membraam multi-pattern condensator microfoon.</p> <p>Leverbaar zolang de voorraad strekt.</p> <p>€ 785,00</p>	<p>GN10VP</p>  <p>The GNVP is a series of continuously-variable pattern, quick-mount, miniature-gooseneck condenser microphones designed primarily for speech and vocal pickup. Special attention has been taken to design the GNVP</p> <p>€ 270,00</p>
<p>DMTP-7</p>  <p>Seven-piece Drum Mic Touring Pack Contains three TM211s, two CM217s, one SN210, and one KM212 in protective travel case</p> <p>€ 233,00</p>	<p>E-60</p>  <p>Operating Principle: Externally-biased condenser Polar Pattern: Cardioid Frequency Response: 30Hz to 20KHz Sensitivity: -41dBV (8.9mV) @ 1 Pa Impedance: 300 ohms</p> <p>€ 285,00</p>	<p>GN15VP</p>  <p>The GNVP is a series of continuously-variable pattern, quick-mount, miniature-gooseneck condenser microphones designed primarily for speech and vocal pickup. Special attention has been taken to design the GNVP</p> <p>€ 270,00</p>
<p>DSM-1</p>  <p>Shockmount voor drum-microfoon.</p> <p>€ 32,00</p>	<p>E-70</p>  <p>Choir, Orchestra, Acoustic Instrument, Guitar Cabinets, Strings, Piano, Cymbals/Overheads, Hi-Hat. Operating Principle: Condenser Polar Pattern: Cardioid and omnidirectional</p> <p>€ 340,00</p>	<p>GN20VP</p>  <p>The GNVP is a series of continuously-variable pattern, quick-mount, miniature-gooseneck condenser microphones designed primarily for speech and vocal pickup. Special attention has been taken to design the GNVP</p> <p>€ 270,00</p>
<p>E-100-2</p>  <p>Super cardioid electret servo-condensator microfoon. Bijzonder hoog niveau van toepasbaarheid, zowel in de studio als live. Inclusief shockmount, -20 dB pad en 6 dB/octaaf bij 80 Hz.</p> <p>€ 385,00</p>	<p>EPF15-A</p>  <p>Cad popfilter</p> <p>€ 29,00</p>	<p>GN20VPD</p>  <p>The GNVP is a series of continuously-variable pattern, quick-mount, miniature-gooseneck condenser microphones designed primarily for speech and vocal pickup. Special attention has been taken to design the GNVP</p> <p>€ 360,00</p>
<p>E-200</p>  <p>Multi-pattern electret condensator microfoon.</p> <p>Leverbaar zolang de voorraad strekt.</p> <p>€ 384,61</p>	<p>FM-1</p>  <p>Cad montage Flens</p> <p>€ 28,00</p>	<p>GSM-1</p>  <p>Astatic Heavy-duty installation shock mo</p> <p>€ 72,00</p>

CAD

<p>GXL1200</p>  <p>Condensator microfoon voor instrumenten. Door de kleine afmetingen, natuurgetrouwe klank en hoge SPL is de GXL1200 bij uitstek geschikt voor overheads, high-hats, cymbalen, woodwinds en snaarinstrumenten.</p> <p>€ 80,00</p>	<p>ICM-417</p>  <p>Electret condensatormicrofoon. Natuurlijk, transparant geluid. Door de ultieme laagfrequente respons en de lage vervorming bijzonder geschikt voor cymbalen, overheads, snaarinstrumenten en percussie.</p> <p>€ 106,00</p>	<p>MG-120</p>  <p>Low noise, electret condensator mini-zwanenhals microfoons in zwart. Lengte 20 inch.</p> <p>€ 185,00</p>
<p>GXL2200</p>  <p>Cardioid condensator microfoon. De hoge gevoeligheid en lage vervormingswaarden maken de GXL2200 uitermate geschikt voor recording, broadcast en vocale en instrument toepassingen. Inclusief klem.</p> <p>€ 90,00</p>	<p>KBM-412</p>  <p>Neodymium dynamische microfoon, speciaal ontwikkeld voor bass drum en andere laagfrequente bronnen. De KBM412 presteert buitengewoon als kick en tom microfoon, en bij grote percussie instrumenten.</p> <p>€ 90,00</p>	<p>NB2</p>  <p>The CAD NB-2 Active noise canceling headphones are professional grade in-ear monitors with superb sound quality. They use a High output 9mm driver with neodymium magnet for clear, robust audio and are Great for travel and</p> <p>€ 115,00</p>
<p>GXL2200SSP</p>  <p>CAD Stereo studio pack</p> <p>€ 223,07</p>	<p>M-177</p>  <p>Nieuwe generatie cardioid condensatormicrofoon. Extreem lage vervorming, noise en snelle transiënte respons. THD: < 0,15%, Equiv. noise level 10 dB SPL, A weighted.</p> <p>€ 230,00</p>	<p>PMP-32</p>  <p>Driedelige percussie-set, bestaande uit 2 x TSM411 en 1 x KBM412.</p> <p>€ 190,00</p>
<p>GXL2400</p>  <p>Cardioid condensator microfoon. De hoge gevoeligheid en lage vervormingswaarden maken de GXL2400 uitermate geschikt voor recording, broadcast en vocale en instrument toepassingen. Inclusief</p> <p>€ 99,00</p>	<p>M-179</p>  <p>Nieuwe generatie condensatormicrofoon. Extreem lage vervorming, noise en snelle transiënte respons. THD: < 0,15%, Equiv. noise level 11 dB SPL, A weighted. Variabele karakteristiek.</p> <p>€ 325,00</p>	<p>PMP-421C</p>  <p>Vierdelige percussie-set, bestaande uit 2 x TSM411, 1 x ICM417 en 1 x KBM412.</p> <p>€ 265,00</p>
<p>GXL3000</p>  <p>Studio Vocals, Voice-over, Choir, Acoustic Instrument, Guitar Cabinets, Bass Cabinets, Piano. Operating Principle: Externally-biased condenser Polar Pattern: Cardioid, figure-of-eight, omnidirectional</p> <p>€ 215,40</p>	<p>M-37vp</p>  <p>Operating Principle: Externally-biased condenser Polar Pattern: Cardioid Frequency Response: 20Hz to 20KHz Sensitivity: -37dBV (14mV) @ 1 Pa Impedance: 200 ohms</p> <p>€ 175,00</p>	<p>PMP-43</p>  <p>Vierdelige percussie-set, bestaande uit 3 x TSM411 en 1 x KBM412.</p> <p>€ 250,00</p>
<p>GXL3000SSP</p>  <p>CAD Stereo Studio Pack</p> <p>€ 346,15</p>	<p>M-9</p>  <p>Cardioid condensatormicrofoon met transistor buizentechnologie. Met 12AX7 buis.</p> <p>€ 530,00</p>	<p>PMP-54</p>  <p>Vijfdelige percussie-set, bestaande uit 4 x TSM411 en 1 x KBM412.</p> <p>€ 300,00</p>
<p>GZM-6</p>  <p>Shock mount voor de GXL2200 en GXL2400.</p> <p>€ 24,00</p>	<p>MG-115</p>  <p>Low noise, electret condensator mini-zwanenhals microfoons in zwart. Lengte 15 inch.</p> <p>€ 185,00</p>	<p>PMP-632C</p>  <p>Zesdelige percussie-set, bestaande uit 3 x TSM411, 2 x ICM417 en 1 x KBM412.</p> <p>€ 385,00</p>

CAD

<p>PMP-65</p>  <p>Zesdelige percussie-set, bestaande uit 5 x TSM411 en 1 x KBM412.</p> <p>€ 376,00</p>	<p>TSM-411</p>  <p>Dynamische neodymium percussie microfoon met "duo-point" ophanging, waardoor de microfoon uitermate geschikt is voor gebruik met tom toms, snares, bekkens, conga's, gitaar- en keyboard versterkers enz.</p> <p>€ 74,00</p>	<p>VX2E-PRO</p>  <p>Dubbele buizen condensator microfoon, meerdere karakteristieken.</p> <p>Leverbaar zolang de voorraad strekt.</p> <p>€ 1.995,00</p>
<p>PMP-7C</p>  <p>Zevendelige percussie-set.</p> <p>€ 745,00</p>	<p>U1-USB</p>  <p>Record directly to your computer Excellent for vocals and instruments Podcast over the internet Create your own audio for video Record your own songs</p> <p>€ 40,00</p>	<p>WM-1000</p>  <p>Astatic Auto Teller Mic</p> <p>€ 55,00</p>
<p>PRO-7</p>  <p>CAD 7pc Drumkit</p> <p>€ 235,00</p>	<p>U2-USB</p>  <p>Great for VoIP, language training, gaming, podcasting, and music listening Comfortable headband and soft ear pads Gooseneck microphone boom Light-weight and durable Windows and Macintosh</p> <p>€ 45,00</p>	<p>WM-625</p>  <p>Astatic Wall Mic</p> <p>€ 30,00</p>
<p>ST-100</p>  <p>Surface mount electret condensator microfoon, ideaal voor gebruik op altaren, vergadertafels, studiovloeren of televisieproducties.</p> <p>€ 185,00</p>	<p>U37-USB</p>  <p>Record studio-quality audio directly to your computer Excellent for vocals and instruments Podcast over the internet Create your own audio for video Record your own songs</p> <p>€ 80,00</p>	<p>WM-625S</p>  <p>Astatic Wall Mic Push to talk</p> <p>€ 36,00</p>
<p>TRION6000</p>  <p>Two externally-biased large diaphragms, field-effect detection and iron core drive. Tri-level high voltage and legendary CAD industrial design. Three polar patterns for timbre and expanse. Vintage tone, vintage look and vintage</p> <p>€ 385,00</p>	<p>U7-USB</p>  <p>Record studio-quality audio directly to your computer Excellent for vocals and instruments Podcast over the internet Create your own audio for video Record your own songs</p> <p>€ 77,00</p>	
<p>TRION7000</p>  <p>Thick and rich, the dual ribbon "rounds out" guitar stacks, brass, and woodwinds. A narrow strip of ultra thin aluminum suspended in a magnetic field oscillates symbiotically with your sound source. Electrical current is the</p> <p>€ 345,00</p>	<p>USM1</p>  <p>Lessenaar / podium shock mount, voor permanente installaties, met vaste kabel van 1.8m.</p> <p>€ 80,00</p>	
<p>TRION8000</p>  <p>Transparent, airy, rich and silky. Travel back in time with the extra large diaphragm, RF pentode, iron core, and 120 volts of drive. CAD brings back the look, sound and feel of early condensers. Use all three polar patterns to define space</p> <p>€ 540,00</p>	<p>VSM-1</p>  <p>Cardioid buizen condensator microfoon. Met 12AX7 buis.</p> <p>Leverbaar zolang de voorraad strekt.</p> <p>€ 885,00</p>	