

Sennheiser All Products Price List (Euro / Excl. VAT = 21%)

Effective Date: 01/02/2018

Model	Item Number	Description	MSRP
e 825-S	004511	Vocal microphone, dynamic, cardioid, 3-pin XLR-M, anthracite, includes clip and bag	80,00
e 835	004513	Vocal microphone, dynamic, cardioid, 3-pin XLR-M, anthracite, includes clip and bag	99,00
e 835 S	004514	Vocal microphone, dynamic, cardioid, I/O switch, 3-pin XLR-M, anthracite, includes clip and bag	99,00
e 845	004515	Vocal microphone, dynamic, supercardioid, 3-pin XLR-M, anthracite, includes clip and bag	119,00
e 845 S	004516	Vocal microphone, dynamic, cardioid, I/O switch, 3-pin XLR-M, anthracite, includes clip and bag	119,00
e 865	004846	Vocal microphone, condenser, supercardioid, 3-pin XLR-M, anthracite, includes clip and bag	249,00
e 865 S	004847	Vocal microphone, condenser, supercardioid, I/O switch, 3-pin XLR-M, anthracite, includes clip and bag	249,00
e 602 II	500797	Instrument microphone, dynamic, cardioid, 3/8" tripod thread, 3-pin XLR-M, anthracite, includes bag	159,00
e 604	004519	Instrument microphone, dynamic, cardioid, 3/8" tripod thread, 3-pin XLR-M, anthracite, includes bag	139,00
e 608	004520	Instrument microphone, dynamic, supercardioid, 3-pin XLR-M, anthracite, includes clip and bag	169,00
e 609 Silver	500074	Instrument microphone, dynamic, supercardioid, 3-pin XLR-M, anthracite, includes clip and bag	109,00
e 614	009895	Instrument microphone, condenser, supercardioid, P12-48, 3-pole XLR-M, anthracite, including bracket and case	199,00
e 935	009421	Vocal microphone, dynamic, cardioid, 3-pin XLR-M, black, includes clip and bag	179,00
e 945	009422	Vocal microphone, dynamic, supercardioid, 3-pin XLR-M, black, includes clip and bag	219,00
e 965	500881	Vocal microphone, true condenser, cardioid/supercardioid, 48 V phantom, 3-pin XLR-M, black, includes clip and bag	499,00

e 901	500198	Boundary microphone, condenser, half cardioid directionality, 3-pin XLR-M, anthracite, includes bag	249,00
e 902	500199	Instrument microphone, dynamic, cardioid, 3/8" tripod thread, 3-pin XLR-M, anthracite, includes bag	199,00
e 904	500200	Instrument microphone, dynamic, cardioid, 3/8" tripod thread, 3-pin XLR-M, anthracite, includes bag	169,00
e 906	500202	Instrument microphone, dynamic, supercardioid, 3-pin XLR-M, 3 x sound switch, anthracite, includes bag	189,00
e 908 B	500203	Instrument microphone, condenser, supercardioid, ew stereo jack, anthracite, including MZH 908 B-II, MZA 900 P and case	279,00
e 908 B ew	500204	Instrument microphone, condenser, supercardioid, ew stereo jack, anthracite, including MZH 908 B-II and case	179,00
e 908 D	500205	Instrument microphone, condenser, supercardioid, EW jack, anthracite, includes MZH 908 D, MZA 900 P, and bag	279,00
e 914	500206	Instrument microphone, condenser, cardioid, bass switch, P48, 3-pole, anthracite, including bracket, screen and case	379,00
3-PACK e835-S	507359	Microphone set with 3x e 835 S, vocal microphone, dynamic, cardioid, I/O switch, including microphone bracket and cases	249,00
3PACK e604	506667	Microphone set with 3x e 604, instrument microphone, dynamic, cardioid, including bracket holder and cases	349,00
3PACK e835	506666	Microphone set with 3x e 835, vocal microphone, dynamic, cardioid, including microphone bracket and cases	249,00
DRUMKIT600	504296	Includes 1x e602-II, 4x e604, 2x e614 in a custom slim-line aluminum case with die-cut foam to protect your investment	999,00
e 835 epack	502518	Microphone set, each with 1x: Microphone e 835, XLR cable 5m, and tripod floor stand with swivel arm	119,00
e 835 S epack	502519	Microphone set, each with 1x: Microphone e 835 S, XLR cable 5m, and tripod floor stand with swivel arm	119,00
MD 21-U	000292	ENG microphone, dynamic, omnidirectional, 3 pin XLR-M, 3/8" tripod thread, black	499,00
MD 42	005173	ENG microphone, dynamic, omnidirectional, 3-pin XLR-M, black	269,00
MD 421-II	000984	Studio microphone, dynamic, cardioid, bass switch, 3-pin XLR-M, black, includes microphone clip	399,00

MD 431-II	001605	Hand microphone, dynamic, supercardioid, I/O switch, 3-pin XLR-M, black, includes microphone clip	499,00
MD 441-U	000762	Studio microphone, dynamic supercardioid, bass and brilliance switch, 3-pin XLR-M, black/silver, includes MZQ 441	899,00
MD 46	005172	ENG microphone, dynamic, cardioid, elastic capsule mount, 3-pin XLR-M, black	269,00
MZH 604	005299	Drum clip for e 604 and e 904, black	49,00
MZH 908 B	500540	Instrument clip for e 908, black	45,00
MZH 908 D	500541	Drum clip for e 908, black	45,00
MZQ 100	002155	Microphone clip for microphones with Ø 19-22 mm, 3/8" / 5/8" / 1/2" tripod thread, black	29,00
MZQ 441	002615	Microphone clip for MD 441, 3/8" / 5/8" / 1/2" tripod thread, black	49,00
MZQ 800	004711	Microphone clip for MD 42, MD 46 and evolution 800/900 Vocal, 3/8" / 5/8" / 1/2" tripod thread, black	10,00
MZP 40	003132	Close-talking protection with gooseneck stand, Ø 13cm, black	79,00
MZW 1	004839	Windscreen for SKM 100/300/500, anthracite	20,00
MZW 4032-A	002978	Windscreen for MD 42, MD 46, MD 425, MD 431, and evolution 800/900 vocal, anthracite, includes label rings (5)	49,00
MZW 4032-C	002980	Foam windshield for MD 425 and MD 431 II and evolution vocal mics, Blue	49,00
MZW 421-A	000536	Windscreen for MD 421-II, anthracite	39,00
MZW 441-A	000976	Windscreen for MD 441, anthracite	39,00
MZA 900 P	500226	Phantom power adapter, 48 V phantom power, EW jack socket, 3-pin XLR-M, black	199,00
MZA 900 P-4	500872	Phantom power adapter, 48 V phantom power, 3-pin SE socket jack, 3-pin XLR-M, black	219,00
ClipMic digital	506791	Clip-on microphone, spherical (ME 2), cable 1.6m with A/D converter, lightning connector, for iOS devices	199,00
HANDMIC DIGITAL	506974	Digital handheld microphone for iOS devices with cardioid dynamic microphone capsule. Includes (1) Handmic Digital, (1) cable 2m, Micro USB/Lightning, (1) cable 2m, Micro USB/USB (1) microphone clamp, (1) microphone table stand and (1) carrying pouch	259,00
MKE 2 digital	506798	Clip-on microphone, spherical (MKE 2), cable 1.6m with A/D converter, lightning connector, for iOS devices	499,00
MKE 2 elements	507306	The Action mic for the GoPro Hero 4 camera. Weatherproof and waterproof, includes the MZH2 Elements windscreen	199,00

MK 4	504298	Large-diaphragm microphone, true condenser, cardioid, XLR, P48, silver, including stand hinge and case	299,00
MK 4 Digital	506972	SE, MK 4 digital, large diaphragm microphone, real condenser, cardioid, USB/lightning, silver, includes stand and bag	439,00
MK 8	506195	Large-diaphragm microphone, true condenser, 5-fold switchable directional pattern, silver, including stand mount and case	699,00
MKS 4	504299	Oscillating mount made of metal with open ring for MK 4 (digital) and MK 8	99,00
MKW 4	504611	Screen for MK 4 (digital) and MK 8, foam, black	29,00
MKE 400	502047	Camera microphone, supercardioid condenser, 1 x AAA, hot shoe, 3.5mm jack	199,00
MKE 44-P	003330	Hand microphone, condenser, 2 x cardioid (X/Y), 1 x Mignon AA, 5-pin XLR-M, black, includes windscreen and AC 20	759,00
MKE 440	506258	Stereo camera microphone, condenser, 2x supercardioid, 2x AAA, hot shoe, cable with 3.5mm jack	349,00
MKE 600	505453	Camera microphone, condenser, supercardioid/directional, 1 x Mignon AA/48 V phantom, 3-pin XLR, includes MZS 600 and MZW 600, black	299,00
KA 600	505633	Coiled microphone cable, length: 20 cm (40 cm stretched out), XLR-3F -> 3.5 mm jack	13,00
KA 600 i	505799	Coiled microphone cable, length: 20cm (40cm stretched out), XLR-3F -> 4-pin mini jack	13,00
MZH 2 elements	507307	Windscreen for MKE2 Elements Microphone	29,00
MZH 440	506259	Fur windscreen for MKE 440	49,00
MZH 600	505454	Fur windscreen for MKE 600	49,00
MZQ 600	505571	Microphone clip for MKE 600, 3/8" / 5/8" / 1/2" tripod thread, black	10,00
MZS 600	505570	Microphone clip for MKE 600, with vibration dampers and hot shoe adapter, black	15,00
MZT 100	001883	Metal table stand with damping ring, 3/8" tripod thread, black	109,00
MZW 400	502364	Accessory set for MKE 400 with fur windscreen and XLR adapter	39,00
MZW 600	505569	Windscreen for MKE 600, anthracite	10,00
K 6	003279	Battery/phantom power adapter for ME 62-67, 12-48 V phantom, 1 x Mignon AA, 3-pin XLR-M, black, includes MZQ 200	239,00
K 6 C	003861	Battery/phantom power adapter for ME 62-67, 12-48 V phantom, 1x Mignon AA, 3-pin XLR-M, black	219,00

K 6 CL	004032	Battery/phantom power adapter for ME 62-67, 12-48 V phantom / 1x Mignon, reduced level, 3-pin XLR-M, black	219,00
K 6 P	003280	Phantom power adapter, for ME 62-67, 12-48 V phantom, 3-pin XLR-M, black, includes 200 MZQ	189,00
K 6 P-C	003862	Phantom power adapter for ME 62-67, 12-48 V phantom, 3-pin XLR-M, black	149,00
ME 62	003281	Microphone module, condenser, omnidirectional, for K6 power adapter, black	149,00
ME 64	003282	Microphone module, condenser, cardioid, for K6 power adapter, black	179,00
ME 65	003283	Microphone module, condenser, supercardioid, for K6 power adapter, black	219,00
ME 66	003284	Microphone module, condenser, supercardioid/directional, for K6 power adapter, black	199,00
ME 67	003285	Microphone module, condenser, directional, for K6 power adapter, black	269,00
MZQ 200	003289	Microphone clip for power adapter K 6 and K 6 P, 3/8" / 5/8" / 1/2" tripod thread, black	29,00
MZQ 6	003288	Microphone clip for K 6(P), hot shoe adapter, black	49,00
MZS 6	003287	Microphone clip for K 6(P), with vibration dampers, 3/8" / 5/8" / 1/2" tripod thread, black	49,00
MZSK 6	502844	Microphone clip for K 6(P), with shock absorbers and hot shoe adapter, black	49,00
MZW 64	003703	Windscreen for ME 62 and ME 64, anthracite	26,00
MZW 64-PRO	003711	Windscreen for ME 62 and ME 64, velour, anthracite	39,00
MZW 65-PRO	003757	Windscreen for ME 65, velour, anthracite	69,00
MZW 66	003704	Windscreen for ME 66, anthracite	39,00
MZW 66-PRO	003712	Windscreen for ME 66, velour, anthracite	69,00
MZW 67-PRO	003832	Windscreen for ME 67, velour, anthracite	99,00
MKH 20 P 48	002857	RF condenser microphone, cardioid, 48 V phantom power, 3-pin XLR-M, black, includes MZS 40 and MZW 41	1800,00
MKH 30 P 48	002872	RF condenser microphone, bidirectional, 48 V phantom power, 3-pin XLR-M, black, includes MZS 80 and MZW 41	1990,00
MKH 40 P 48	002645	RF condenser microphone, cardioid, 48 V phantom power, 3-pin XLR-M, black, includes MZS 40 and MZW 41	1800,00
MKH 416 P 48	001511	RF condenser microphone, supercardioid/directional, 48 V phantom power, 3-pin XLR-M, black, includes MZW 415	999,00
MKH 416 T	001567	RF condenser microphone, supercardioid/directional, T-power, 3 pin XLR-M, black, includes MZW 415	1250,00

MKH 418 S	005284	RF condenser microphone, directional and bidirectional (M/S arrangement), 48 V phantom, 5-pin XLR-M, black	1800,00
MKH 50 P 48	003109	RF condenser microphone, supercardioid, 48 V phantom, 3-pin XLR-M, black, includes MZS 40 and MZW 41	1800,00
MKH 60 P 48	003148	RF condenser microphone, supercardioid/directional, 48 V phantom power, 3-pin XLR-M, black, includes MZQ 40	1800,00
MKH 70 P 48	003149	RF condenser microphone, supercardioid/directional, 48 V phantom power, 3-pin XLR-M, black	2280,00
MKH 800 P 48	004927	RF condenser microphone, omnidirectional/bidirectional/wide cardioid/cardioid/supercardioid, 3-pin XLR-M, nickel, includes MZS 80 and MZW 80	3900,00
MKH 800 Twin Ni	502431	RF condenser microphone, 2x cardioid, variable directionality, 5-pin XLR, nickel, includes MZQ 80, MZS 80, and AC 20	3900,00
MKH 800 Twin Nx	502083	RF condenser microphone, 2 x cardioid, variable directionality, 5-pin XLR, Nextel B/W, includes MZQ 80, MZS 80, and AC 20	3900,00
MZD 30	002990	Double clamp for M/S stereo combination of MKH 30 with MKH 20/40/60/70, black	69,00
MZS 20-1	003609	Suspension mounting set with pistol grip, for MKH 20, MKH 40-70, and MKH 416	399,00
MZS 40	003017	Suspension mount for MKH 20, MKH 40, and MKH 50, 3/8"/ 5/8" / 1/2" tripod thread, black	229,00
MZS 80	003685	Suspension mount for MKH 30, MKH 800, and MKH 800 Twin, 3/8"/ 5/8" / 1/2" tripod thread, black	259,00
MZW 415-ANT	000895	Windscreen for MKH 416, anthracite	59,00
MZW 61	003194	Windscreen for MKH 60, includes labeling kit (8 colors), anthracite	109,00
MZW 71	003195	Windscreen for MKH 70, includes labeling kit (8 colors), anthracite	169,00
MZW 80-ANT	003780	Windscreen for MKH 80, MKH 800, and MKH 800 Twin, anthracite	49,00
MZH 20-1	003610	Windscreen cover for basket windscreen MZW 20-1	229,00
MZH 60-1	003224	Windscreen cover for basket windscreen MZW 60-1	229,00
MZH 70-1	003225	Windscreen cover for basket windscreen MZW 70-1	259,00
MZH 80-1	504737	Windscreen cover for basket windscreen MZW 80-1	249,00
MZW 20-1	003606	Basket windscreen for MZS 20-1, compatible with MKH 20, MKH 40, and MKH 50	339,00

MZW 60-1	003607	Basket windscreen for MZS 20-1, compatible with MKH 60 and MKH 416	349,00
MZW 70-1	003608	Basket windscreen for MZS 20-1, compatible with MKH 70	349,00
MZW 80-1	504738	Basket windscreen for MZS 20-1, compatible with MKH 8070	349,00
MKH 8020	506287	HF condenser microphone set, with MKH 8020 (spherical), MZW 8000 and MZQ 8000, in transport case, NEXTEL black	1300,00
MKH 8020 Stereo Set	506288	Microphone set, each 2x MKHC 8020, MZX 8000, MZW 8000 and MZQ 8000 in transport case	2500,00
MKH 8040	506289	HF condenser microphone set, with MKH 8040 (cardioid), MZW 8000 and MZQ 8000, in transport case, NEXTEL black	1300,00
MKH 8040 Stereo Set	506290	Microphone set, each 2x MKHC 8040, MZX 8000, MZW 8000 and MZQ 8000 in transport case	2500,00
MKH 8050	506291	HF condenser microphone set, with MKH 8050 (supercardioid), MZW 8000 and MZQ 8000, in transport case, NEXTEL black	1300,00
MKH 8060	506292	HF condenser microphone set, with MKH 8060 (supercardioid/lobe), MZW 8060 and MZQ 8060, NEXTEL black	1300,00
MKH 8070	506293	HF condenser microphone set, with MKH 8070 (lobe), MZW 8070 and MZQ 8060, NEXTEL black	1600,00
MKH 8090	506294	HF condenser microphone set, with MKH 8090 (wide cardioid), MZW 8000 and MZQ 8000, in transport case, NEXTEL black	1300,00
MZD 8000	502097	Digital module for MKH 8000, two channels, 24-bit/44.1-192 kHz, AES 42, system plug-> system socket, Nextel black	899,00
MZE 8015	502315	Tripod boom for MKH 8000, length: 15cm, Nextel black	299,00
MZE 8030	502433	Tripod boom for MKH 8000, length: 30 cm, Nextel black	319,00
MZE 8060	502316	Tripod boom for MKH 8000, length: 60 cm, Nextel black	339,00
MZE 8120	502317	Tripod boom for MKH 8000, length: 120 cm, Nextel black	369,00
MZEF 8030	502434	Rod for MKH 8000, length: 30 cm, 3/8" tripod thread, Nextel black	109,00
MZEF 8060	502318	Rod for MKH 8000, length: 60cm, 3/8" tripod thread, Nextel black	139,00
MZEF 8120	502319	Rod for MKH 8000, length: 120 cm, 3/8" tripod thread, Nextel black	169,00
MZF 8000	502320	Filter module for MKH 8000, system plug -> system socket, roll-off and -10 dB switchable, Nextel black	479,00
MZFS 8000	502322	Floor stand with damping ring for MKH 8000, round, 3/8" tripod thread, Nextel black	239,00

MZG 8000	502323	Swivel joint for MKHC 80xx (in conjunction with MZX 8000), system plug-> system socket, Nextel black	279,00
MZGE 8000	502324	Bar connector for MKH 8000, for 1 tripod boom, Nextel black	159,00
MZGE 8002	502325	Bar connector for MKH 8000, for 2 tripod boom, Nextel black	169,00
MZH 8000	502435	Ceiling mount for MKHC 80xx (in conjunction with MZL 80xx), with cable guide, Nextel black	129,00
MZL 8003	502326	Extension cord for MKH 8000, length: 3m, system plug -> system socket, black	139,00
MZL 8010	502327	Extension cord for MKH 8000, length: 10 m, system plug -> system socket, black	179,00
MZQ 8000	502328	Microphone clip for MKHC 80xx, 3/8" tripod thread, Nextel black	59,00
MZQ 8001	502329	Mini clip for MKHC 80xx (in conjunction with MZL 80xx), 3/8" tripod thread, Nextel black	69,00
MZS 31	005087	Suspension mount for MZH goosenecks, flush mount, black	45,00
MZS 8000	502330	Suspension mount for MKH 8020-8050, 3/8" tripod thread, Nextel black	109,00
MZT 8000	502331	Metal table stand for MKHC 80xx, with cable 1.5m, Nextel black	209,00
MZT 8001	502332	Acrylic table stand for MKHC 80xx, with cable 1.5m, Nextel black	209,00
MZW 8000	502333	Windscreen for MKHC 8020/8040/8050, dual layer, anthracite	15,00
MZX 8000	502098	XLR module for MKH 8000, 3-pole XLR-M, NEXTEL black	239,00
		Y-Adapterkabel for MZD 8000,30 cm, 2 x 8000 connector --> 8000 connector, Black	
		BNMZLL8	
VSSVS0914001	003	Adapterkabel for MZD 8000, 30 cm, XLR-5F --> 8000 connection, black	269,00
		BNMZLX8	
VSSVS0914011	003		269,00
AMBEO VR Mic	507195	Ambeo® 3D audio microphone, 4x cardioid (A format), 4x P48, output DIN12M, including XLR cable, screen and stand mount	1785,00
SPB 8000	505695	Esfera base unit, analog/digital inputs (XLR), 5.1 output 3 x AES3 (XLR), WordClock/AES, LAN, 115/230 VAC, 19"/1HE, silver	7300,00
SPM 8000	505694	Esfera microphone unit, 2x cardioid (X/Y) in swing mounting assembly, P48, XLR5-M, includes basket, fur and adapter cable XLR5-F-> 2x XLR3-M	4800,00
MEB 102 B	505600	Boundary microphone, built-in, omnidirectional, 3-pin XLR-M, 24-48 V phantom power, black	179,00

MEB 102 W	505601	Boundary microphone, built-in, omnidirectional, 3-pin XLR-M, 24-48 V phantom power, white	179,00
MEB 102-L B	505603	Boundary microphone, built-in, omnidirectional, 5-pin XLR-M, 24-48 V phantom power, with illuminated ring, black	189,00
MEB 102-L TC B	506729	Boundary microphone, installation, omnidirectional, includes 2m cable for SL MIC HUB 1, LED illuminated ring, black	239,00
MEB 102-L TC W	506763	Boundary microphone, installation, omnidirectional, includes 2m cable for SL MIC HUB 1, LED illuminated ring, white	239,00
MEB 102-L W	505604	Boundary microphone, built-in, omnidirectional, 5-pin XLR-M, 24-48 V phantom power, with illuminated ring, white	189,00
MEB 104 B	505606	Boundary microphone, built-in, cardioid, 3-pin XLR-M, 24-48 V phantom power, black	179,00
MEB 104 W	505607	Boundary microphone, built-in, cardioid, 3-pin XLR-M, 24-48 V phantom power, white	179,00
MEB 104-L B	505609	Boundary microphone, built-in, cardioid, 5-pin XLR-M, 24-48 V phantom power, with illuminated ring, black	189,00
MEB 104-L TC B	506730	Boundary microphone, installation, cardioid, includes 2m cable for SL MIC HUB 1, LED illuminated ring, black	239,00
MEB 104-L TC W	506765	Boundary microphone, installation, cardioid, includes 2m cable for SL MIC HUB 1, LED illuminated ring, white	239,00
MEB 104-L W	505610	Boundary microphone, built-in, cardioid, 5-pin XLR-M, 24-48 V phantom power, with illuminated ring, white	189,00
MEB 114 B	505612	Boundary microphone, cardioid, 3-pin mini-XLR-M, 24-48 V phantom power, black	249,00
MEB 114 W	505613	Boundary microphone, cardioid, 3-pin mini-XLR-M, 24-48 V phantom power, white	249,00
MEB 114-S B	505615	Boundary microphone, cardioid, 3-pin mini-XLR-M, 24-48 V phantom power, TTL logic output, button with illuminated ring, black	299,00
MEB 114-S TC B	506600	Boundary microphone, cardioid, fixed cable 2m to connect to SL MIC HUB 1, button with LED illuminated ring, black	329,00
MEB 114-S TC W	506601	Boundary microphone, cardioid, fixed cable 2m to connect to SL MIC HUB 1, button with LED illuminated ring, white	329,00
MEB 114-S W	505616	Boundary microphone, cardioid, 3-pin mini-XLR-M, 24-48 V phantom power, TTL logic output, button with illuminated ring, white	299,00
SL HEADMIC 1 BE	506272	Neckband microphone, omnidirectional, beige, cable 1.6m, 3.5mm, EW jack	539,00

SL HEADMIC 1 BK	506271	Neckband microphone, spherical, black, connection cable 1.6 m, 3.5 mm ew plug	539,00
SL HEADMIC 1 SB	506904	Neckband microphone, omnidirectional, silver, cable 1.6m, 3.5mm, EW jack	539,00
SL HEADMIC 1- 4 BE	506906	Neckband microphone, omnidirectional, beige, cable 1.6 m, 3-pin, SE plug	599,00
SL HEADMIC 1- 4 BK	506905	Neckband microphone, spherical, black, connection cable 1.6 m, 3-pin SE plug	599,00
SL HEADMIC 1- 4 SB	506907	Neckband microphone, spherical, black, connection cable 1.6 m, 3-pin SE plug	599,00
MAS 1 B	505618	Table-mounted button, 5-pin XLR-M, black	79,00
MAS 1 TC B	506722	Mute button, use with built-in microphones, includes cable, black	129,00
MAS 1 TC W	506723	Mute button, use with built-in microphones, includes cable, white	129,00
MAS 1 W	505619	Table-mounted button, 5-pin XLR-M, white	79,00
MAS 133	505621	Microphone control box, mic IN: XLR3-F, mic OUT: XLR3-M, switch: XLR5-F, logic out, installation material	139,00
MAS 2 TC B	506603	Hook button, accept calls with button, includes cable, black	129,00
MAS 2 TC W	506604	Hook button, accept calls with button, includes cables, white	129,00
SL DI 4 XLR	506848	Analog digital audio converter, 4x MIC/LINE-In, P48, 2 network ports (Dante Daisy Chain), 12 VDC or POE	1100,00
ME 34	005060	Condenser microphone head for MZH goosenecks, cardioid, black, includes windscreen MZW 34 B	159,00
ME 34 W	005061	Condenser microphone head for MZH goosenecks, cardioid, white, includes windscreen MZW 34 W	159,00
ME 35	005063	Condenser microphone head for MZH goosenecks, supercardioid, black, includes windscreen MZW 34 B	159,00
ME 35 W	005064	Condenser microphone head for MZH goosenecks, supercardioid, white, includes windscreen MZW 34 W	159,00
ME 36	005065	Condenser microphone head for MZH goosenecks, supercardioid/directional, black, includes windscreen MZW 36 B	249,00
ME 36 W	005066	Condenser microphone head for MZH goosenecks, supercardioid/directional, white, includes windscreen MZW 36 W	249,00
MZH 3015	005074	Gooseneck for ME 34/35/36, 15 cm long, 3-pin XLR-M, 12-48 V phantom, black	139,00
MZH 3015 W	504608	Gooseneck for ME 34/35/36, 15cm long, 3-pin XLR-M, 12-48 V phantom power, white	139,00
MZH 3040	005076	Gooseneck for ME 34/35/36, 40 cm long, 3-pin XLR-M, 12-48 V phantom, black	159,00

MZH 3042	009384	Gooseneck for ME 34/35/36, 2 articulating points, 40cm long, 3-pin XLR-M, 12-48 V phantom, black	199,00
MZH 3062	500652	Gooseneck for ME 34/35/36, 2 articulating points, 60 cm long, 3-pin XLR-M, 12-48 V phantom, black	319,00
MZH 3072	500653	Gooseneck for ME 34/35/36, 2 articulating points, 70 cm long, 3-pin XLR-M, 12-48 V phantom, black	329,00
MZH 3015 L	009435	Gooseneck for ME 34/35/36, 15cm long, 5-pin XLR-M, 12-48 V phantom, with illuminated ring, black	189,00
MZH 3040 L	009436	Gooseneck for ME 34/35/36, 40 cm long, 5-pin XLR-M, 12-48 V phantom, with illuminated ring, black	209,00
MZH 3042 L	009437	Gooseneck for ME 34/35/36, 2 articulating points, 40cm long, 5-pin XLR-M, 12-48 V phantom, with illuminated ring, black	249,00
MZH 3062 L	504609	Gooseneck for ME 34/35/36, 2 articulating points, 60 cm long, 5-pin XLR-M, 12-48 V phantom, with illuminated ring, black	379,00
MZH 3072 L	504610	Gooseneck for ME 34/35/36, 2 articulating points, 70 cm long, 5-pin XLR-M, 12-48 V phantom, with illuminated ring, black	379,00
MZC 30	005088	Connection cable for ME 34/35/36, 9m long, 3-pin XLR-M, 12-48 V phantom power, black	159,00
MZC 30 W	005089	Connection cable for ME 34/35/36, 9m long, 3-pin XLR-M, 12-48 V phantom power, white	159,00
MZH 30	005090	Suspension device for ME 34/35/36, metal	16,00
MZH 30 W	005092	Suspension device for ME 34/35/36, white	18,00
MZT 30	005085	Flush mounting socket for MZH goosenecks, 3-pin XLR-F, black	25,00
MZT 30 L	009446	Flush mounting socket for MZH goosenecks, 5 pin XLR-F, black	45,00
MZT 417-1	001945	Table-top stand, Tripod (folding), 3/8" tripod thread, black, includes clip 19mm	39,00
MZW 34 PRO	005067	Windscreen for ME 34 and 35, velour, black, no markings	49,00
MZW 36	578850	Windscreen for ME 36, black, with logo	9,99
MZW 36 PRO	005069	Windscreen for ME 36, velour, black, no markings	49,00
MAT153 + MEG14-40-L-II SET	507354	Set with 1x MEG 14-40 L-II and 1x MAT 153 S	439,00
MEG 14-40 B	504791	Gooseneck microphone, condenser, cardioid, 3-pin XLR-M, 12-48 V phantom, 1 articulating point, 45cm long, black	219,00
MEG 14-40-L B	504792	Gooseneck microphone, condenser, cardioid, 5-pin XLR-M, 12-48 V phantom, 1 articulating point, illuminated ring, 45cm long, black	249,00
MEG 14-40-L II B	506398	Gooseneck microphone, condenser, cardioid, 5-pin XLR-M, 12-48 V phantom, 1 articulating point, illuminated ring, 45cm long, black	249,00

MZFS 60	500650	Microphone stand, tripod, 60cm high, upper 3-pin XLR-F (screw-on), lower 3 pin XLR-M, black	219,00
MZFS 80	500651	Microphone stand, tripod, 80 cm high, upper 3-pin XLR-F (screw-on), lower 3 pin XLR-M, black	239,00
Dante™ Kit ME 36	508206	Supercardioid/lobe pre-polarized condenser microphone kit. Includes (1) SL DI 4 XLR, (4) MAT 133-S, (4) MZH 3015 and (4) ME 36	3300,00
Dante™ Kit MEB 114-S	508207	Cardioid pre-polarized condenser boundary microphone kit. Includes (1) SL DI 4 XLR and (4) MEB 114-S	2200,00
Dante™ Kit MEG 14-40	508209	Cardioid pre-polarized condenser gooseneck microphone kit. Includes (1) SL DI 4 XLR, 4) MAT 133-S and (4) MEG 14-40 B	2750,00
Dante™ Kit MEG 14-40 basic	508208	Cardioid pre-polarized condenser gooseneck microphone kit. Includes (1) SL DI 4 XLR, 4) MAT 133 and (4) MEG 14-40 B	2200,00
Dante™ Kit MEG 14-40-L-II	508210	Cardioid pre-polarized condenser gooseneck microphone kit. Includes (1) SL DI 4 XLR, 4) MAT 153-S and (4) MEG 14-40-L-II	2970,00
MAT 133 B	505622	Table stand for MZH 30xx, MEG 1440, 3-pin XLR-F, 3-pin XLR-M, 24-48 V phantom power, black	159,00
MAT 133-S B	505624	Table base, sensor with LED ring, for MZH 30xx, MEG 1440, 3-pole XLR-F, 3-pole XLR-M, TTL logic, 24-48 V phantom powering, black	199,00
MAT 153-S B	505626	Table base for MEG 14-40-L II, sensor with LED ring, TTL logic, IN 5-pole XLR-F OUT 3-pole XLR- M, 24-48 V phantom, black	219,00
XSW 1-825-A	507108	Vocal set each with 1x EM XSW 1, SKM 825 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, frequency range: A (548 - 572 MHz)	249,00
XSW 1-825-B	507109	Vocal set each with 1x EM XSW 1, SKM 825 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, frequency range: B (614 – 638 MHz)	249,00
XSW 1-825-E	507112	Vocal set each with 1x EM XSW 1, SKM 825 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, frequency range: E(821- 832 / 863 – 865 MHz)	249,00
XSW 1-825-GB	507113	Vocal set each with 1x EM XSW 1, SKM 825 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, frequency range: GB (606 – 630 MHz)	249,00
XSW 1-835-A	507115	Vocal set each with 1x EM XSW 1, SKM 835 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, frequency range: A (548 - 572 MHz)	299,00
XSW 1-835-B	507116	Vocal set each with 1x EM XSW 1, SKM 835 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, frequency range: B (614 – 638 MHz)	299,00
XSW 1-835-E	507119	Vocal set each with 1x EM XSW 1, SKM 835 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, frequency range: E (821- 832 / 863 – 865 MHz)	299,00

XSW 1-835-GB	507120	Vocal set each with 1x EM XSW 1, SKM 835 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, frequency range: GB (606 – 630 MHz)	299,00
XSW 1-908-A	507101	Wind instrument set each with 1x EM XSW 1, SK XSW, e 908 T, NT 12-5 CW, frequency range: A (548 - 572 MHz)	349,00
XSW 1-908-B	507102	Wind instrument set each with 1x EM XSW 1, SK XSW, e 908 T, NT 12-5 CW, frequency range: B (614 - 638 MHz)	349,00
XSW 1-908-E	507105	Wind instrument set each with 1x EM XSW 1, SK XSW, e 908 T, NT 12-5 CW, frequency range: E (821 - 832 / 863 - 865 MHz)	349,00
XSW 1-908-GB	507106	Wind instrument set each with 1x EM XSW 1, SK XSW, e 908 T, NT 12-5 CW, frequency range: GB (606 - 630 MHz)	349,00
XSW 1-CI1-A	506994	Instrument set each with 1x EM XSW 1, SK XSW, NT 12-5 CW, CI 1, frequency range: A (548 - 572 MHz)	249,00
XSW 1-CI1-B	506995	Instrument set each with 1x EM XSW 1, SK XSW, NT 12-5 CW, CI 1, frequency range: B (614 - 638 MHz)	249,00
XSW 1-CI1-E	506998	Instrument set each with 1x EM XSW 1, SK XSW, NT 12-5 CW, CI 1, frequency range: E (821 - 832 / 863 - 865 MHz)	249,00
XSW 1-CI1-GB	506999	Instrument set each with 1x EM XSW 1, SK XSW, NT 12-5 CW, CI 1, frequency range: GB (606 - 630 MHz)	249,00
XSW 1-ME2-A	506980	Clip-on microphone set each with 1x EM XSW 1, SK XSW, ME 2-2, NT 12-5 CW, frequency range: A (548 - 572 MHz)	299,00
XSW 1-ME2-B	506981	Clip-on microphone set each with 1x EM XSW 1, SK XSW, ME 2-2, NT 12-5 CW, frequency range: B (614 - 638 MHz)	299,00
XSW 1-ME2-E	506984	Clip-on microphone set each with 1x EM XSW 1, SK XSW, ME 2-2, NT 12-5 CW, frequency range: E (821 - 832 / 863 - 865 MHz)	299,00
XSW 1-ME2-GB	506985	Clip-on microphone set each with 1x EM XSW 1, SK XSW, ME 2-2, NT 12-5 CW, frequency range: GB (606 - 630 MHz)	299,00
XSW 1-ME3-A	506987	Neckband set each with 1x EM XSW 1, SK XSW, ME 3-II, NT 12-5 CW, frequency range: A (548 - 572 MHz)	349,00
XSW 1-ME3-B	506988	Neckband set each with 1x EM XSW 1, SK XSW, ME 3-II, NT 12-5 CW, frequency range: B (614 - 638 MHz)	349,00
XSW 1-ME3-E	506991	Neckband set each with 1x EM XSW 1, SK XSW, ME 3-II, NT 12-5 CW, frequency range: E (821 - 832 / 863 - 865 MHz)	349,00

XSW 1-ME3-GB	506992	Neckband set each with 1x EM XSW 1, SK XSW, ME 3-II, NT 12-5 CW, frequency range: GB (606 - 630 MHz)	349,00
XSW 2-835-A	507143	Vocal set each with 1x EM XSW 2, 1x EM XSW 2, SKM 835 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, GA 1 XSW 2, frequency range: A (548 - 572 MHz)	439,00
XSW 2-835-B	507144	Vocal set each with 1x EM XSW 2, 1x EM XSW 2, SKM 835 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, GA 1 XSW 2, frequency range: B (614 - 638 MHz)	439,00
XSW 2-835-E	507147	Vocal set each with 1x EM XSW 2, 1x EM XSW 2, SKM 835 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, GA 1 XSW 2, frequency range: E (821 - 832 / 863 - 865 MHz)	439,00
XSW 2-835-GB	507148	Vocal set each with 1x EM XSW 2, 1x EM XSW 2, SKM 835 XSW (dynamic, cardioid), NT 12-5 CW, MZQ 1, GA 1 XSW 2, frequency range: GB (606 - 630 MHz)	439,00
XSW 2-865-A	507150	Vocal set each with 1x EM XSW 2, 1x EM XSW 2, SKM 865 XSW (condenser, supercardioid), NT 12-5 CW, MZQ 1, GA 1 XSW 2, frequency range: A (548 - 572 MHz)	489,00
XSW 2-865-B	507151	Vocal set each with 1x EM XSW 2, 1x EM XSW 2, SKM 865 XSW (condenser, supercardioid), NT 12-5 CW, MZQ 1, GA 1 XSW 2, frequency range: B (614 - 638 MHz)	489,00
XSW 2-865-E	507154	Vocal set each with 1x EM XSW 2, 1x EM XSW 2, SKM 865 XSW (condenser, supercardioid), NT 12-5 CW, MZQ 1, GA 1 XSW 2, frequency range: E (821 - 832 / 863 - 865 MHz)	489,00
XSW 2-865-GB	507155	Vocal set each with 1x EM XSW 2, 1x EM XSW 2, SKM 865 XSW (condenser, supercardioid), NT 12-5 CW, MZQ 1, GA 1 XSW 2, frequency range: GB (606 - 630 MHz)	489,00
XSW 2-CI1-A	507136	Instrument set each with 1x EM XSW 2, SK XSW, NT 12-5 CW, CI 1, GA 1 XSW 2, frequency range: A (548 - 572 MHz)	389,00
XSW 2-CI1-B	507137	Instrument set each with 1x EM XSW 2, SK XSW, NT 12-5 CW, CI 1, GA 1 XSW 2, frequency range: B (614 - 638 MHz)	389,00
XSW 2-CI1-E	507140	Instrument set each with 1x EM XSW 2, SK XSW, NT 12-5 CW, CI 1, GA 1 XSW 2, frequency range: E (821 - 832 / 863 - 865 MHz)	389,00

XSW 2-CI1-GB	507141	Instrument set each with 1x EM XSW 2, SK XSW, NT 12-5 CW, CI 1, GA 1 XSW 2, frequency range: GB (606 - 630 MHz)	389,00
XSW 2-ME2-A	507122	Clip-on microphone set each with 1x EM XSW 2, SK XSW, ME 2-2, NT 12-5 CW, GA 1 XSW 2, frequency range: A (548 - 572 MHz)	439,00
XSW 2-ME2-B	507123	Clip-on microphone set each with 1x EM XSW 2, SK XSW, ME 2-2, NT 12-5 CW, GA 1 XSW 2, frequency range: B (614 - 638 MHz)	439,00
XSW 2-ME2-E	507126	Clip-on microphone set each with 1x EM XSW 2, SK XSW, ME 2-2, NT 12-5 CW, GA 1 XSW 2, frequency range: E (821 - 832 / 863 - 865 MHz)	439,00
XSW 2-ME2-GB	507127	Clip-on microphone set each with 1x EM XSW 2, SK XSW, ME 2-2, NT 12-5 CW, GA 1 XSW 2, frequency range: GB (606 - 630 MHz)	439,00
XSW 2-ME3-A	507129	Neckband set each with 1x EM XSW 2, SK XSW, ME 3-II, NT 12-5 CW, GA 1 XSW 2, frequency range: A (548 - 572 MHz)	489,00
XSW 2-ME3-B	507130	Neckband set each with 1x EM XSW 2, SK XSW, ME 3-II, NT 12-5 CW, GA 1 XSW 2, frequency range: B (614 - 638 MHz)	489,00
XSW 2-ME3-E	507133	Neckband set each with 1x EM XSW 2, SK XSW, ME 3-II, NT 12-5 CW, GA 1 XSW 2, frequency range: E (821 - 832 / 863 - 865 MHz)	489,00
XSW 2-ME3-GB	507134	Neckband set each with 1x EM XSW 2, SK XSW, ME 3-II, NT 12-5 CW, GA 1 XSW 2, frequency range: GB (606 - 630 MHz)	489,00
EM-XSW 1-A	507308	Table top receiver with internal, integrated antennas. 8 banks of 10 coordinated frequency presets, frequency range: A (548-572 MHz)	149,00
EM-XSW 1-B	507309	Table top receiver with internal, integrated antennas. 8 banks of 10 coordinated frequency presets, frequency range: B (614-638 MHz)	149,00
EM-XSW 1-E	507312	Table top receiver with internal, integrated antennas. 8 banks of 10 coordinated frequency presets, frequency range: E (821-832, 863-865 MHz)	149,00
EM-XSW 1-GB	507313	Table top receiver with internal, integrated antennas. 8 banks of 10 coordinated frequency presets, frequency range: GB (606-630 MHz)	149,00
EM-XSW 2-A	507315	True diversity receiver with external antennas. 8 banks of 12 coordinated frequency presets, and manual tuning of 960 frequencies. Rackmount not included, frequency range: A (548-572 MHz)	249,00
EM-XSW 2-B	507316	True diversity receiver with external antennas. 8 banks of 12 coordinated frequency presets, and manual tuning of 960 frequencies. Rackmount not included, frequency range: B (614-638 MHz)	249,00

EM-XSW 2-E	507319	True diversity receiver with external antennas. 8 banks of 12 coordinated frequency presets, and manual tuning of 960 frequencies. Rackmount not included, frequency range: E (821-832, 863-865 MHz)	249,00
EM-XSW 2-GB	507320	True diversity receiver with external antennas. 8 banks of 12 coordinated frequency presets, and manual tuning of 960 frequencies. Rackmount not included, frequency range: GB (606-630 MHz)	249,00
GA 1-XSW 2	507351	Rackmount kit for mounting one or two EM-XSW 2 receivers in a 19" rack	50,00
GA 2-XSW 2	507468	Extension cables and BNC sockets to front-mount one pair of antennas	30,00
NT 12-5CW	507352	Power supply for EM-XSW 1, EM-XSW 2	19,00
SK-XSW-A	507322	Bodypack transmitter with mic / line inputs and mute switch, frequency range: A (548-572 MHz)	99,00
SK-XSW-B	507323	Bodypack transmitter with mic / line inputs and mute switch, frequency range: B (614-638 MHz)	99,00
SK-XSW-E	507326	Bodypack transmitter with mic / line inputs and mute switch, frequency range: E (821-832, 863-865 MHz)	99,00
SK-XSW-GB	507327	Bodypack transmitter with mic / line inputs and mute switch, frequency range: GB (606-630 MHz)	99,00
SKM 825-XSW-A	507329	Handheld transmitter equipped with e825 cardioid dynamic capsule & mute switch, frequency range: A (548-572 MHz)	149,00
SKM 825-XSW-B	507330	Handheld transmitter equipped with e825 cardioid dynamic capsule & mute switch, frequency range: B (614-638 MHz)	149,00
SKM 825-XSW-E	507333	Handheld transmitter equipped with e825 cardioid dynamic capsule & mute switch, frequency range: E (821-832, 863-865 MHz)	149,00
SKM 825-XSW-GB	507334	Handheld transmitter equipped with e825 cardioid dynamic capsule & mute switch, frequency range: GB (606-630 MHz)	149,00
SKM 835-XSW-A	507336	Handheld transmitter equipped with e835 cardioid dynamic capsule & mute switch, frequency range: A (548-572 MHz)	199,00
SKM 835-XSW-B	507337	Handheld transmitter equipped with e835 cardioid dynamic capsule & mute switch, frequency range: B (614-638 MHz)	199,00
SKM 835-XSW-E	507340	Handheld transmitter equipped with e835 cardioid dynamic capsule & mute switch, frequency range: E (821-832, 863-865 MHz)	199,00

SKM 835-XSW-GB	507341	Handheld transmitter equipped with e835 cardioid dynamic capsule & mute switch, frequency range: GB (606-630 MHz)	199,00
SKM 865-XSW-A	507343	Handheld transmitter equipped with e865 supercardioid pre-polarized condenser capsule & mute switch, frequency range: A (548-572 MHz)	249,00
SKM 865-XSW-B	507344	Handheld transmitter equipped with e865 supercardioid pre-polarized condenser capsule & mute switch, frequency range: B (614–638 MHz)	249,00
SKM 865-XSW-E	507347	Handheld transmitter equipped with e865 supercardioid pre-polarized condenser capsule & mute switch, frequency range: E (821-832, 863-865 MHz)	249,00
SKM 865-XSW-GB	507348	Handheld transmitter equipped with e865 supercardioid pre-polarized condenser capsule & mute switch, frequency range: GB (606-630 MHz)	249,00
ME 2-II	507437	Omnidirectional electret condenser lavalier with clip and grille. Compatible with AVX, SpeechLine DW, XSW 1 & 2, and evolution wireless D1.	129,00
ew 100-935 G3 A-X	504822	Vocal set, each with 1x: EM 100, SKM 100-935 (dynamic, cardioid), and MZQ 1, 516-558 MHz	649,00
ew 100-935 G3 B-X	504824	Vocal set, each with 1x: EM 100, SKM 100-935 (dynamic, cardioid), and MZQ 1, 626-668 MHz	649,00
ew 100-935 G3 C-X	504825	Vocal set, each with 1x: EM 100, SKM 100-935 (dynamic, cardioid), and MZQ 1, 734-776 MHz	649,00
ew 100-935 G3 E-X	504269	Vocal set, each with 1x: EM 100, SKM 100-935 (dynamic, cardioid) and MZQ 1, 823-865 MHz	649,00
ew 100-935 G3 G-X	504823	Vocal set, each with 1x: EM 100, SKM 100-935 (dynamic, cardioid) and MZQ 1, 566-608 MHz	649,00
ew 100-935 G3-1G8	504907	Vocal set, each with 1x: EM 100 G3-1G8, SKM 100-935 G3-1G8 (dynamic, cardioid), MZQ 1, 1785-1800 MHz	649,00
ew 100-945 G3 A-X	504826	Vocal set, each with 1x: EM 100, SKM 100-945 (dynamic, supercardioid) and MZQ 1, 516-558 MHz	699,00
ew 100-945 G3 B-X	504828	Vocal set, each with 1x: EM 100, SKM 100-945 (dynamic, supercardioid) and MZQ 1, 626-668 MHz	699,00
ew 100-945 G3 C-X	504829	Vocal set, each with 1x: EM 100, SKM 100-945 (dynamic, supercardioid) and MZQ 1, 734-776 MHz	699,00
ew 100-945 G3 E-X	504277	Vocal set, each with 1x: EM 100, SKM 100-945 (dynamic, supercardioid) and MZQ 1, 823-865 MHz	699,00
ew 100-945 G3 G-X	504827	Vocal set, each with 1x: EM 100, SKM 100-945 (dynamic, supercardioid) and MZQ 1, 566-608 MHz	699,00
ew 100-945 G3-1G8	504908	Vocal set, each with 1x: EM 100 G3-1G8, SKM 100-945 G3-1 G 8 (dynamic, supercardioid), MZQ 1, 1785-1800 MHz	699,00

ew 112 G3 A-X	503100	Bodypack set, each with 1 x: EM 100, SK 100 and ME 2 (omnidirectional), 516-558 MHz	599,00
ew 112 G3 B-X	503174	Bodypack set, each with 1 x: EM 100, SK 100 and ME 2 (omnidirectional), 626-668 MHz	599,00
ew 112 G3 C-X	503177	Bodypack set, each with 1 x: EM 100, SK 100 and ME 2 (omnidirectional), 734-776 MHz	599,00
ew 112 G3 E-X	503184	Bodypack set, each with 1 x: EM 100, SK 100 and ME 2 (omnidirectional), 823 - 865 MHz	599,00
ew 112 G3 G-X	503171	Bodypack set, each with 1 x: EM 100, SK 100 and ME 2 (omnidirectional), 566 - 608 MHz	599,00
ew 112 G3 GB	504638	Bodypack set, each with 1 x: EM 100, SK 100 and ME 2 (omnidirectional), 606 - 648 MHz	599,00
ew 112 G3-1G8	504900	Bodypack set, each with 1 x: EM 100 G3-1 G 8, SK 100 G3-1 G 8, ME 2 EW (omnidirectional), 1785-1800 MHz	599,00
ew 122 G3 A-X	503101	Bodypack set, each with 1 x: EM 100, SK 100 and ME 4 (cardioid), 516-558 MHz	599,00
ew 122 G3 B-X	503192	Bodypack set, each with 1 x: EM 100, SK 100 and ME 4 (cardioid), 626-668 MHz	599,00
ew 122 G3 C-X	503195	Bodypack set, each with 1 x: EM 100, SK 100 and ME 4 (cardioid), 734-776 MHz	599,00
ew 122 G3 E-X	503202	Bodypack set, each with 1 x: EM 100, SK 100 and ME 4 (cardioid), 823-865 MHz	599,00
ew 122 G3 G-X	503189	Bodypack set, each with 1 x: EM 100, SK 100 and ME 4 (cardioid), 566-608 MHz	599,00
ew 122 G3 GB	504639	Bodypack set, each with 1 x: EM 100, SK 100 and ME 4 (cardioid), 606-648 MHz	599,00
ew 122 G3-1G8	504901	Bodypack set, each with 1 x: EM 100 G3-1 G 8, SK 100 G3-1 G 8, ME 4 EW (cardioid), 1785-1800 MHz	599,00
ew 135 G3 A-X	503104	Vocal set, each with 1x: EM 100, SKM 100-835 (dynamic, cardioid), and MZQ 1, 516-558 MHz	599,00
ew 135 G3 B-X	503242	Vocal set, each with 1x: EM 100, SKM 100-835 (dynamic, cardioid), and MZQ 1, 626-668 MHz	599,00
ew 135 G3 C-X	503245	Vocal set, each with 1x: EM 100, SKM 100-835 (dynamic, cardioid), and MZQ 1, 734-776 MHz	599,00
ew 135 G3 E-X	503252	Vocal set, each with 1x: EM 100, SKM 100-835 (dynamic, cardioid) and MZQ 1, 823-865 MHz	599,00
ew 135 G3 G-X	503239	Vocal set, each with 1x: EM 100, SKM 100-835 (dynamic, cardioid) and MZQ 1, 566-608 MHz	599,00
ew 135 G3 GB	504642	Vocal set, each with 1x: EM 100, SKM 100-835 (dynamic, cardioid) and MZQ 1, 606-648 MHz	599,00
ew 135 G3-1G8	504904	Vocal set, each with 1x: EM 100 G3-1G8, SKM 100-835 G3-1G8 (dynamic, cardioid), MZQ 1, 1785-1800 MHz	599,00
ew 145 G3 A-X	503105	Vocal set, each with 1x: EM 100, SKM 100-845 (dynamic, supercardioid) and MZQ 1, 516-558 MHz	649,00
ew 145 G3 B-X	503258	Vocal set, each with 1x: EM 100, SKM 100-845 (dynamic, supercardioid) and MZQ 1, 626-668 MHz	649,00

ew 145 G3 C-X	503260	Vocal set, each with 1x: EM 100, SKM 100-845 (dynamic, supercardioid) and MZQ 1, 734-776 MHz	649,00
ew 145 G3 E-X	503266	Vocal set, each with 1x: EM 100, SKM 100-845 (dynamic, supercardioid) and MZQ 1, 823-865 MHz	649,00
ew 145 G3 G-X	503256	Vocal set, each with 1x: EM 100, SKM 100-845 (dynamic, supercardioid) and MZQ 1, 566-608 MHz	649,00
ew 145 G3 GB	504643	Vocal set, each with 1x: EM 100, SKM 100-845 (dynamic, supercardioid) and MZQ 1, 606-648 MHz	649,00
ew 145 G3-1G8	504905	Vocal set, each with 1x: EM 100 G3-1G8, SKM 100-845 G3-1 G 8 (dynamic, supercardioid), MZQ 1, 1785-1800 MHz	649,00
ew 152 G3 A-X	503102	Bodypack set each with 1x : EM 100, SK 100 and ME 3 (cardioid), 516-558 MHz	649,00
ew 152 G3 B-X	503210	Bodypack set each with 1x : EM 100, SK 100 and ME 3 (cardioid), 626-668 MHz	649,00
ew 152 G3 C-X	503213	Bodypack set each with 1x : EM 100, SK 100 and ME 3 (cardioid), 734-776 MHz	649,00
ew 152 G3 E-X	503220	Bodypack set each with 1x : EM 100, SK 100 and ME 3 (cardioid), 823-865 MHz	649,00
ew 152 G3 G-X	503207	Bodypack set each with 1x : EM 100, SK 100 and ME 3 (cardioid), 566-608 MHz	649,00
ew 152 G3 GB	504640	Bodypack set each with 1x : EM 100, SK 100 and ME 3 (cardioid), 606-648 MHz	649,00
ew 152 G3-1G8	504902	Bodypack set each with 1x: EM 100 G3-1G8, SK 100 G3-1G8, ME 3 (cardioid), 1785 - 1800 MHz	649,00
ew 165 G3 A-X	503106	Vocal set, each with 1x: EM 100, SKM 100-865 (condenser, supercardioid) and MZQ 1, 516-558 MHz	769,00
ew 165 G3 B-X	503272	Vocal set, each with 1x: EM 100, SKM 100-865 (condenser, supercardioid) and MZQ 1, 626-668 MHz	769,00
ew 165 G3 C-X	503274	Vocal set, each with 1x: EM 100, SKM 100-865 (condenser, supercardioid) and MZQ 1, 734-776 MHz	769,00
ew 165 G3 E-X	503280	Vocal set, each with 1x: EM 100, SKM 100-865 (condenser, supercardioid) and MZQ 1, 823-865 MHz	769,00
ew 165 G3 G-X	503270	Vocal set, each with 1x: EM 100, SKM 100-865 (condenser, supercardioid) and MZQ 1, 566-608 MHz	769,00
ew 165 G3 GB	504644	Vocal set, each with 1x: EM 100, SKM 100-865 (condenser, supercardioid) and MZQ 1, 606-648 MHz	769,00
ew 165 G3-1G8	504906	Vocal set, each with 1x: EM 100 G3-1G8, SKM 100-865-G3-1G8 (condenser, supercardioid), MZQ1, 1785-1800 MHz	769,00
ew 172 G3 A-X	503103	Bodypack set, each with 1 x: EM 100, SK 100 and CI 1, 516-558 MHz	599,00

ew 172 G3 B-X	503226	Bodypack set, each with 1 x: EM 100, SK 100 and CI 1, 626-668 MHz	599,00
ew 172 G3 C-X	503228	Bodypack set, each with 1 x: EM 100, SK 100 and CI 1, 734-776 MHz	599,00
ew 172 G3 E-X	503234	Bodypack set, each with 1 x: EM 100, SK 100 and CI 1, 823-865 MHz	599,00
ew 172 G3 G-X	503224	Bodypack set, each with 1 x: EM 100, SK 100 and CI 1, 566-608 MHz	599,00
ew 172 G3 GB	504641	Bodypack set, each with 1 x: EM 100, SK 100 and CI 1, 606-648 MHz	599,00
ew 172 G3-1G8	504903	Bodypack set, each with 1 x: EM 100 G3-1G8, SK 100 G3-1 G8 instrument cable CI 1, 1785-1800 MHz	599,00
ew 100-ENG G3 A-X	504818	Camera set, each with 1x: EK 100, SK 100, SKP 100, ME 2 (omnidirectional), CL 1, CL 100 and 2 CA, 516-558 MHz	799,00
ew 100-ENG G3 B-X	504820	Camera set, each with 1x: EK 100, SK 100, SKP 100, ME 2 (omnidirectional), CL 1, CL 100 and CA 2, 626-668 MHz	799,00
ew 100-ENG G3 C-X	504821	Camera set, each with 1x: EK 100, SK 100, SKP 100, ME 2 (omnidirectional), CL 1, CL 100 and CA 2, 734-776 MHz	799,00
ew 100-ENG G3 E-X	503313	Camera set, each with 1x: EK 100, SK 100, SKP 100, ME 2 (omnidirectional), CL 1, CL 100 and CA 2, 823-865 MHz	799,00
ew 100-ENG G3 G-X	504819	Camera set, each with 1x: EK 100, SK 100, SKP 100, ME 2 (omnidirectional), CL 1, CL 100 and CA 2, 566-608 MHz	799,00
ew 100-ENG G3 GB	504648	Camera set, each with 1x: EK 100, SK 100, SKP 100, ME 2 (omnidirectional), CL 1, CL 100 and CA 2, 606-648 MHz	799,00
ew 112-P G3 A-X	504806	Bodypack set, each with 1 x: EK 100, SK 100, ME 2 (omnidirectional), CA 2, 1 CL and CL 100, 516-558 MHz	599,00
ew 112-P G3 B-X	504808	Bodypack set, each with 1 x: EK 100, SK 100, ME 2 (omnidirectional), CA 2, CL 1 and CL 100, 626-668 MHz	599,00
ew 112-P G3 C-X	504809	Bodypack set, each with 1 x: EK 100, SK 100, ME 2 (omnidirectional), CA 2, 1 CL and CL 100, 734-776 MHz	599,00
ew 112-P G3 E-X	503289	Bodypack set, each with 1 x: EK 100, SK 100, ME 2 (omnidirectional), CA 2, 1 CL and CL 100, 823-865 MHz	599,00
ew 112-P G3 G-X	504807	ENG set for Portable/ Camera use 100 series G3 Range G (566...608 MHz)	599,00
ew 112-P G3 GB	504645	Bodypack set, each with 1 x: EK 100, SK 100, ME 2 (omnidirectional), CA 2, 1 CL and CL 100, 606-648 MHz	599,00

ew 122-P G3 A-X	504810	Bodypack set, each with 1 x: EK 100, SK 100, ME 4 (cardioid), CA 2, 1 CL and CL 100, 516-558 MHz	599,00
ew 122-P G3 B-X	504812	Bodypack set, each with 1 x: EK 100, SK 100, ME 4 (cardioid), CA 2, 1 CL and CL 100, 626-668 MHz	599,00
ew 122-P G3 C-X	504813	Bodypack set, each with 1 x: EK 100, SK 100, ME 4 (cardioid), CA 2, 1 CL and CL 100, 734-776 MHz	599,00
ew 122-P G3 E-X	503297	Bodypack set, each with 1 x: EK 100, SK 100, ME 4 (cardioid), CA 2, 1 CL and CL 100, 823-865 MHz	599,00
ew 122-P G3 G-X	504811	Bodypack set, each with 1 x: EK 100, SK 100, ME 4 (cardioid), CA 2, 1 CL and CL 100, 566-608 MHz	599,00
ew 122-P G3 GB	504646	Bodypack set, each with 1 x: EK 100, SK 100, ME 4 (cardioid), CA 2, 1 CL and CL 100, 606-648 MHz	599,00
ew 135-P G3 A-X	504814	Vocal set, each with 1x: EK 100, SKM 100-835 (cardioid), MZQ 1, CA 2, CL 1 and CL 100, 516-558 MHz	599,00
ew 135-P G3 B-X	504816	Vocal set, each with 1x: EK 100, SKM 100-835 (cardioid), MZQ 1, CA 2, 1 CL and CL 100, 626-668 MHz	599,00
ew 135-P G3 C-X	504817	Vocal set, each with 1x: EK 100, SKM 100-835 (cardioid), MZQ 1, CA 2, 1 CL and CL 100, 734-776 MHz	599,00
ew 135-P G3 E-X	503305	Vocal set, each with 1x: EK 100, SKM 100-835 (cardioid), MZQ 1, CA 2, 1 CL and CL 100, 823-865 MHz	599,00
ew 135-P G3 G-X	504815	Vocal set, each with 1x: EK 100, SKM 100-835 (cardioid), MZQ 1, CA 2, 1 CL and CL 100, 566-608 MHz	599,00
ew 135-P G3 GB	504647	Vocal set, each with 1x: EK 100, SKM 100-835 (cardioid), MZQ 1, CA 2, 1 CL and CL 100, 606-648 MHz	599,00
CC3 ENG-CASE	BNCC3E W100EN G-G3	Carry case , metal, universal foam for ew G3 ENG sets	129,00
CC3-CASE	BNCC3E W-G3	Carry case , metal, universal foam for ew G3 series	129,00
EK 100 G3 A-X	504834	Bodypack receiver, adaptive diversity, charging contacts, EW jack, 2x Mignon, 516-558 MHz	449,00
EK 100 G3 B-X	504836	Bodypack receiver, adaptive diversity, charging contacts, EW jack, 2x Mignon, 626-668 MHz	449,00
EK 100 G3 C-X	504837	Bodypack receiver, adaptive diversity, charging contacts, EW jack, 2x Mignon, 734-776 MHz	449,00
EK 100 G3 E-X	503536	Bodypack receiver, adaptive diversity, charging contacts, EW jack, 2x Mignon, 823-865 MHz	449,00
EK 100 G3 G-X	504835	Bodypack receiver, adaptive diversity, charging contacts, EW jack, 2x Mignon, 566-608 MHz	449,00

EK 100 G3 GB	504662	Bodypack receiver, adaptive diversity, charging contacts, EW jack, 2x Mignon, 606-648 MHz	449,00
EM 100 G3 A-X	503124	Diversity receiver, stationary, includes antennas and NT 2-3, 516-558 MHz	449,00
EM 100 G3 B-X	503517	Diversity receiver, stationary, includes antennas and NT 2-3, 626-668 MHz	449,00
EM 100 G3 C-X	503520	Diversity receiver, stationary, includes antennas and NT 2-3, 734-776 MHz	449,00
EM 100 G3 E-X	503527	Diversity receiver, stationary, includes antennas and NT 2-3, 823-865 MHz	449,00
EM 100 G3 G-X	503514	Diversity receiver, stationary, includes antennas and NT 2-3, 566-608 MHz	449,00
EM 100 G3 GB	504661	Diversity receiver, stationary, includes antennas and NT 2-3, 606-648 MHz	449,00
EM 100 G3-1G8	504909	Diversity receiver, stationary, includes antennas and NT 2-3, 1785-1800 MHz	449,00
SK 100 G3 A-X	504838	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 516-558 MHz	319,00
SK 100 G3 B-X	504840	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 626-668 MHz	319,00
SK 100 G3 C-X	504841	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 734-776 MHz	319,00
SK 100 G3 E-X	503544	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 823-865 MHz	319,00
SK 100 G3 G-X	504839	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 566-608 MHz	319,00
SK 100 G3 GB	504663	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 606-648 MHz	319,00
SK 100 G3-1G8	504910	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 1785-1800 MHz	319,00
SKM 100-835 G3 A-X	504842	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, 2x Mignon, 516-558 MHz	349,00
SKM 100-835 G3 B-X	504844	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, 2x Mignon, 626-668 MHz	349,00
SKM 100-835 G3 C-X	504845	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, 2x Mignon, 734-776 MHz	349,00
SKM 100-835 G3 E-X	503561	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, 2x Mignon, 823-865 MHz	349,00
SKM 100-835 G3 G-X	504843	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, 2x Mignon, 566-608 MHz	349,00
SKM 100-835 G3 GB	504664	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, 2x Mignon, 606-648 MHz	349,00

SKM 100-835 G3-1G8	504911	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, includes MZQ 1, 1785-1800 MHz	349,00
SKM 100-845 G3 A-X	504846	Handheld transmitter with MMD 845-1 (dynamic, supercardioid), charging contacts for LA 2, 2 x Mignon, 516-558 MHz	389,00
SKM 100-845 G3 B-X	504848	Handheld transmitter with MMD 845-1 (dynamic, supercardioid), charging contacts for LA 2, 2 x Mignon, 626-668 MHz	389,00
SKM 100-845 G3 C-X	504849	Handheld transmitter with MMD 845-1 (dynamic, supercardioid), charging contacts for LA 2, 2 x Mignon, 734-776 MHz	389,00
SKM 100-845 G3 E-X	503569	Handheld transmitter with MMD 845-1 (dynamic supercardioid), charging contacts for LA 2, 2 x Mignon, 823-865 MHz	389,00
SKM 100-845 G3 G-X	504847	Handheld transmitter with MMD 845-1 (dynamic supercardioid), charging contacts for LA 2, 2 x Mignon, 566-608 MHz	389,00
SKM 100-845 G3 GB	504665	Handheld transmitter with MMD 845-1 (dynamic, supercardioid), charging contacts for LA 2, 2 x Mignon, 606-648 MHz	389,00
SKM 100-845 G3-1G8	504912	Handheld transmitter with MMD 845-1 (dynamic, supercardioid), charging contacts for LA 2, 2 x Mignon, 1785-1800 MHz	389,00
SKM 100-865 G3 A-X	504850	Handheld transmitter with MME 865-1 (condenser supercardioid), charging contacts for LA 2, 2 x Mignon, 516-558 MHz	509,00
SKM 100-865 G3 B-X	504852	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, 2 x Mignon, 626-668 MHz	509,00
SKM 100-865 G3 C-X	504853	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, 2 x Mignon, 734-776 MHz	509,00
SKM 100-865 G3 E-X	503577	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, 2 x Mignon, 823-865 MHz	509,00
SKM 100-865 G3 G-X	504851	Handheld transmitter with MME 865-1 (dynamic, supercardioid), charging contacts for LA 2, 2 x Mignon, 566-608 MHz	509,00
SKM 100-865 G3 GB	504666	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, 2 x Mignon, 606-648 MHz	509,00
SKM 100-865 G3-1G8	504913	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, 2 x Mignon, 1785-1800 MHz	509,00
SKP 100 G3 A-X	504854	Plug-in transmitter, 3 pin XLR-F with locking, 2x Mignon, 516-558 MHz	329,00

SKP 100 G3 B-X	504856	Plug-in transmitter, 3 pin XLR-F with locking, 2x Mignon, 626-668 MHz	329,00
SKP 100 G3 C-X	504857	Plug-in transmitter, 3-pin XLR-F with locking, 2x Mignon, 734-776 MHz	329,00
SKP 100 G3 E-X	503585	Plug-in transmitter, 3-pin XLR-F with locking, 2x Mignon, 823-865 MHz	329,00
SKP 100 G3 G-X	504855	Plug-in transmitter, 3-pin XLR-F with locking, 2x Mignon, 566-608 MHz	329,00
SKP 100 G3 GB	504667	Plug-in transmitter, 3-pin XLR-F with locking, 2x Mignon, 606-648 MHz	329,00
ew 312 G3 A-X	503112	Bodypack set, each with 1 x: EM 300, SK 300, ME 2 (omnidirectional) and GA 3, 516-558 MHz	959,00
ew 312 G3 B-X	503333	Bodypack set, each with 1 x: EM 300, SK 300, ME 2 (omnidirectional) and GA 3, 626-668 MHz	959,00
ew 312 G3 C-X	503335	Bodypack set, each with 1 x: EM 300, SK 300, ME 2 (omnidirectional) and GA 3, 734-776 MHz	959,00
ew 312 G3 E-X	503341	Bodypack set, each with 1 x: EM 300, SK 300, ME 2 (omnidirectional) and GA 3, 823-865 MHz	959,00
ew 312 G3 G-X	503331	Bodypack set, each with 1 x: EM 300, SK 300, ME 2 (omnidirectional) and GA 3, 566-608 MHz	959,00
ew 312 G3 GB	504649	Bodypack set, each with 1 x: EM 300, SK 300, ME 2 (omnidirectional) and GA 3, 606-648 MHz	959,00
ew 322 G3 A-X	503113	Bodypack set, each with 1 x: EM 300, SK 300, ME 4 (cardioid) and GA 3, 516-558 MHz	959,00
ew 322 G3 B-X	503348	Bodypack set, each with 1 x: EM 300, SK 300, ME 4 (cardioid) and GA 3, 626-668 MHz	959,00
ew 322 G3 C-X	503350	Bodypack set, each with 1 x: EM 300, SK 300, ME 4 (cardioid) and GA 3, 734-776 MHz	959,00
ew 322 G3 E-X	503356	Bodypack set, each with 1 x: EM 300, SK 300, ME 4 (cardioid) and GA 3, 823-865 MHz	959,00
ew 322 G3 G-X	503346	Bodypack set, each with 1 x: EM 300, SK 300, ME 4 (cardioid) and GA 3, 566-608 MHz	959,00
ew 322 G3 GB	504650	Bodypack set, each with 1 x: EM 300, SK 300, ME 4 (cardioid) and GA 3, 606-648 MHz	959,00
ew 335 G3 A-X	503115	Vocal set, each with 1x: EM 300, SKM 300-835 (dynamic, cardioid), MZQ 1 and GA 3, 516-558 MHz	959,00
ew 335 G3 B-X	503378	Vocal set, each with 1x: EM 300, SKM 300-835 (dynamic, cardioid), MZQ 1 and GA 3, 626-668 MHz	959,00
ew 335 G3 C-X	503380	Vocal set, each with 1x: EM 300, SKM 300-835 (dynamic, cardioid), MZQ 1 and GA 3, 734-776 MHz	959,00
ew 335 G3 E-X	503386	Vocal set, each with 1x: EM 300, SKM 300-835 (dynamic, cardioid), MZQ 1 and GA 3, 823-865 MHz	959,00
ew 335 G3 G-X	503376	Vocal set, each with 1x: EM 300, SKM 300-835 (dynamic, cardioid), MZQ 1 and GA 3, 566-608 MHz	959,00
ew 335 G3 GB	504652	Vocal set, each with 1x: EM 300, SKM 300-835 (dynamic, cardioid), MZQ 1 and GA 3, 606-648 MHz	959,00

ew 345 G3 A-X	503116	Vocal set, each with 1x: EM 300, SKM 300-845 (dynamic, supercardioid), MZQ 1 and GA 3, 516-558 MHz	999,00
ew 345 G3 B-X	503393	Vocal set, each with 1x: EM 300, SKM 300-845 (dynamic, supercardioid), MZQ 1 and GA 3, 626-668 MHz	999,00
ew 345 G3 C-X	503395	Vocal set, each with 1x: EM 300, SKM 300-845 (dynamic, supercardioid), MZQ 1 and GA 3, 734-776 MHz	999,00
ew 345 G3 E-X	503401	Vocal set, each with 1x: EM 300, SKM 300-845 (dynamic, supercardioid), MZQ 1 and GA 3, 823-865 MHz	999,00
ew 345 G3 G-X	503391	Vocal set, each with 1x: EM 300, SKM 300-845 (dynamic, supercardioid), MZQ 1 and GA 3, 566-608 MHz	999,00
ew 345 G3 GB	504653	Vocal set, each with 1x: EM 300, SKM 300-845 (dynamic, supercardioid), MZQ 1 and GA 3, 606-648 MHz	999,00
ew 352 G3 A-X	503114	Bodypack set each with 1x : EM 300, SK 300, ME 3 (cardioid) and GA 3, 516-558 MHz	999,00
ew 352 G3 B-X	503363	Bodypack set each with 1x : EM 300, SK 300, ME 3 (cardioid) and GA 3, 626-668 MHz	999,00
ew 352 G3 C-X	503365	Bodypack set each with 1x : EM 300, SK 300, ME 3 (cardioid) and GA 3, 734-776 MHz	999,00
ew 352 G3 E-X	503371	Bodypack set each with 1x : EM 300, SK 300, ME 3 (cardioid) and GA 3, 823-865 MHz	999,00
ew 352 G3 G-X	503361	Bodypack set each with 1x : EM 300, SK 300, ME 3 (cardioid) and GA 3, 566-608 MHz	999,00
ew 352 G3 GB	504651	Bodypack set each with 1x : EM 300, SK 300, ME 3 (cardioid) and GA 3, 606-648 MHz	999,00
ew 365 G3 A-X	503117	Vocal set, each with 1x: EM 300, SKM 300-865 (condenser, supercardioid), MZQ 1 and GA 3, 516-558 MHz	1130,00
ew 365 G3 B-X	503408	Vocal set, each with 1x: EM 300, SKM 300-865 (condenser, supercardioid), MZQ 1 and GA 3, 626-668 MHz	1130,00
ew 365 G3 C-X	503410	Vocal set, each with 1x: EM 300, SKM 300-865 (condenser, supercardioid), MZQ 1 and GA 3, 734-776 MHz	1130,00
ew 365 G3 E-X	503416	Vocal set, each with 1x: EM 300, SKM 300-865 (condenser, supercardioid), MZQ 1 and GA 3, 823-865 MHz	1130,00
ew 365 G3 G-X	503406	Vocal set, each with 1x: EM 300, SKM 300-865 (condenser, supercardioid), MZQ 1 and GA 3, 566-608 MHz	1130,00
ew 365 G3 GB	504654	Vocal set, each with 1x: EM 300, SKM 300-865 (condenser, supercardioid), MZQ 1 and GA 3, 606-648 MHz	1130,00

EM 300 G3 A-X	503131	Diversity receiver, stationary, Ethernet (WSM), includes NT 2-3, antennas, and GA 3, 516-558 MHz	629,00
EM 300 G3 B-X	503590	Diversity receiver, stationary, Ethernet (WSM), includes NT 2-3, antennas, and GA 3, 626-668 MHz	629,00
EM 300 G3 C-X	503592	Diversity receiver, stationary, Ethernet (WSM), includes NT 2-3, antennas, and GA 3, 734-776 MHz	629,00
EM 300 G3 E-X	503598	Diversity receiver, stationary, Ethernet (WSM), includes NT 2-3, antennas, and GA 3, 823-865 MHz	629,00
EM 300 G3 G-X	503588	Diversity receiver, stationary, Ethernet (WSM), includes NT 2-3, antennas, and GA 3, 566-608 MHz	629,00
EM 300 G3 GB	504668	Diversity receiver, stationary, Ethernet (WSM), includes NT 2-3, antennas, and GA 3, 606-648 MHz	629,00
SK 300 G3 A-X	504858	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 516-558 MHz	349,00
SK 300 G3 B-X	504860	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 626-668 MHz	349,00
SK 300 G3 C-X	504861	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 734-776 MHz	349,00
SK 300 G3 E-X	503608	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 823-865 MHz	349,00
SK 300 G3 G-X	504859	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 566-608 MHz	349,00
SK 300 G3 GB	504669	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, 606-648 MHz	349,00
SKM 300-835 G3 A-X	504862	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, mute button, 2x Mignon, 516-558 MHz	399,00
SKM 300-835 G3 B-X	504864	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, mute button, 2x Mignon, 626-668 MHz	399,00
SKM 300-835 G3 C-X	504865	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, mute button, 2x Mignon, 734-776 MHz	399,00
SKM 300-835 G3 E-X	503617	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, mute button, 2x Mignon, 823-865 MHz	399,00
SKM 300-835 G3 G-X	504863	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, mute button, 2x Mignon, 566-608 MHz	399,00
SKM 300-835 G3 GB	504670	Handheld transmitter with MMD 835-1 (dynamic, cardioid), charging contacts for LA 2, mute button, 2x Mignon, 606-648 MHz	399,00
SKM 300-845 G3 A-X	504866	Handheld transmitter with MMD 845-1 (dynamic, cardioid), charging contacts for LA 2, mute button, 516-558 MHz	459,00
SKM 300-845 G3 B-X	504868	Handheld transmitter with MMD 845-1 (dynamic, cardioid), charging contacts for LA 2, mute button, 626-668 MHz	459,00

SKM 300-845 G3 C-X	504869	Handheld transmitter with MMD 845-1 (dynamic, supercardioid), charging contacts for LA 2, mute button, 734-776 MHz	459,00
SKM 300-845 G3 E-X	503626	Handheld transmitter with MMD 845-1 (dynamic, supercardioid), charging contacts for LA 2, mute button, 823-865 MHz	459,00
SKM 300-845 G3 G-X	504867	Handheld transmitter with MMD 845-1 (dynamic, supercardioid), charging contacts for LA 2, mute button, 566-608 MHz	459,00
SKM 300-845 G3 GB	504671	Handheld transmitter with MMD 845-1 (dynamic, supercardioid), charging contacts for LA 2, mute button, 606-648 MHz	459,00
SKM 300-865 G3 A-X	504870	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, mute button, 516-558 MHz	559,00
SKM 300-865 G3 B-X	504872	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, mute button, 626-668 MHz	559,00
SKM 300-865 G3 C-X	504873	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, mute button, 734-776 MHz	559,00
SKM 300-865 G3 E-X	503635	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, mute button, 823-865 MHz	559,00
SKM 300-865 G3 G-X	504871	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, mute button, 566-608 MHz	559,00
SKM 300-865 G3 GB	504672	Handheld transmitter with MME 865-1 (condenser, supercardioid), charging contacts for LA 2, mute button, 606-648 MHz	559,00
SKP 300 G3 A-X	505507	Plug-in transmitter, 3-pin XLR-F, 48 V phantom power adapter 2x Mignon, 516-558 MHz	539,00
SKP 300 G3 B-X	505509	Plug-in transmitter, 3-pin XLR-F, 48 V phantom power adapter 2x Mignon, 626-668 MHz	539,00
SKP 300 G3 C-X	505510	Plug-in transmitter, 3-pin XLR-F, 48 V phantom power adapter 2x Mignon, 734-776 MHz	539,00
SKP 300 G3 E-X	505512	Plug-in transmitter, 3-pin XLR-F, 48 V phantom power adapter 2x Mignon, 823-865 MHz	539,00
SKP 300 G3 G-X	505508	Plug-in transmitter, 3-pin XLR-F, 48 V phantom power adapter 2x Mignon, 566-608 MHz	539,00
SKP 300 G3 GB	505506	Plug-in transmitter, 3-pin XLR-F, 48 V phantom power adapter 2x Mignon, 606-648 MHz	539,00
ew 500-935 G3 A-X	503121	Vocal set, each with 1x: EM 500, SKM 500-935 (dynamic, cardioid), MZQ 1 and GA 3, 516-558 MHz	1080,00
ew 500-935 G3 B-X	503470	Vocal set, each with 1x: EM 500, SKM 500-935 (dynamic, cardioid), MZQ 1 and GA 3, 626-668 MHz	1080,00
ew 500-935 G3 C-X	503472	Vocal set, each with 1x: EM 500, SKM 500-935 (dynamic, cardioid), MZQ 1 and GA 3, 734-776 MHz	1080,00

ew 500-935 G3 E-X	503478	Vocal set, each with 1x: EM 500, SKM 500-935 (dynamic, cardioid), MZQ 1 and GA 3, 823-865 MHz	1080,00
ew 500-935 G3 G-X	503468	Vocal set, each with 1x: EM 500, SKM 500-935 (dynamic, cardioid), MZQ 1 and GA 3, 566-608 MHz	1080,00
ew 500-935 G3 GB	504658	Vocal set, each with 1x: EM 500, SKM 500-935 (dynamic, cardioid), MZQ 1 and GA 3, 606-648 MHz	1080,00
ew 500-945 G3 A-X	503122	Vocal set, each with 1x: EM 500, SKM 500-945 (dynamic, supercardioid), MZQ 1 and GA 3, 516-558 MHz	1140,00
ew 500-945 G3 B-X	503485	Vocal set, each with 1x: EM 500, SKM 500-945 (dynamic, supercardioid), MZQ 1 and GA 3, 626-668 MHz	1140,00
ew 500-945 G3 C-X	503487	Vocal set, each with 1x: EM 500, SKM 500-945 (dynamic, supercardioid), MZQ 1 and GA 3, 734-776 MHz	1140,00
ew 500-945 G3 E-X	503493	Vocal set, each with 1x: EM 500, SKM 500-945 (dynamic, supercardioid), MZQ 1 and GA 3, 823-865 MHz	1140,00
ew 500-945 G3 G-X	503483	Vocal set, each with 1x: EM 500, SKM 500-945 (dynamic, supercardioid), MZQ 1 and GA 3, 566-608 MHz	1140,00
ew 500-945 G3 GB	504659	Vocal set, each with 1x: EM 500, SKM 500-945 (dynamic, supercardioid), MZQ 1 and GA 3, 606-648 MHz	1140,00
ew 500-965 G3 A-X	503123	Vocal set, each with 1x: EM 500, SKM 500-965 (condenser, cardioid/supercardioid), MZQ 1 and GA 3, 516-558 MHz	1400,00
ew 500-965 G3 B-X	503500	Vocal set, each with 1x: EM 500, SKM 500-965 (condenser, cardioid/supercardioid), MZQ 1 and GA 3, 626-668 MHz	1400,00
ew 500-965 G3 C-X	503502	Vocal set, each with 1x: EM 500, SKM 500-965 (condenser, cardioid/supercardioid), MZQ 1 and GA 3, 734-776 MHz	1400,00
ew 500-965 G3 E-X	503508	Vocal set, each with 1x: EM 500, SKM 500-965 (condenser, cardioid/supercardioid), MZQ 1 and GA 3, 823-865 MHz	1400,00
ew 500-965 G3 G-X	503498	Vocal set, each with 1x: EM 500, SKM 500-965 (condenser, cardioid/supercardioid), MZQ 1 and GA 3, 566-608 MHz	1400,00
ew 500-965 G3 GB	504660	Vocal set, each with 1x: EM 500, SKM 500-965 (condenser, cardioid/supercardioid), MZQ 1 and GA 3, 606-648 MHz	1400,00
ew 512 G3 A-X	503119	Bodypack set, each with 1 x: EM 500, SK 500, MKE 2 EW (omnidirectional) and GA 3, 516-558 MHz	1190,00
ew 512 G3 B-X	503440	Bodypack set, each with 1 x: EM 500, SK 500, MKE 2 EW (omnidirectional) and GA 3, 626-668 MHz	1190,00
ew 512 G3 C-X	503442	Bodypack set, each with 1 x: EM 500, SK 500, MKE 2 EW (omnidirectional) and GA 3, 734-776 MHz	1190,00

ew 512 G3 E-X	503448	Bodypack set, each with 1 x: EM 500, SK 500, MKE 2 EW (omnidirectional) and GA 3, 823-865 MHz	1190,00
ew 512 G3 G-X	503438	Bodypack set, each with 1 x: EM 500, SK 500, MKE 2 EW (omnidirectional) and GA 3, 566-608 MHz	1190,00
ew 512 G3 GB	504656	Bodypack set, each with 1 x: EM 500, SK 500, MKE 2 EW (omnidirectional) and GA 3, 606-648 MHz	1190,00
ew 572 G3 A-X	503120	Bodypack set, each with 1 x: EM 500, SK 500, CI 1 and GA 3, 516-558 MHz	979,00
ew 572 G3 B-X	503455	Bodypack set, each with 1 x: EM 500, SK 500, CI 1 and GA 3, 626-668 MHz	979,00
ew 572 G3 C-X	503457	Bodypack set, each with 1 x: EM 500, SK 500, CI 1 and GA 3, 734-776 MHz	979,00
ew 572 G3 E-X	503463	Bodypack set, each with 1 x: EM 500, SK 500, CI 1 and GA 3, 823-865 MHz	979,00
ew 572 G3 G-X	503453	Bodypack set, each with 1 x: EM 500, SK 500, CI 1 and GA 3, 566-608 MHz	979,00
ew 572 G3 GB	504657	Bodypack set, each with 1 x: EM 500, SK 500, CI 1 and GA 3, 606-648 MHz	979,00
EM 500 G3 A-X	503138	Diversity receiver, stationary, Ethernet (WSM), includes antennas, GA 3, and NT 2-3, 516-558 MHz	679,00
EM 500 G3 B-X	503661	Diversity receiver, stationary, Ethernet (WSM), includes antennas, GA 3, and NT 2-3, 626-668 MHz	679,00
EM 500 G3 C-X	503663	Diversity receiver, stationary, Ethernet (WSM), includes antennas, GA 3, and NT 2-3, 734-776 MHz	679,00
EM 500 G3 E-X	503669	Diversity receiver, stationary, Ethernet (WSM), includes antennas, GA 3, and NT 2-3, 823-865 MHz	679,00
EM 500 G3 G-X	503659	Diversity receiver, stationary, Ethernet (WSM), includes antennas, GA 3, and NT 2-3, 566-608 MHz	679,00
EM 500 G3 GB	504675	Diversity receiver, stationary, Ethernet (WSM), includes antennas, GA 3, and NT 2-3, 606-648 MHz	679,00
SK 500 G3 A-X	504878	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, comes with protective bag, 516-558 MHz	379,00
SK 500 G3 B-X	504880	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, comes with protective bag, 626-668 MHz	379,00
SK 500 G3 C-X	504881	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, comes with protective bag, 734-776 MHz	379,00
SK 500 G3 E-X	503679	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, comes with protective bag, 823-865 MHz	379,00
SK 500 G3 G-X	504879	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, comes with protective bag, 566-608 MHz	379,00
SK 500 G3 GB	504676	Bodypack transmitter, charging contacts, EW jack socket, 2x Mignon, comes with protective bag, 606-648 MHz	379,00

SKM 500-935 G3 A-X	504882	Handheld transmitter with MMD 935-1 (dynamic, cardioid), charging contacts for LA 2, includes MZQ 1 and bag, 516-558 MHz	539,00
SKM 500-935 G3 B-X	504884	Handheld transmitter with MMD 935-1 (dynamic, cardioid), charging contacts for LA 2, includes MZQ 1 and bag, 626-668 MHz	539,00
SKM 500-935 G3 C-X	504885	Handheld transmitter with MMD 935-1 (dynamic, cardioid), charging contacts for LA 2, includes MZQ 1 and bag, 734-776 MHz	539,00
SKM 500-935 G3 E-X	503698	Handheld transmitter with MMD 935-1 (dynamic, cardioid), charging contacts for LA 2, includes MZQ 1 and bag, 823-865 MHz	539,00
SKM 500-935 G3 G-X	504883	Handheld transmitter with MMD 935-1 (dynamic, cardioid), charging contacts for LA 2, includes MZQ 1 and bag, 566-608 MHz	539,00
SKM 500-935 G3 GB	504677	Handheld transmitter with MMD 935-1 (dynamic, cardioid), charging contacts for LA 2, includes MZQ 1 and bag, 606-648 MHz	539,00
SKM 500-945 G3 A-X	504886	Handheld transmitter with MMD 945-1 (dynamic, supercardioid), charging contacts for LA 2, includes MZQ 1 and bag, 516-558 MHz	599,00
SKM 500-945 G3 B-X	504888	Handheld transmitter with MMD 945-1 (dynamic, supercardioid), charging contacts for LA 2, includes MZQ 1 and bag, 626-668 MHz	599,00
SKM 500-945 G3 C-X	504889	Handheld transmitter with MMD 945-1 (dynamic, supercardioid), charging contacts for LA 2, includes MZQ 1 and bag, 734-776 MHz	599,00
SKM 500-945 G3 E-X	503707	Handheld transmitter with MMD 945-1 (dynamic, supercardioid), charging contacts for LA 2, includes MZQ 1 and bag, 823-865 MHz	599,00
SKM 500-945 G3 G-X	504887	Handheld transmitter with MMD 945-1 (dynamic, supercardioid), charging contacts for LA 2, includes MZQ 1 and bag, 566-608 MHz	599,00
SKM 500-945 G3 GB	504678	Handheld transmitter with MMD 945-1 (dynamic, supercardioid), charging contacts for LA 2, includes MZQ 1 and bag, 606-648 MHz	599,00
SKM 500-965 G3 A-X	504890	Handheld transmitter with MMK 965-1 (condenser, switchable between cardioid/supercardioid), charging contacts, includes MZQ 1 and bag, 516-558 MHz	899,00
SKM 500-965 G3 B-X	504892	Handheld transmitter with MMK 965-1 (condenser, switchable between cardioid/supercardioid), charging contacts, includes MZQ 1 and bag, 626-668 MHz	899,00
SKM 500-965 G3 C-X	504893	Handheld transmitter with MMK 965-1 (condenser, switchable between cardioid/supercardioid), charging contacts, includes MZQ 1 and bag, 734-776 MHz	899,00

SKM 500-965 G3 E-X	503716	Handheld transmitter with MMK 965-1 (condenser, switchable between cardioid/supercardioid), charging contacts, includes MZQ 1 and bag, 823-865 MHz	899,00
SKM 500-965 G3 G-X	504891	Handheld transmitter with MMK 965-1 (condenser, switchable between cardioid/supercardioid), charging contacts, includes MZQ 1 and bag, 566-608 MHz	899,00
SKM 500-965 G3 GB	504679	Handheld transmitter with MMK 965-1 (condenser, switchable between cardioid/supercardioid), charging contacts, includes MZQ 1 and bag, 606-648 MHz	899,00
A 1031-U	004645	Receiving/transmitting antenna, passive, omnidirectional, BNC connector, 3/8" mounting thread 450-960 MHz	139,00
A 2003 UHF	003658	Receiving/transmitting antenna, passive, directional, BNC connector, 3/8" mounting thread, 450-960 MHz	329,00
A 5000 CP	500887	Receiver/transmitter antenna, passive, directional, circularly polarized, 3/8", N-plug, including BNC adapter, 450-960 MHz	1100,00
AB 3 - GB	504680	Antenna booster, 10 dB gain, BNC connectors, 606-648 MHz	179,00
AB 3-1G8	504915	Antenna booster, 10 dB gain, BNC connectors, 1785-1800 MHz	159,00
AB 3-A	502567	Antenna booster, 10 dB gain, BNC connectors, 516-558 MHz	179,00
AB 3-B	502568	Antenna booster, 10 dB gain, BNC connectors, 626-668 MHz	179,00
AB 3-C	502569	Antenna booster, 10 dB gain, BNC connectors, 734-776 MHz	179,00
AB 3-E	502571	Antenna booster, 10 dB gain, BNC connectors, 823-865 MHz	179,00
AB 3-G	502572	Antenna booster, 10 dB gain, BNC connectors, 566-608 MHz	179,00
AD 1800	504916	passive directional antenna, BNC connection, 1400-2400 MHz	249,00
GZG 1029	003226	Ball joint, directionality of antennas or emitters, 3/8" upper outer thread, 3/8" lower inner thread, black	99,00
GZG 1029-1 A1	003227	Ball joint, alignment of antennas or spotlights, 3/8" upper outer thread, 3/8" lower inner thread bottom, white	99,00
GZP 10	003193	Mounting plate, for attaching spotlights/antennas to wall and ceiling, 3/8" external thread, black	49,00
ASA 1	503165	Antenna splitter 2x 1:4, active, BNC inputs and outputs, cascading output, power supply NT 1-1 required	599,00

ASA 1-1G8	504914	Antenna splitter 2x 1:4, active, BNC inputs and outputs, cascading output, 1785-1800 MHz, power supply NT 1-1 required	599,00
ASP 113	003422	Antenna splitter, 1x 1 in 3 out, passive, DC coupling, BNC connectors	319,00
ASP 114	003423	Antenna splitter, 1x 1 in 4 out, passive, DC coupling, BNC connectors	319,00
ASP 212	003421	Antenna splitter, 2x 1 in 2 out, passive, DC coupling, BNC connectors	339,00
AC 3	503166	Antenna combiner for SR 300 IEM G3, active, 4 inputs (BNC), BNC output, power supply NT 3-1 required	689,00
GZL 1019 A0.5	BNGZL10 19A0,5	50-Ω co-axial cable for connecting and daisy-chaining IR radiators and modulators or RF antenna's. 0.5 Meter	29,00
GZL 1019 A1	BNGZL10 19A1	50-Ω co-axial cable for connecting and daisy-chaining IR radiators and modulators or RF antenna's. 1 Meter	39,00
GZL 1019 A10	BNGZL10 19A10	50-Ω co-axial cable for connecting and daisy-chaining IR radiators and modulators. 10 Meter	55,00
GZL 1019 A5	BNGZL10 19A5	50-Ω co-axial cable for connecting and daisy-chaining IR radiators and modulators. 5 Meter	49,00
GZL 5000 A10	BNGZL 5000A10	GZL 5000 A10 - 10 meter	59,00
GZL 5000 A15	BNGLZ 5000A15	GZL 5000 A15 - 15 meter	99,00
GZL 5000 A20	BNGZL50 00A20	GZL 5000 A20 - 20 meter	65,00
GZL 5000 A3	BNGZL 00A3	GZL 5000 A3 - 3 meter	38,00
GZL 5000 A5	BNGZL50 5000A5	GZL 5000 A5 - 5 meter	49,00
GZL 5000 A50	00A50	GZL 5000 A50 - 50 meter	179,00
GZV 1019 A	002368	BNC connector, 50 Ω	20,00
AM 2	009912	Set for mounting BNC antenna connectors on the front of rack (GA 3 required)	49,00
CA 2	009986	Camera adapter with hot shoe, for EW bodypack transmitter and receiver	17,00
CC 3	503168	Plastic case for safe storage and transport of evolution G3 components	79,00
CI 1-FP	512889	Instrument cable 3,5 mm • 6,3 mm (for Freeport)	18,99
CL 100	556950	Line cable for EK 100. 3.5mm EW jack -> 3-pin XLR-M, asymmetrical	12,39
CL 2	004840	Line cable for SK 100/300/500, unbalanced, 3-pin XLR-F -> EW jack	25,00
GA 3	503167	Rack adapter set for installing stationary evolution G3 components in 19", black	49,00

KEN 2	549344	Label rings for hand transmitter of EW G3 and SKM 2000 kit with 8 colors	9,99
LAV-Tape	502756	Adhesive tape for fixing microphones to the skin, 10m roll	29,00
ME 3 EXTREME BLACK	BN ME3 EXTREME BL	Extreme headset microphone for aerobics. Permanent polarized condenser elektret. Black	149,00
ME 3-II	506295	Neckband microphone, cardioid, for SK 100/300/500/D1/AVX/SL, ew stereo jack, anthracite Headset microphone. Permanent polarized condenser elektret. Phantom.	169,00
ME 3-P	BNME3-P	Clip-on microphone for SK 100/300/500, cardioid, EW jack, anthracite	299,00
ME 4-N	005020	Extreme headset microphone for aerobics. Permanent polarized condenser elektret. Yellow	139,00
ME-3 EXTREME YELLOW	BNME3EX TREMEYE L		149,00
MZW ME3 EXTREME	BNMZW ME3	Windshield for ME3 Extreme	8,00
POP 1	005232	Leather case for SKP 100/500/2000/3000, with belt clip	29,00
RMS 1	503164	Mute button for SK 300 G3, wired	89,00
SZU 1032	003744	Carrying sling for Handheld transmitter microphones, compatible with SKM 100/300/500/2000/2020-D, black Battery pack, NiMh, for components of the SK G2/G3 series and 2000 series	25,00
BA 2015	009950		65,00
BA 2015-4	506241	Set with 4 rechargeable batteries, BA 2015 Set with 1x L 2015 charger, 1x NT 1-1, 1x LA 2 and 2x BA 2015	189,00
CHG-1-KIT	506238		299,00
DC 2	009827	DC power adapter, for EW bodypack transmitter and receiver from series G2 and G3, power supply 12 VDC	79,00
L 2015	009828	Charger, for 2x BA 2015 or transmitter/receiver with charger contacts, cascable, NT1-1/NT3-1 required	149,00
LA 2	503162	Charging adapter for handheld transmitters from the EW series G3, L 2015 charger adaptation	39,00
NT 1-1	503158	Adapter 230 VAC, for ASP 1/2, ASA 1 and L 2015	99,00
NT 2-3-EU	503157	Adapter 230 VAC, for EM 100/300/500 and SR 300 G3	20,00
NT 3-1	503159	Adapter 230 VAC, for AC 1/2/3, up to 3 L 2015 and up to four L 60	129,00

Omnidirectional dynamic microphone capsule compatible with AVX, D1, SpeechLine DW, evolution wireless and 2000, 6000 and 9000 Series microphones

MMD 42-1	506772		209,00
MMD 835-1 BK	502575	Microphone module, dynamic, cardioid, for SKM 100/300/500 G3, SKM 2000/6000/9000, SKM D1/AVX, SL Handheld DW, black	159,00
MMD 845-1 BK	502576	Microphone module, dynamic, supercardioid, for SKM 100/300/500 G3, SKM 2000/6000/9000, SKM D1/AVX, SL Handheld DW, black	199,00
MMD 935-1 BK	502577	Microphone module, dynamic, cardioid, for SKM 100/300/500 G3, SKM 2000/6000/9000, SKM D1/AVX, SL Handheld DW, black	209,00
MMD 935-1 BL	502578	Microphone module, dynamic, supercardioid, for SKM 100/300/500 G3, SKM 2000/6000/9000, SKM D1/AVX, SL Handheld DW, steel blue	209,00
MMD 945-1 BK	502579	Microphone module, dynamic, supercardioid, for SKM 100/300/500 G3, SKM 2000/6000/9000, SKM D1/AVX, SL Handheld DW, black	259,00
MMD 945-1 BL	502580	Microphone module, dynamic, supercardioid, for SKM 100/300/500 G3, SKM 2000/6000/9000, SKM D1/AVX, SL Handheld DW, steel blue	259,00
MME 865-1 BK	502581	Microphone module, condenser, supercardioid, for SKM 100/300/500 G3, SKM 2000/6000/9000, SKM D1/AVX, SL Handheld DW, black	309,00
MMK 965-1 BK	502582	Microphone module, condenser, cardioid/supercardioid, for SKM 100/300/500 G3, SKM 2000/6000/9000, SKM D1/AVX, SL Handheld DW, black	519,00
MMK 965-1 BL	502583	Microphone module, condenser, cardioid/supercardioid, for SKM 100/300/500 G3, SKM 2000/6000/9000, SKM D1/AVX, SL Handheld DW, steel blue	519,00
MMK 965-1 NI	502584	Microphone module, condenser, cardioid/supercardioid, for SKM 100/300/500 G3, SKM 2000/6000/9000, SKM D1/AVX, SL Handheld DW, nickel	519,00
EW D1-835S-H-EU	505803	Vocal set, digital, 2.4 GHz, SKM D1 S with MMD 835-1, EM D1, terminal, batteries, adapter and case	499,00
EW D1-845S-H-EU	505804	Vocal set, digital, 2.4 GHz, SKM D1 S with MMD 845-1, EM D1, terminal, batteries, adapter and case	549,00
ew D1-935-H-EU	505806	Vocal set, digital, 2.4 GHz, SKM D1 with MMD 935-1, EM D1, terminal, batteries, adapter and case	549,00

ew D1-945-H-EU	505807	Digital, 2.4 GHz, SKM D1 with MMD 945-1 BK, EM D1, terminal, batteries, adapter and case	599,00
ew D1-CI1-H-EU	505802	Instrument set, digital, 2.4 GHz, includes guitar cable CI1, SK D1, D1 EM, batteries, adapter and case	449,00
ew D1-ME2-H-EU	505800	Lavalier set, digital, 2.4 GHz, including ME 2 (spherical), SK D1, EM D1, batteries, power supply and case	499,00
ew D1-ME3-H-EU	505801	Headmic set, digital 2.4 GHz, includes headset ME3, SK D1, EM D1, batteries, adapter and case	549,00
B 10	564555	Battery compartment for SKM D1, SKM AVX and SL HANDHELD 2x Mignon AA	23,14
B 30	564557	Battery compartment for SK D1, SK AVX, SL BODYPACK 2x Mignon AA	30,58
BA 10	505972	Battery pack for handheld transmitter SKM D1, SKM AVX, and SL Handheld DW, Li-ion, 3.7 V, 2200 mAh	59,00
BA 30	505974	Battery pack for bodypack transmitter SKM D1, SKM AVX, and SL Bodypack DW, Li-ion, 3.7 V, 2030 mAh	59,00
CHG 2 EU	505980	Charger with 2 charger cores, for SK/SKM D1, SK/SKM AVX, SL DW, BA 10, BA 30, including power supply NT 12-4C	199,00
EM D1-H-EU	505808	EW D1 receiver, stationary, 2.4–2.483 GHz, backchannel, Ethernet, includes antennas and power supply	299,00
GA 4	505977	Rack mounting kit for EM D1 and SL rack receiver DW, includes antenna front mounting	55,00
SK D1-H	505818	ew D1 bodypack transmitter 2.4–2.483 GHz, 10mW, EW jack socket, black, includes battery compartment	219,00
SKM D1-H	505819	EW D1 transmitter, 2.4 – 2.483 GHz 10mW, without capsule, black, includes battery compartment, terminal and bag	199,00
SKM-S D1-H	506145	EW D1 hand transmitter, 2.4 GHz, 10 mW, mute button, without capsule, includes battery compartment, terminal and bag	199,00
AVX-835-3-EU	505853	Camera set, each with 1x: EKP AVX-3, SKM AVX-835-3, cable XLR-> jack, hot shoe adapter, BA 20, BA 10, and NT 5-10	799,00
AVX-COMBO SET-3-EU	507189	Combo set, each with 1x SK-AVX-3, EKP-AVX-3, SKM-AVX-3, ME 2, MMD 42-1 BA 30, BA 20, BA 10, NT 5-10	999,00
AVX-ME2-3-EU	505851	Camera set, each with 1x: EKP AVX-3, SKM AVX-3, ME 2, cable XLR-> jack, hot shoe adapter, BA 20, BA 30, and NT 5-10	699,00
AVX-MKE2-3-EU	505852	Camera set, each with 1x: EKP AVX-3, SKM AVX-3, MKE 2, cable XLR-> jack, hot shoe adapter, BA 20, BA 30, and NT 5-10	899,00

BA 20	505973	Li-Ion battery pack for receiver EKP-AVX, 3,7 V, micro-USB power jack	49,00
EKP AVX-3-EU	505854	Plug-on receiver, digital, 1.9 GHz, includes cable XLR->jack, hot shoe adapter, BA 20, and NT 5-10	549,00
SK AVX-3	505859	Bodypack transmitter, digital, 1.9 GHz, EW jack socket, black, includes BA 30 and bag	399,00
SKM AVX-3 W/O CAPSULE	507186	Handheld transmitter without microphone capsule, includes BA 10, clip and bag	399,00
SKM AVX-835-3	506157	Handheld transmitter with MMD 835-1 (dynamic, cardioid), digital, 1.9 GHz, includes BA 10 and microphone clip	499,00
SKM AVX-835S-3	505860	Handheld transmitter with MMD 835-1 (dynamic, cardioid), mute button, digital, 1.9 GHz, includes BA 10	499,00
SL BOUNDARY SET DW-3 EU	506614	SpeechLine Digital Wireless microphone set. Includes (1) SL Boundary 114-S DW, (1) SL Rack Receiver DW with power supply, (1) USB cable, (1) BA 40 rechargeable battery and (1) GA 4 rackmounting kit	1430,00
SL HANDHELD SET DW-3-EU C	505881	Vocal set, including hand-held transmitter + MME 865-1, stationary receiver and power supply, BA 10, case, digital, 1.9 GHz	1100,00
SL HANDHELD SET DW-3-EU R	505888	Vocal set, including hand-held transmitter + MME 865-1, stationary receiver and power supply, BA 10, GA 4, digital, 1.9 GHz	1100,00
SL HEADMIC SET DW-3-EU C	505880	Headmic set, including HEADMIC 1, stationary receiver and power supply, bodypack transmitter, BA 30, case, digital, 1.9 GHz	1400,00
SL HEADMIC SET DW-3-EU R	505887	Headmic set, including HEADMIC 1, stationary receiver and power supply, bodypack transmitter, BA 30, GA 4, case, digital, 1.9 GHz	1400,00
SL LAVALIER SET DW-3-EU C	505879	Lavalier set, including MKE 1, stationary receiver and power supply, bodypack transmitter, BA 30, case, digital, 1.9 GHz	1250,00
SL LAVALIER SET DW-3-EU R	505886	Lavalier set, includes MKE 1, stationary receiver, power pack, bodypack transmitter, GA 4, digital, 1.9 GHz	1250,00
SL TS 133 GN SET DW-3 EU	506615	Set with SL RECEIVER, antennas, SL TABLESTAND, MEG 14-40 II, BA 40, NT, GA 4, digital 1.9 GHz	1400,00
SL TS 153 GN-L SET DW-3 EU	506616	Set with SL RECEIVER, antennas, SL TABLESTAND, MEG 14-40-L II, BA 40, NT, GA 4, digital 1.9 GHz	1600,00
AWM 2	505981	Antenna wall fixing, passive, includes 2 rod antennas, metal housing, white	99,00

AWM 4	507358	Antenna wall mount, metal housing, white, including 4 rod antennas	209,00
BA 40	506656	Battery pack for SL TABLESTAND 133 / 153-S DW-3 B, Li-Ion 3.6 V	79,00
CHG 2 W	506805	2-compartment charger for SL TABLESTAND and interfaces, inductive, Qi standard, including power supply	299,00
CHG 4N EU	506800	4-compartment charger for SL HANDHELD and SL BODYPACK, network-compatible IPv4/6, including power supply	999,00
CL 1 PP	507425	Antenna cable 1 m, RSMAM-RSMAM, 1 ea., black	33,00
CL 10	506263	Antenna cable 10m, 1 piece, black	75,00
CL 10 PP	507427	Antenna cable 10 m, RSMAM-RSMAM, 1 ea., black	75,00
CL 20	506264	Antenna cable 20 m, 1 piece, black	139,00
CL 20 PP	507428	Antenna cable 20 m, RSMAM-RSMAM, 1 ea., black	139,00
CL 5	505976	Antenna cable 5 m, 1 piece, black	39,00
CL 5 PP	507426	Antenna cable 5 m, RSMAM-RSMAM, 1 ea., black	39,00
SL BODYPACK DW-3-EU	505883	Bodypack SL BODYPACK, including BA 30, ew jack plug, silver-black, digital, 1.9 GHz	439,00
SL BOUNDARY 114-S DW-3 B	506607	SpeechLine Digital Wireless conferencing microphone. Includes (1) SL Boundary 114-S DW and (1) BA 40 rechargeable battery	769,00
SL HANDHELD 865 DW-3-EU	505885	Handheld transmitter SL HANDHELD, includes BA 10, MME 865-1, digital, 1.9 GHz	649,00
SL HANDHELD DW-3-EU	505884	Handheld transmitter SL HANDHELD, includes BA 10, without capsule, silver, digital, 1.9 GHz	439,00
SL RACK RECEIVER DW-3-EU	505882	Stationary receiver SL rack receiver for rack installation, includes power pack, digital, 1.9 GHz	539,00
SL TABLESTAND 133-S DW-3 B	506610	Table stand, wireless for MZH 30xx, MEG 14-40 II, XLR3F, includes BA 40, USB cable, digital 1.9 GHz	709,00
SL TABLESTAND 153-S DW-3 B	506612	Table stand, wireless for MEG 14-40-L II, XLR5F, includes BA 40, USB cable, digital 1.9 GHz	759,00
EK 2000 AW-X	503814	Bodypack receiver, HDX, adaptive diversity, charging contacts, 2x EW jack, CA 2, CL 500, CL 1, 2 x Mignon, 516-558 MHz	979,00
EK 2000 BW-X	503818	Bodypack receiver, HDX, adaptive diversity, charging contacts, 2x EW jack, CA 2, CL 500, CL 1, 2 x Mignon, 626-698 MHz	979,00
EK 2000 CW-X	503820	Bodypack receiver, HDX, adaptive diversity, charging contacts, 2x EW jack, CA 2, CL 500, CL 1, 2 x Mignon, 718-790 MHz	979,00

EK 2000 DW-X	503822	Bodypack receiver, HDX, adaptive diversity, charging contacts, 2x EW jack, CA 2, CL 500, CL 1, 2 x Mignon, 790-865 MHz	979,00
EK 2000 GBW	504946	Bodypack receiver, HDX, adaptive diversity, charging contacts, 2x EW jack, CA 2, CL 500, CL 1, 2 x Mignon, 606-678 MHz	979,00
EK 2000 GW-X	503816	Bodypack receiver, HDX, adaptive diversity, charging contacts, 2x EW jack, CA 2, CL 500, CL 1, 2 x Mignon, 558-626 MHz	979,00
EM 2000 AW-X	503719	1-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 516-558 MHz.	2000,00
EM 2000 BW-X	503727	1-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 626-698 MHz	2000,00
EM 2000 CW-X	503731	1-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 718-790 MHz	2000,00
EM 2000 DW-X	503735	1-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 790-865 MHz	2000,00
EM 2000 GBW	504948	1-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 606-678 MHz	2000,00
EM 2000 GW-X	503723	1-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 558-626 MHz	2000,00
EM 2050 AW-X	503739	2-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 516-558 MHz	3190,00
EM 2050 BW-X	503747	2-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 626-698 MHz	3190,00
EM 2050 CW-X	503751	2-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 718-790 MHz	3190,00
EM 2050 DW-X	503755	2-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 790-865 MHz	3190,00
EM 2050 GBW	504949	2-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 606-678 MHz	3190,00
EM 2050 GW-X	503743	2-channel diversity receiver, HDX, active splitter, Ethernet (WSM), 19"/1HE, includes rod antennas, 100-240 VAC, 558-626 MHz	3190,00
SK 2000 AW-X	503759	Bodypack transmitter, HDX, charging contacts, 3-pin SE socket, 2x Mignon, 516-558 MHz	869,00

SK 2000 BW-X	503763	Bodypack transmitter, HDX, charging contacts, 3-pin SE socket, 2x Mignon, 626-698 MHz	869,00
SK 2000 CW-X	503765	Bodypack transmitter, HDX, charging contacts, 3-pin SE socket, 2x Mignon, 718-790 MHz	869,00
SK 2000 DW-X	503767	Bodypack transmitter, HDX, charging contacts, 3-pin SE socket, 2x Mignon, 790-865 MHz	869,00
SK 2000 GBW	504950	Bodypack transmitter, HDX, charging contacts, 3-pin SE socket, 2x Mignon, 606-678 MHz	869,00
SK 2000 GW-X	503761	Bodypack transmitter, HDX, charging contacts, 3-pin SE socket, 2x Mignon, 558-626 MHz	869,00
SKM 2000 AW-X BK	503770	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, black, 516-558 MHz	819,00
SKM 2000 AW-X NI	503781	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, nickel, 516-558 MHz	819,00
SKM 2000 BW-X BK	503774	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, black, 626-698 MHz	819,00
SKM 2000 BW-X NI	503785	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, nickel, 626-698 MHz	819,00
SKM 2000 CW-X BK	503776	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, black, 718-790 MHz	819,00
SKM 2000 CW-X NI	503787	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, nickel, 718-790 MHz	819,00
SKM 2000 DW-X BK	503778	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, black, 790-865 MHz	819,00
SKM 2000 DW-X NI	503789	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, nickel, 790-865 MHz	819,00
SKM 2000 GBW BK	504951	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, black, 606-678 MHz	819,00
SKM 2000 GBW NI	504952	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, nickel, 606-678 MHz	819,00
SKM 2000 GW-X BK	503772	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, black, 558-626 MHz	819,00
SKM 2000 GW-X NI	503783	Handheld transmitter, HDX, charging contacts for LA 2, includes color rings and microphone clip, nickel, 558-626 MHz	819,00
SKP 2000 AW-X	503803	Plug-in transmitter, HDX, 3-pin XLR-F with locking, 2x Mignon, includes bag, 516-558 MHz	709,00

SKP 2000 BW-X	503807	Plug-in transmitter, HDX, 3-pin XLR-F with locking, 2x Mignon, includes bag, 626-698 MHz	709,00
SKP 2000 CW-X	503809	Plug-in transmitter, HDX, 3-pin XLR-F with locking, 2x Mignon, includes bag, 718-790 MHz	709,00
SKP 2000 DW-X	503811	Plug-in transmitter, HDX, 3-pin XLR-F with locking, 2x Mignon, includes bag, 790-865 MHz	709,00
SKP 2000 GBW	504953	Plug-in transmitter, HDX, 3-pin XLR-F with locking, 2x Mignon, includes bag, 606-678 MHz	709,00
SKP 2000 GW-X	503805	Plug-in transmitter, HDX, 3-pin XLR-F with locking, 2x Mignon, includes bag, 558-626 MHz	709,00
KK 204 BK	008652	Neumann microphone module for SKM 2000/6000/9000, condenser, cardioid, black	849,00
KK 204 NI	008651	Neumann microphone module for SKM 2000/6000/9000, condenser, cardioid, nickel	849,00
KK 205 BK	008654	Neumann microphone module for SKM 2000/6000/9000, condenser, supercardioid, black	849,00
KK 205 NI	008653	Neumann microphone module for SKM 2000/6000/9000, condenser, supercardioid, nickel	849,00
A 3700	502195	Receiver antenna, active, omnidirectional, BNC, 3/8"-assembly screw, 470 - 866 MHz, adjustable amplification 5/10/15 dB	999,00
AB 3700	502196	Antenna booster, range: 470-866 MHz, active, 15 dB gain, BNC, 3/8" thread	549,00
AD 3700	502197	Receiver antenna, active, directional, BNC, 3/8"-assembly screw, 470 - 866 MHz, adjustable amplification 5/10/15 dB	979,00
GA 3030-AM	004368	Antenna front-mount adapter	129,00
ASA 3000	009423	Antenna splitter, 2x 1 in 8 out, 19"/1HE, internal power supply	2150,00
AC 3000	009424	Antenna combiner, active, 8 in 1 out, 80 mW, 19"/1HE, internal power supply	3400,00
AC 3200-II	505497	Antenna combiner, active, 8 in 1 out, 100 mW, 19"/1HE, includes external power supply NT 12	4400,00
CI 1-4	503163	Guitar cable for SK 2000, SK 6000 and SK 9000, 6.3mm jack (silent)-> 3-pin SE plug	69,00
IE 4	500432	In-ear headphones, stereo, 16 Ω, cable length 1.4m, 3.5mm jack plug	69,00
EM 3731-II L	504073	1-channel diversity receiver, range: 470-638 MHz, wide switching bandwidth, active splitter, HiDyn +/HDX compander, 19"/1HE	3800,00
EM 3731-II N	504074	1-channel diversity receiver, range: 614-798 MHz, wide switching bandwidth, active splitter, HiDyn +/HDX compander, 19"/1HE	3800,00
EM 3731-II P	504075	1-channel diversity receiver, range: 776-960 MHz, wide switching bandwidth, active splitter, HiDyn+/HDX compander, 19"/1HE	3800,00

EM 3732 COM-II N-GB	504896	2-channel diversity receiver, range: 606-790 MHz, wide switching bandwidth, active splitter, HiDyn+ & HDX, command, 19"/1HE	5590,00
EM 3732-COM-II L	504079	2-channel diversity receiver, range: 470-638 MHz, wide switching bandwidth, active splitter, HiDyn+ & HDX, command, 19"/1HE	5590,00
EM 3732-COM-II N	504080	2-channel diversity receiver, range: 614-798 MHz, wide switching bandwidth, active splitter, HiDyn+ & HDX, command, 19"/1HE	5590,00
EM 3732-COM-II P	504081	2-channel diversity receiver, range: 776-960 MHz, wide switching bandwidth, active splitter, HiDyn+ & HDX, command, 19"/1HE	5590,00
EM 3732-II L	504076	2-channel diversity receiver, range: 470-638 MHz, wide switching bandwidth, active splitter, HiDyn +/HDX compander, 19"/1HE	5000,00
EM 3732-II N	504077	2-channel diversity receiver, range: 614-798 MHz, wide switching bandwidth, active splitter, HiDyn +/HDX compander, 19"/1HE	5000,00
EM 3732-II N-GB	504895	2-channel diversity receiver, range: 606-790 MHz, wide switching bandwidth, active splitter, HiDyn+/HDX compander, 19"/1HE	5590,00
EM 3732-II P	504078	2-channel diversity receiver, range: 776-960 MHz, wide switching bandwidth, active splitter, HiDyn+/HDX compander, 19"/1HE	5000,00
EK 6042	506210	2-channel true diversity receiver camera, 470-654 MHz, digital and analog, HDX, HiDyn+ and LR mode	3790,00
CA 6042 DC	506217	Hirose cable for external power supply	79,00
CA 6042 XLR	506216	Y cable 5-pin mini XLR to 2x 3 pin XLR	69,00
GA 6042 BA	506215	Battery adapter for holster GA 6042-BP	199,00
GA 6042 BP	506214	Holster with 2 x XLR out (5-pin mini) and Hirose	349,00
GA 6042-15	506213	15-pin adapter for Sony cameras	109,00
GA 6042-25	506212	25-pin adapter for UniSlot and SuperSlot cameras	109,00
BNGA304	1	Backpanel adapter for ek 3241 with second audio output (command)	
VSSVS0921011	ND	COMMA	709,00
B 250-2	500822	Battery compartment, 3 x Mignon AA	319,00
B 50-2	500820	Battery compartment, 2 x Mignon AA	299,00
BA 250-2	500823	Battery pack with 3 rechargeable batteries	319,00
BA 50-2	500821	Battery pack with 2 rechargeable batteries	299,00
DCA 50	003839	External charge adapter for SK 50/250, on power supply 8-30 V (AC/DC), open cable end	409,00
L 50	003554	Charger with 2 charging slots for BA 50-2, BA 250-2, BA 5000-2	349,00
SKM 5200 BK-A	500448	Handheld transmitter, range: 450-570 MHz, 36 MHz switching bandwidth, black, microphone head and battery/battery case not included	1800,00

SKM 5200 BK-B	500449	Handheld transmitter, range: 534-674 MHz, 36 MHz switching bandwidth, black, microphone head and battery/battery case not included	1800,00
SKM 5200 BK-C	500450	Handheld transmitter, range: 638-762 MHz, 36 MHz switching bandwidth, black, microphone head and battery/battery case not included	1800,00
SKM 5200 BK-D	500451	Handheld transmitter, range: 726-866 MHz, 36 MHz switching bandwidth, black, microphone head and battery/battery case not included	1800,00
SKM 5200 BK-E	500630	Handheld transmitter, range: 830-960 MHz, 36 MHz switching bandwidth, black, microphone head and battery/battery case not included	1800,00
SKM 5200 NI-A	500441	Handheld transmitter, range: 450-570 MHz, 36 MHz switching bandwidth, nickel, microphone head and battery/battery case not included	1800,00
SKM 5200 NI-B	500442	Handheld transmitter, range: 534-674 MHz, 36 MHz switching bandwidth, nickel, microphone head and battery/battery case not included	1800,00
SKM 5200 NI-C	500443	Handheld transmitter, range: 638-762 MHz, 36 MHz switching bandwidth, nickel, microphone head and battery/battery case not included	1800,00
SKM 5200 NI-D	500444	Handheld transmitter, range: 726-866 MHz, 36 MHz switching bandwidth, nickel, microphone head and battery/battery case not included	1800,00
SKM 5200 NI-E	500629	Handheld transmitter, range: 830-960 MHz, 36 MHz switching bandwidth, nickel, microphone head and battery/battery case not included	1800,00
SKM 5200-B	500435	Handheld transmitter, range: 534-674 MHz, 36 MHz switching bandwidth, hematite, microphone head and battery/battery case not included	1800,00
SKM 5200-C	500436	Handheld transmitter, range: 638-762 MHz, 36 MHz switching bandwidth, hematite, microphone head and battery/battery case not included	1800,00
SKM 5200-D	500437	Handheld transmitter, range: 726-866 MHz, 36 MHz switching bandwidth, hematite, microphone head and battery/battery case not included	1800,00
SKM 5200-II BK-L	504098	Handheld transmitter, range: 470-638 MHz, wide switching bandwidth, black, no microphone head or battery/rechargeable battery compartment	2300,00
SKM 5200-II BK-N	504200	Handheld transmitter, range: 614-798 MHz, wide switching bandwidth, black, no microphone head or battery/rechargeable battery compartment	2300,00
SKM 5200-II BK-N-GB	504897	Handheld transmitter, range: GB, black, microphone head and battery/battery pack not included	2300,00
SKM 5200-II BK-P	504201	Handheld transmitter, range: 776-886 MHz, wide switching bandwidth, black, microphone and battery/battery pack not included	2300,00

SKM 5200-II BL N-GB	504898	Handheld transmitter, range: GB, hematite, microphone and battery/battery pack not included	2300,00
SKM 5200-II BL- L	504088	Handheld transmitter, range: 470-638 MHz, wide switching bandwidth, hematite, no microphone head or battery/rechargeable battery compartment	2300,00
SKM 5200-II BL- N	504090	Handheld transmitter, range: 614-798 MHz, wide switching bandwidth, hematite, no microphone head or battery/rechargeable battery compartment	2300,00
SKM 5200-II BL- P	504091	Handheld transmitter, range: 776-886 MHz, wide switching bandwidth, hematite, microphone and battery/battery pack not included	2300,00
SKM 5200-II NI- L	504093	Handheld transmitter, range: 470-638 MHz, wide switching bandwidth, nickel, no microphone head or battery/rechargeable battery compartment	2300,00
SKM 5200-II NI- N	504095	Handheld transmitter, range: 614-798 MHz, wide switching bandwidth, nickel, no microphone head or battery/rechargeable battery compartment	2300,00
SKM 5200-II NI- N-GB	504899	Handheld transmitter, range: GB, nickel, microphone and battery/battery pack not included	2300,00
SKM 5200-II NI- P	504096	Handheld transmitter, range: 776-886 MHz, wide switching range, nickel, microphone and battery/battery pack not included	2300,00
KK 104 S	008534	Microphone module for SKM 5200, condenser, cardioid, nickel	879,00
KK 104 S-BK	008533	Microphone module for SKM 5200, condenser, cardioid, black	879,00
KK 105 HD	008559	Microphone module for SKM 5200, condenser, supercardioid, "Heavy Duty" version, nickel	879,00
KK 105 HD-BK	008560	Microphone module for SKM 5200, condenser, supercardioid, "Heavy Duty" version, black	879,00
KK 105 S	008474	Microphone module for SKM 5200, condenser, supercardioid, nickel	879,00
KK 105 S-BK	008476	Microphone module for SKM 5200, condenser, supercardioid, black	879,00
MD 5235	500882	Microphone head, dynamic, cardioid, black, for SKM 5000/5200	529,00
MD 5235 NI	502164	Microphone head, dynamic, cardioid, nickel, for SKM 5000/5200	529,00
ME 5002	003761	Microphone head, condenser, omnidirectional, black, for SKM 5000/5200	619,00
ME 5004	003762	Microphone head, condenser, cardioid, black, for SKM 5000/5200	619,00
ME 5005	003760	Microphone head, condenser, supercardioid, black, for SKM 5000/5200	549,00
ME 5005e	005249	Microphone head, condenser, supercardioid, black, for SKM 5000/5200	529,00
ME 5009	003763	Microphone head, condenser, wide cardioid, black, for SKM 5000/5200	619,00

SK 250-UHF-A	005525	Bodypack transmitter, range: 450-580 MHz, 24 MHz switching bandwidth, max. 250 mW, no battery/battery compartment	4165,00
SK 250-UHF-B	005526	Bodypack transmitter, range: 540-730 MHz, 24 MHz switching bandwidth, max. 250 mW, no battery/battery compartment	4165,00
SK 5212 A	500621	Bodypack transmitter, range: 450-638 MHz, 36 MHz switching bandwidth, 10/50 mW switchable, extremely small size	2380,00
SK 5212 B	500622	Bodypack transmitter, range: 602-798 MHz, 36 MHz switching bandwidth, 10/50 mW switchable, extremely small size	2380,00
SK 5212 C	500623	Bodypack transmitter, range: 762-960 MHz, 36 MHz switching bandwidth, 10/50 mW switchable, extremely small size	2380,00
SK 5212-II L	504083	Bodypack transmitter, range: 470-638 MHz, 168 MHz switching bandwidth, 10/50 mW switchable, extremely small size	2700,00
SK 5212-II N	504085	Bodypack transmitter, range: 614-798 MHz, 184 MHz switching bandwidth, 10/50 mW switchable, extremely small size	2700,00
SK 5212-II N-GB	504917	Bodypack transmitter, range: GB, 10/50 mW switchable, extremely small design	2700,00
SK 5212-II P MZW 5000-ANT	504086	Bodypack transmitter, range: 776-886 MHz, 90 MHz switching bandwidth, 10/50 mW switchable, extremely small design	2700,00
B 5000-2	003824	Windscreen for SKM 5000/5200, anthracite	52,00
	500824	Battery compartment, for SKM 5000/5200, 2 x Mignon AA	299,00
BA 5000-2	500825	Battery pack for SKM 5000/5200, with 2 rechargeable batteries, includes charging adapter for L 50 Instrument cable angled lemo	299,00
SK50/5212 - Guitar Angled	BNGUITA RANGLED	Instrument cable straight lemo	179,00
SK50/5212 - Guitar Straight	BNGUITA RSTRAIGH T		179,00
EM 6000 DANTE™ EU	508475	2-channel digital receiver, True-Bit-Diversity, LR mode, Dante, AES-3, active antenna splitter, AES 256, frequency: 470-714 MHz	4150,00
EM 6000 EU	506657	2-channel digital receiver, True-Bit-Diversity, LR mode, AES-3, active antenna splitter, AES 256, frequency: 470-714 MHz	3790,00
L 6000 - EU	507300	Charger 19 ", for up to 4x charger cores LM 6060 / LM 6061, charger cores not included	1190,00

LM 6060	507198	Charger core for charger L6000, can be used for 2x BA 60	139,00
LM 6061	507199	Charger core for charger L6000, can be used for 2x BA 61	139,00
SKM 6000 BK A1-A4	506302	Hand-held transmitter, digital, LR mode, AES 256, black, including microphone bracket, frequency: 470-558 MHz	2290,00
SKM 6000 BK A5-A8	506303	Hand-held transmitter, digital, LR mode, AES 256, black, including microphone bracket, frequency: 550-638 MHz	2290,00
SKM 6000 BK B1-B4	506304	Hand-held transmitter, digital, LR mode, AES 256, black, including microphone bracket, frequency: 630-718 MHz	2290,00
MD 9235 BK	502585	Microphone module for SKM 6000, SKM 9000, dynamic, cardioid, black	599,00
MD 9235 NI	502586	Microphone module for SKM 6000, SKM 9000, dynamic, cardioid, nickel	599,00
MD 9235 NI/BK	502591	Microphone module for SKM 6000, SKM 9000, dynamic, cardioid, black/nickel	599,00
ME 9002	502587	Microphone module for SKM 6000, SKM 9000, condenser, omnidirectional, black	649,00
ME 9004	502588	Microphone module for SKM 6000, SKM 9000, condenser, cardioid, black	649,00
ME 9005	502589	Microphone module for SKM 6000, SKM 9000, condenser, supercardioid, black	649,00
SK 6000 BK A1-A4	506318	Bodypack transmitter, digital, LR mode, 3-pole SE plug, AES 256, black, frequency: 470-558 MHz	2290,00
SK 6000 BK A5-A8	506319	Bodypack transmitter, digital, LR mode, 3-pole SE plug, AES 256, black, frequency: 550-638 MHz	2290,00
SK 6000 BK B1-B4	506320	Bodypack transmitter, digital, LR mode, 3-pole SE plug, AES 256, black, frequency: 630-718 MHz	2290,00
B 60	504700	Battery compartment for SKM 6000, SKM 9000, 2 x Mignon AA	219,00
B 61	504701	Battery compartment for SK 6000, SK 9000, 3 x Mignon AA	219,00
BA 60	504702	Battery pack for SKM 6000, SKM 9000, lithium ion, 1600 mAh	239,00
BA 61	504703	Battery pack for SK 6000, SK 9000, lithium ion, 2030 mAh	239,00
KA 9000 COM	504735	Command button for SK 6000, SK 9000, wired, with belt clip	199,00
A 12 AD	004156	Receiving antenna, active, directional BNC connector set, 3/8" mounting thread 450-960 MHz, 36 MHz switching bandwidth	809,00
EM 9046 AAO	502508	AF output module, outputs to 8x XLR-3M (balanced transformer) and 1x 25-pin sub D (balanced transformer)	4790,00

EM 9046 DAN	506265	Dante™ module, 2x GBit network, 8x audio out main, 96 kHz, 24 bit	3800,00
EM 9046 DAO	502511	AF output module, digital, AES3, 44.1-96 kHz, 24-bit, outputs to 8x XLR-3M and 1x 25-pin sub D	2030,00
EM 9046 DRX	502512	Receiver module, digital, true bit diversity, range: 470-798 MHz HD and LR mode	4070,00
EM 9046 SU	502513	Mainframe, can be equipped with modules, up to 8 receiver modules, 100-240 VAC, 19"/4HE	9590,00
EM 9046 CAB	504757	Set of cables for cascading EM 9046 mainframes	60,00
EM 9046 CC	502510	Blind cover	60,00
L 60	504704	Charger for BA 60 and BA 61, 2 charging slots, cascadable, power supply NT 3-1 required	299,00
SKM 9000 BK-A1-A4	504718	Handheld transmitter, digital, HD and LR mode, includes microphone clip, black, 470-558 MHz	2830,00
SKM 9000 BK-A5-A8	504719	Handheld transmitter, digital, HD and LR mode, includes microphone clip, black, 550-638 MHz	2830,00
SKM 9000 BK-B1-B4	504720	Handheld transmitter, digital, HD and LR mode, includes microphone clip, black, 630-718 MHz	2830,00
SKM 9000 BK-B5-B8	504721	Handheld transmitter, digital, HD and LR mode, includes microphone clip, black, 710-798 MHz	2830,00
SKM 9000 BK-COM-A1-A4	504714	Handheld transmitter, digital, HD and LR mode, command function, includes microphone clip, black, 470-558 MHz	2990,00
SKM 9000 BK-COM-A5-A8	504715	Handheld transmitter, digital, HD and LR mode, command function, includes microphone clip, black, 550-638 MHz	2990,00
SKM 9000 BK-COM-B1-B4	504716	Handheld transmitter, digital, HD and LR mode, command function, includes microphone clip, black, 630-718 MHz	2990,00
SKM 9000 BK-COM-B5-B8	504717	Handheld transmitter, digital, HD and LR mode, command function, includes microphone clip, black, 710-798 MHz	2990,00
SKM 9000 NI-A1-A4	504726	Handheld transmitter, digital, HD and LR mode, includes microphone clip, nickel, 470-558 MHz	2830,00
SKM 9000 NI-A5-A8	504727	Handheld transmitter, digital, HD and LR mode, includes microphone clip, nickel, 550-638 MHz	2830,00
SKM 9000 NI-B1-B4	504728	Handheld transmitter, digital, HD and LR mode, includes microphone clip, nickel, 630-718 MHz	2830,00
SKM 9000 NI-B5-B8	504729	Handheld transmitter, digital, HD and LR mode, includes microphone clip, nickel, 710-798 MHz	2830,00
SKM 9000 NI-COM-A1-A4	504722	Handheld transmitter, digital, HD and LR mode, command function, includes microphone clip, nickel, 470-558 MHz	2990,00
SKM 9000 NI-COM-A5-A8	504723	Handheld transmitter, digital, HD and LR mode, command function, includes microphone clip, nickel, 550-638 MHz	2990,00

SKM 9000 NI-COM-B1-B4	504724	Handheld transmitter, digital, HD and LR mode, command function, includes microphone clip, nickel, 630-718 MHz	2990,00
SKM 9000 NI-COM-B5-B8	504725	Handheld transmitter, digital, HD and LR mode, command function, includes microphone clip, nickel, 710-798 MHz	2990,00
SK 9000 A1-A4	504730	Bodypack transmitter, digital, HD and LR mode, 3-pin SE socket, 470-558 MHz	2870,00
SK 9000 A5-A8	504731	Bodypack transmitter, digital, HD and LR mode, 3-pin SE socket, 550-638 MHz	2870,00
SK 9000 B1-B4	504732	Bodypack transmitter, digital, HD and LR mode, 3-pin SE socket, 630-718 MHz	2870,00
SK 9000 B5-B8	504733	Bodypack transmitter, digital, HD and LR mode, 3-pin SE socket, 710-798 MHz	2870,00
BPP 1	577729	Carrying bag for EW bodypack transmitter and receiver, EW G2 and EW G3	7,89
A 9000 A1-A8	504705	Receiving antenna, active, omnidirectional, N-connector, 3/8" mounting thread 470-638 MHz	1600,00
A 9000 B1-B8	504706	Receiving antenna, active, omnidirectional, N-connector, 3/8" mounting thread 630-798 MHz	1600,00
AB 9000 A1-A8	504708	Antenna amplifier, +17 dB, N connection, 470-638 MHz	1130,00
AB 9000 B1-B8	504709	Antenna amplifier, +17 dB, N connection, 630-798 MHz	1130,00
AD 9000 A1-A8	504711	Receiving antenna, active, directional, N connection, 3/8" mounting thread 470-638 MHz	1600,00
AD 9000 B1-B8	504712	Receiving antenna, active, directional, N connection, 3/8" mounting thread 630-798 MHz	1600,00
GZL 9000 A10	505456	N connection cable, low attenuation, length: 10 m	109,00
GZL 9000 A20	505457	N connection cable, low attenuation, length: 20 m	139,00
GZL 9000 A5	505455	N connection cable, low attenuation, length: 5m	89,00
MKE 1-4	502167	Miniature clip-on microphone, omnidirectional, for SK 50/250/2000/5212/6000/9000, 3-pin SE connector, anthracite, accessories not included	379,00
MKE 1-4-1	502833	Miniature clip-on microphone, omnidirectional, for SK 50/250/2000/5212/6000/9000, 3-pin SE connector, white, accessories not included	379,00
MKE 1-4-2	502834	Miniature clip-on microphone, omnidirectional, for SK 50/250/2000/5212/6000/9000, 3-pin SE connector, brown, accessories not included	379,00
MKE 1-4-3	502168	Miniature clip-on microphone, omnidirectional, for SK 50/250/2000/5212/6000/9000, 3-pin SE connector, beige, accessories not included	379,00
MKE 1-4-M	502881	Miniature clip-on microphone, omnidirectional, for SK 50/250/2000/5212/6000/9000, 3-pin SE connector, light beige, musical version, can be colored	379,00

MKE 1-5	502046	Miniature clip-on microphone, omnidirectional, open end, 4m long, anthracite, accessories not included	379,00
MKE 1-5-3	502169	Miniature clip-on microphone, omnidirectional, open end, 4 m long, beige, accessories not included	379,00
MKE 1-5-M	502880	Miniature clip-on microphone, omnidirectional, open end, length 4m, light beige, musical version, can be colored	379,00
MKE 1-ew	502876	Miniature clip-on microphone, omnidirectional, 3.5mm EW jack, for SK 100/300/500, anthracite, accessories not included	379,00
MKE 1-ew-3	502879	Miniature clip-on microphone, omnidirectional, 3.5mm EW jack, for SK 100/300/500, beige, accessories not included	379,00
MKE 1-ew-M	504637	Miniature clip-on microphone, omnidirectional, 3.5mm EW jack, for SK 100/300/500, light beige, musical version, can be colored	379,00
MKE 2-5-3-C	003010	Clip-on microphone, omnidirectional, cable 3m with open end, beige, accessories not included	219,00
MKE 2-5-C	003006	Clip-on microphone, omnidirectional, cable 3m with open end, anthracite, accessories not included	219,00
MKE 2-P-C	004224	Clip-on microphone, omnidirectional, with phantom power adapter, cable 3m, anthracite, accessories not included	409,00
MKE 2-4 GOLD-C	004736	Clip-on microphone, omnidirectional, 3-pin SE connector for SK 50/250/2000/5212/6000/9000, anthracite, accessories not included	399,00
MKE 2-4-3 GOLD-C	004739	Clip-on microphone, omnidirectional, 3-pin SE connector for SK 50/250/2000/5212/6000/9000, beige, accessories not included	399,00
MKE 2-5 GOLD-C	004735	Clip-on microphone, omnidirectional, cable 3m with open end, anthracite, accessories not included	239,00
MKE 2-5-3 GOLD-C	004738	Clip-on microphone, omnidirectional, cable 3m with open end, beige, accessories not included	239,00
MKE 2-60 GOLD-C	004733	Clip-on microphone, omnidirectional, for K 6 power adapter, cable 3m, anthracite, accessories not included	249,00
MKE 2-ew-3-GOLD	009832	Clip-on microphone, omnidirectional, 3.5mm EW jack, for SK 100/300/500, beige, includes clip and windscreen	309,00
MKE 2-ew-GOLD	009831	Clip-on microphone, omnidirectional, 3.5mm EW jack, for SK 100/300/500, anthracite, includes clip and windscreen	309,00
EW 342 G3 A	BNEW 342 G3 A	Presentation System with famous MKE 40 ew microphone Range A (516...558 MHz)	999,00

		Presentation System with famous MKE 40 ew microphone Range B (626...668 MHz)	
EW 342 G3 B B	BNEW 342 G3 B		999,00
		Presentation System with famous MKE 40 ew microphone Range E (823...865 MHz)	
EW 342 G3 E	BNEW 342 G3 E		999,00
		Presentation System with famous MKE 40 ew microphone Range GB (606...648 MHz)	
EW 342 G3 GB	BNEW 342 G3 GB		999,00
MKE 40-4	003579	Clip-on microphone, cardioid, 3 pin SE plug for SK 50/250/2000/5212/6000/9000, includes clip and wind protection, anthracite	459,00
MKE 40-ew	500527	Clip-on microphone, cardioid, 3.5mm EW jack for SK 100/300/500, includes clip and wind protection, anthracite	349,00
ME 102 ANT	003876	Clip-on microphone, screw-on microphone capsule, omnidirectional, anthracite, includes windscreen MZW 102	219,00
ME 102 NI	003838	Clip-on microphone, screw-on microphone capsule, omnidirectional, nickel, includes windscreen MZW 102	219,00
ME 104 ANT	004227	Clip-on microphone, screw-on microphone capsule, cardioid, anthracite, includes windscreen MZW 104	239,00
ME 104 NI	004228	Clip-on microphone, screw-on microphone capsule, cardioid, nickel, includes windscreen MZW 104	239,00
ME 105 ANT	005301	Clip-on microphone, screw-on microphone capsule, supercardioid, anthracite, includes windscreen MZW 104	249,00
ME 105 NI	005302	Clip-on microphone, screw-on microphone capsule, supercardioid, nickel, includes windscreen MZW 104	249,00
KA 100-4-ANT	004233	Cable for ME 102/104/105, 3-pin SE plug, for SK 50/250/2000/5212, copper cable, 1.5 m length, anthracite	119,00
KA 100-4-GR	004234	Cable for ME 102/104/105, 3-pin SE plug, for SK 50/250/2000/5212, copper cable, 1.5 m length, grey	119,00
KA 100-5-ANT	004245	Cable for ME 102/104/105, open end, copper cable, 3m long, anthracite	39,00
KA 100-P-ANT	004241	Cable for ME 102/104/105, with phantom power adapter, 3-pin XLR-M, copper cable, 3m long, anthracite	239,00
KA 100S-4-ANT	004235	Cable for ME 102/104/105, 3-pin SE plug, for SK 50/250/2000/5212, steel charging cable, 1.5 m, anthracite	99,00

KA 100S-4-BEI	004236	Cable for ME 102/104/105, 3-pin SE plug, for SK 50/250/2000/5212, steel charger cable, 1.5 m length, beige	99,00
KA 100S-5-ANT	004247	Cable for ME 102/104/105, steel core cable, open end, 3m long, anthracite	39,00
KA 100S-5-BEI	004248	Cable for ME 102/104/105, steel core cable, open end, 3m long, beige	39,00
KA 100S-60-ANT	004239	Cable ME 102/104/105, steel core cable, 3m long, connector for K 6 power adapter, anthracite	99,00
KA 100S-P-ANT	004243	Cable for ME 102/104/105, steel core cable, 3m long, with phantom power adapter (12-48 V), anthracite	229,00
MZM 2/10	001866	Magnetic mounting kit, microphone recording with magnetic disk	45,00
MZ 1	504060	Accessory set, for MKE 1, includes: 1x MZK 1, 4x MZW 02, 2x MZW 01, 2x ZH 1, 2x MZQ 1, 2x MZQ 10, 2x MZM 1, 1x MZV 1	109,00
MZ 100	004226	Accessory set for ME 102/104/105, 2x MZQ 102 (anthracite, gray), 2x MZQ 02 (anthracite, nickel), 2x ZH 100 (anthracite, beige)	45,00
MZ 2	004225	Accessory set for MKE 2 microphones, 2x MZW 2, 2 x MZQ 02, 2 x ZH 102	29,00
MZ 2-3 Gold	004743	Make-up protection caps for MKE 2 / MKE Platinum, 10 1VE caps	13,00
HSP 2	009862	Neckband microphone, omnidirectional, platinum capsule, for SK 50/250/2000/5212/6000/9000, 3-pin SE connector, cable 1.6m, anthracite	589,00
HSP 2-3	009863	Neckband microphone, omnidirectional, platinum capsule, for SK 50/250/2000/5212/6000/9000, 3-pin SE connector, cable 1.6m, beige	589,00
HSP 2-ew	009866	Neckband microphone, omnidirectional, MKE platinum, connection cable, 1.6m, 3.5mm EW jack, anthracite	589,00
HSP 2-ew-3	009872	Neckband microphone, omnidirectional, MKE platinum, connection cable, 1.6m, 3.5mm EW jack, beige	589,00
HSP 4	009864	Neckband microphone, cardioid, for SK 50/250/2000/5212/6000/9000, 3-pin SE connector, cable 1.6m, anthracite	589,00
HSP 4-3	009865	Neckband microphone, cardioid, for SK 50/250/2000/5212/6000/9000, 3-pin SE connector, cable 1.6m, beige	589,00
HSP 4-ew	009867	Neckband microphone, cardioid, connection cable, 1.6m, 3.5mm EW jack, anthracite	589,00
HSP 4-ew-3	009873	Neckband microphone, cardioid, connection cable, 1.6m, 3.5mm EW jack, beige	589,00

HS 2	005336	Neckband microphone, omnidirectional, MKE 2 gold capsule for SK 50/250/2000/5212/6000/9000, 3-pin SE connector, cable 1.6m, anthracite	489,00
HS 2-3	005337	Neckband microphone, omnidirectional, MKE 2 Gold capsule for SK 50/250/2000/5212/6000/9000, 3-pin SE jack, cable 1.6 m, beige	489,00
HS 2-5	500218	Neckband microphone, omnidirectional, MKE 2 gold capsule, connection cable, 1.6m, open end, anthracite	489,00
HS 2-5-3	500219	Neckband microphone, omnidirectional, MKE 2 gold capsule, connection cable, 1.6m, open end, beige	489,00
ew 300 IEM G3 A-X	503118	Wireless monitor set, each with 1x: SR 300, EK 300, IE 4 and GA 3, 516-558 MHz	1100,00
ew 300 IEM G3 B-X	503425	Wireless monitor set, each with 1x: SR 300, EK 300, IE 4 and GA 3, 626-668 MHz	1100,00
ew 300 IEM G3 C-X	503428	Wireless monitor set, each with 1x: SR 300, EK 300, IE 4 and GA 3, 734-776 MHz	1100,00
ew 300 IEM G3 E-X	503435	Wireless monitor set, each with 1x: SR 300, EK 300, IE 4 and GA 3, 823-865 MHz	1100,00
ew 300 IEM G3 G-X	503422	Wireless monitor set, each with 1x: SR 300, EK 300, IE 4 and GA 3, 566-608 MHz	1100,00
ew 300 IEM G3 GB	504655	Wireless monitor set, each with 1x: SR 300, EK 300, IE 4 and GA 3, 606-648 MHz	1100,00
ew 300-2 IEM G3 A-X	504830	Wireless monitor set with 1 x SR 300, 2 x EK 300, 2 x IE 4 and 1 x GA 3, 516-558 MHz	1400,00
ew 300-2 IEM G3 B-X	504832	Wireless monitor set with 1 x SR 300, 2 x EK 300, 2 x IE 4 and 1 x GA 3, 626-668 MHz	1400,00
ew 300-2 IEM G3 C-X	504833	Wireless monitor set with 1 x SR 300, 2 x EK 300, 2 x IE 4 and 1 x GA 3, 734-776 MHz	1400,00
ew 300-2 IEM G3 E-X	504285	Wireless monitor set with 1 x SR 300, 2 x EK 300, 2 x IE 4 and 1 x GA 3, 823-865 MHz	1400,00
ew 300-2 IEM G3 G-X	504831	Wireless monitor set with 1 x SR 300, 2 x EK 300, 2 x IE 4 and 1 x GA 3, 566-608 MHz	1400,00
ew 300-2 IEM G3-GB	507438	Wireless monitor set with 1 x SR 300, 2 x EK 300, 2 x IE 4 and 1 x GA 3, 606-648 MHz	1400,00
EK 300 IEM G3 A-X	504874	Bodypack receiver, stereo, charging contacts, EW jack, 2x Mignon, includes earpiece IE 4, 516-558 MHz	469,00
EK 300 IEM G3 B-X	504876	Bodypack receiver, stereo, charging contacts, EW jack, 2x Mignon, includes earpiece IE 4, 626-668 MHz	469,00
EK 300 IEM G3 C-X	504877	Bodypack receiver, stereo, charging contacts, EW jack, 2x Mignon, includes earpiece IE 4, 734-776 MHz	469,00
EK 300 IEM G3 E-X	503657	Bodypack receiver, stereo, charging contacts, EW jack, 2x Mignon, includes earpiece IE 4, 823-865 MHz	469,00

EK 300 IEM G3 G-X	504875	Bodypack receiver, stereo, charging contacts, EW jack, 2x Mignon, includes earpiece IE 4, 566-608 MHz	469,00
EK 300 IEM G3 GB	504674	Bodypack receiver, stereo, charging contacts, EW jack, 2x Mignon, includes earpiece IE 4, 606-648 MHz	469,00
SR 300 IEM G3 A-X	503136	Stereo transmitter, stationary, Ethernet (WSM), includes antenna, GA 3 and NT 2-3, 516-558 MHz	719,00
SR 300 IEM G3 B-X	503641	Stereo transmitter, stationary, Ethernet (WSM), includes antenna, GA 3 and NT 2-3, 626-668 MHz	719,00
SR 300 IEM G3 C-X	503643	Stereo transmitter, stationary, Ethernet (WSM), includes antenna, GA 3 and NT 2-3, 734-776 MHz	719,00
SR 300 IEM G3 E-X	503649	Stereo transmitter, stationary, Ethernet (WSM), includes antenna, GA 3 and NT 2-3, 823-865 MHz	719,00
SR 300 IEM G3 G-X	503639	Stereo transmitter, stationary, Ethernet (WSM), includes antenna, GA 3 and NT 2-3, 566-608 MHz	719,00
SR 300 IEM G3 GB	504673	Stereo transmitter, stationary, Ethernet (WSM), includes antenna, GA 3 and NT 2-3, 606-648 MHz	719,00
EK 2000 IEM AW-X	503861	Bodypack receiver, HDX, adaptive diversity, stereo, charging contacts, 2x Mignon, includes earpiece IE 4, 516-558 MHz	819,00
EK 2000 IEM BW-X	503865	Bodypack receiver, HDX, adaptive diversity, stereo, charging contacts, 2x Mignon, includes earpiece IE 4, 626-698 MHz	819,00
EK 2000 IEM CW-X	503867	Bodypack receiver, HDX, adaptive diversity, stereo, charging contacts, 2x Mignon, includes earpiece IE 4, 718-790 MHz	819,00
EK 2000 IEM GW-X	503863	Bodypack receiver, HDX, adaptive diversity, stereo, charging contacts, 2x Mignon, includes earpiece IE 4, 558-626 MHz	819,00
EK 2000 IEM- GBW	504947	Bodypack receiver, HDX, adaptive diversity, stereo, charging contacts, 2x Mignon, includes earpiece IE 4, GB 1-channel stereo transmitter, HDX, Ethernet (WSM),	819,00
SR 2000 IEM AW-X	503825	19"/1HE, 100-240 VAC, includes rod antenna, 516-558 MHz	2110,00
SR 2000 IEM BW-X	503833	1-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 626-698 MHz	2110,00
SR 2000 IEM CW-X	503837	1-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 718-790 MHz	2110,00
SR 2000 IEM DW-X	503841	1-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 790-865 MHz	2110,00
SR 2000 IEM GW-X	503829	1-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 558-626 MHz	2110,00

SR 2000 IEM-GBW	504954	1-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 606-678 MHz	2110,00
SR 2050 IEM AW-X	503843	2-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 516-558 MHz	3200,00
SR 2050 IEM BW-X	503851	2-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 626-698 MHz	3200,00
SR 2050 IEM CW-X	503855	2-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 718-790 MHz	3200,00
SR 2050 IEM DW-X	503859	2-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 790-865 MHz	3200,00
SR 2050 IEM GW-X	503847	2-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 558-626 MHz	3200,00
SR 2050 IEM-GBW	504955	2-channel stereo transmitter, HDX, Ethernet (WSM), 19"/1HE, 100-240 VAC, includes rod antenna, 606-678 MHz	3200,00
SZI 1015	004394	IR spotlight, 2 Watt, 2.8 MHz, BNC terminal block, 3/8" thread, 24 VDC, black, covers up to 400 m ² max.	869,00
SZI 1015-T	004634	IR emitter, 2 Watt, integrated control transmitter 2.3 MHz, 1x XLR, 3/8" thread, 24 VDC, black, supply area: max. 400m ² max.	839,00
SZI 1015-TW	004798	IR emitter, 2 Watt, integrated control transmitter 2.3 MHz, 1x XLR, 3/8" thread, 24 VDC, aluminum, thread, supply area: max. 400m ² max.	839,00
SZI 1015-W	004712	IR emitter, 2 Watt, up to 2.8 MHz, BNC and terminal block, 3/8" thread, 24 VDC, white, covers up to 400m ² max.	869,00
SZI 1029-10-EU	004005	IR emitter, 10 Watts, up to 2.8 MHz, BNC, 3/8" thread, 90-260 VAC, aluminum, supply area: max. 1600m ²	3000,00
SZI 1029-10-EU-B	004620	IR emitter, 10 Watts, up to 2.8 MHz, BNC, 3/8" thread, 90-260 VAC, black, supply area: max. 1600m ²	3000,00
SZI 1029-EU	003664	IR emitter, 5 watts, up to 2.8 MHz, BNC in/out, 3/8" tripod thread, 90-260 VAC, black, power button: max. 800m ² max.	1900,00
SZI 1029-EU-W	004076	IR emitter, 5 watts, up to 2.8 MHz, BNC in/out, 3/8" thread, 90-260 VAC, aluminum, supplies up to 800m ² max.	1900,00
EKI 830	505631	Bodypack receiver, broadband infrared, 2 channels switchable, (2.3/2.8 MHz/stereo), includes BA 300, red	169,00

HDI 830	502019	Stethoset receiver, broadband infrared, switchable between 2 channels (2.3/2.8 MHz / stereo), includes BA 300, red For inductive audio transmission. Suitable for connection to the EK 2015, RI 810 S, RI 830 S and RR 820 S receivers. Please order the connection cable separately.	179,00
EZI 120	003448		38,00
EZT 3012	504061	Induction neckloop, length: 40cm, 3.5mm angled jack	80,00
GA 1031-CC	004253	Empty housing for 19" mounting 1x SI 1015/EM 1031,	49,00
BA 300	500898	1/2 19"/1HE Battery, 3.7 V/150 mAh, Li-Ion	39,90
L 300 10-10	502710	Charger, for up to 10 x HDI 830 / EKI 830 and 10x BA 300 simultaneously, includes power supply NT 6, black Adapter, for 1 x SI 1015 and also 2 x SZI 1015, 29 VDC /	386,75
NT 1015-EU	004560	1.7 A, black	189,00
EP 01-EP	505979	Ear cushions for EP 01, PU 40 pieces	6,00
HNP 02-EP	505978	Ear cushions for HP 02/NP 02, PU 40 pieces	25,00
SI 1015	004252	2-channel IR remote control transmitter, broadband, 2 carrier frequencies (2,3 / 2,8 MHz), switchable 1/2/stereo, 2 x XLR, 1/2 19" / 1HE	629,00
SI 30	004632	2-channel IR transmitter, broadband, 2 carriers (2.3/2.8 MHz), switchable 1/2/stereo, integrated 0.5 W emitter, black	249,00
SZI 30	004633	IR emitter, narrow - and broadband up to 2.8 MHz, power: 0.5 W, covers: 80 m ² max., black	189,00
EP 01-100	505963	Around-the-ear headphones, stereo, 16 Ω, cable 1m, 3.5mm jack, stereo, PU 50 pieces	689,00
EP 01-140	505964	Around-the-ear headphones, stereo, 16 Ω, cable 1.4m, 3.5mm jack, stereo, angled, PU 50 pieces	689,00
EP 01-L100	505960	Around-the-ear headphone, left 16 Ω, cable 1 m, 3.5mm jack, mono, PU 50 pieces	449,00
EP 01-R100	505961	Around-the-ear headphone, right 16 Ω, cable 1 m, 3.5mm jack, mono, PU 50 pieces	439,00
EP 01-R140	505962	Around-the-ear headphone, right 16 Ω, cable 1.4m, 3.5mm jack, mono, angled, PU 50 pieces	439,00
HP 02-100	505965	Headphones, stereo, 32 Ω, cable 1m, 3.5mm jack, stereo, PU 20 pieces	399,00
HP 02-140	505966	Headphones, stereo, 32 Ω, cable 1.4m, 3.5mm jack, stereo, angled, PU 20 pieces	399,00
NP 02-100	505967	Neckband headphones, stereo, 32 Ω, cable 1m, 3.5mm jack, stereo, PU 20 pieces	399,00
NP 02-140	505968	Neckband headphones, stereo, 32 Ω, cable 1.4m, 3.5mm jack, stereo, angled, PU 20 pieces	399,00
KK 20-1	003557	Low-voltage cable, extension for power supply between SI 30/SZI 30 and adapter, length: 1 m, black	17,00

KK 20-7	003558	Low-voltage cable, extension for power supply between SI 30/SZI 30 and adapter, length: 7m, black	22,00
KR 20-7	003535	RF cable, connection between SI 30 and SZI 30, for cascading SZI 30, length: 7m, black	29,00
NT 20-1	003600	Power adapter, for 1x SI 30/SZI 30, 24 VDC/200 mA, black	55,00
NT 20-4	003603	Power adapter, for 4x SI 30/SZI 30, 24 VDC/500 mA, black	129,00
IZK 20	003560	Holding clamp, for safe mounting of SI 30/SZI 30, 3/8" lower inner thread, black	20,00
IZM 20	003561	Cluster mounting set for installing 2-4 SI-30/SZI 30, devices must be pre-assembled with IZK 20, can be rotated	35,00
BA 1029	003708	Battery for EKI 1029, 2.5 V/170 mAh, black	44,00
BA 90	003261	Battery, 2.5 V/60 mAh, NiMH	22,90
EK 2020-D-II	504794	Bodypack receiver, digital, 6/8-channel, 863-865 MHz, system battery (8 h), blue	329,00
EK 2020-D-II-US	504795	Bodypack receiver, digital, 6/8-channel, 926-928 MHz, system battery (8h), blue (not licensed in Germany)	329,00
HDE 2020-D-II	504796	Headset receiver, digital, 6 or 8 channels, 863-865 MHz, system battery (8h), blue	349,00
HDE 2020-D-II-US	504797	Stethoset receiver, digital, 6/8-channel, 926-928 MHz, system battery (8h), blue (not licensed in Germany)	349,00
SR 2020-D	500550	Stationary transmitter, digital, 6/8-channel, 863-865 MHz, includes NT 2-1 and GA 2	939,00
SR 2020-D-US	500551	Stationary transmitter, digital, 6/8-channel, 926-928 MHz, includes NT 2-1 and GA 2 (not licensed in Germany)	939,00
GP 3000L	005224	Breakaway lanyard, black	4,00
EZL 2020-20L	500542	Charging and transport case for up to 20 TourGuide 2020 D receivers and 2 mobile transmitters, 110-240 VAC	1590,00
L 2021-40	502037	Charger for 40 receivers, TourGuide digital, standing unit or 19" built-in, RJ 45, PC software, 110-240 VAC	2250,00
EK 1039-BW	505542	TourGuide bodypack receiver, analog, 32-channel, 3.5mm jack, blue faceplate, includes battery BA 2015, 626-698 MHz	449,00
EK 1039-CW	505543	TourGuide bodypack receiver, analog, 32-channel, 3.5 mm jack, blue faceplate, includes BA 2015 battery, 718-790 MHz	449,00
EK 1039-DW	505544	TourGuide bodypack receiver, analog, 32-channel, 3.5 mm jack, blue faceplate, includes BA 2015 battery, 790-865 MHz	449,00

KK 1030	004125	Cascade cable for L 1030-10, length: 25 cm, 2x Texas socket, black	19,00
L 1039-10	505632	Charging bar for 10 x EK 1039, includes power supply	1170,00
SK 2020-D	500548	Bodypack transmitter, digital, 6 channel, 863-865 MHz, includes BA 2015, black	819,00
SK 2020-D-US	500549	Six channel bodypack transmitter with audio and microphone input and BA2015 rechargeable battery (926-928 MHz). Please note: order mic separately.	819,00
SKM 2020-D	500894	Handheld transmitter, digital, dynamic cardioid, 6 channel, 863-865 MHz, includes BA 2015	939,00
SKM 2020-D-US	500895	Six-channel handheld transmitter with BA2015 rechargeable battery (926-928 MHz).	939,00
SL Interpreter	506242	Compact interpreter console, 2-channel, cascadable, reference mode, XLR-In, phantom power	1770,00
Conn.cable 2 x L2020-10	BNVSSVS LKK	Connection cable for 2 x L2020-10	49,00
GZR 2020	502191	Trolley with telescopic handle, fit to EZL 2020-20 L / EZL 1038-2, black	109,00
L 2020-10	BNVSSVS L202010	10 way basic charger for 2020-D tour guide system, no copy function.	499,00
ADN CU1-EU	505553	Central unit for up to 40 microphone stations, 2x bus, XLR in/out, LAN, USB, free-standing, 100-240 VAC, 19"/2HE	3490,00
ADN PS-EU	505546	Power repeater, up to 70 microphone stations, 4x bus, loop option, includes 19" adapter, 100-240 VAC, 19"/2HE	1990,00
ADN RMB-2	504031	Rack installation set, for ADN CU1, 19"/ 2HE	69,00
MAINS CABLE WHITE 0,75M	506273	Cold device cable, 0.75m, EU, white	8,00
MAINS CABLE WHITE 5M EU	506276	Cold device cable, 5 m, EU, white	15,00
ADN C1	502759	Chairman unit, gooseneck with illuminated ring, loudspeaker, headphone jack for conference channel, black	549,00
ADN D1	502758	Delegate unit, gooseneck with illuminated ring, loudspeaker, headphone jack for conference channel, black	539,00
ADN TR1	504001	Cable tension relief for ADN system units, 2 adapters for different cable thicknesses, black	6,00
CBL RJ 45-10	009845	Conference system cable, length: 10 m, color-coded RJ45 connector, cable CAT 5e/AWG 24/STP, black	40,00

CBL RJ 45-2	009842	Conference system cable, length: 2m, color-coded RJ45 connector, cable CAT 5e/AWG 24/STP, black	17,00
CBL RJ 45-20	009846	Conference system cable, length: 20 m, color-coded RJ45 connector, cable CAT 5e/AWG 24/STP, black	60,00
CBL RJ 45-3	009843	Conference system cable, length: 3 m, color-coded RJ45 connector, cable CAT 5e/AWG 24/STP, black	23,00
CBL RJ 45-5	009844	Conference system cable, length: 5 m, color-coded RJ45 connector, cable CAT 5e/AWG 24/STP, black	29,00
CBL RJ 45-50	009847	Conference system cable, length: 50 m, color-coded RJ45 connector, cable CAT 5e/AWG 24/STP, black	75,00
ADN-W AM	504743	Antenna module with 3 antennas, 2.4/5.1-5.9 GHz, BUS in/out, 3/8" adapter, 2 wall eyelets, includes 5m BUS cable, gray	1490,00
NT 12-50C-EU	505712	Switching power supply for ADN W BA and L1039-10, 100-240V, 12 V/5 A	55,00
ADN-W C1	504745	Chairman unit, next/priority button, loudspeaker, KH socket, no battery or gooseneck microphone, black	899,00
ADN-W D1	504748	Delegate unit, loudspeaker, KH socket, no battery or gooseneck microphone, black	899,00
ADN-W MIC 15-39	504750	Gooseneck microphone, condenser, cardioid, KE 10-capsule, illuminated ring, ADN-W socket, 1 articulating point, 39cm long, black	129,00
ADN-W MIC 15-50	504752	Gooseneck microphone, condenser, cardioid, KE 10-capsule, illuminated ring, ADN-W socket, 1 articulating point, 50 cm long, black	149,00
ADN-W MIC 36-29	504751	Gooseneck microphone, condenser, supercardioid directional, ME 36-capsule, illuminated ring, ADN-W socket, 1 articulating point, 29cm long, black	389,00
ADN-W MIC 36-50	504753	Gooseneck microphone, condenser, supercardioid directional, ME 36-capsule, illuminated ring, ADN-W socket, 1 articulating point, 50 cm long, black	399,00
ADN-W BA	504744	Battery pack, Li-Ion 7.4 V/7.8 Ah, for ADN W D1/C1.5 LED charge indicator, charging contacts, coaxial jack for power supply, black	229,00
ADN-W L 10-EU	505719	Charger for 10x ADN W BA, LED charge status indicator, with feet, 100 - 240V, 19"/7HE	1950,00
ADN-W Case Base	504959	Basic module case, base support plate with lid, multiplex, brown, four 100 mm wheels (2 x lockable)	519,00
ADN-W Case Central	504957	Stacking tower case, for 1x ADN-CU1-EU, 1x ADN-W L 10, 10x NT 12-50C, 1x ADN-W AM, multiplex, brown	819,00
ADN-W CASE UNITS-EU	505758	Stacking tower case, charging and transport system for 10x ADN W D1/C1, external LED charge indicator, multiplex, brown	2290,00

SL 52 AW	506243	Loudspeaker, 2-way, active, 2x 40W, inputs unbalanced RCA and balanced connectors, DSP, 100-240 VAC, power cord not included	449,00
TEAMCONN T BNDL L FIX EU	506743	Set of 1x SL CUCB1 EU, 2x SL 52 AW, 2x SL MIC HUB 1, 8x MEB 104-L TC, 2x MAS 1 TC, 1x MAS 2 TC, includes system cable	8890,00
TEAMCONN T BNDL L FLEX EU	506746	Set of 1x SL CUCB1 EU, 2x SL 52 AW, 2x SL MIC HUB 1, 8x MEB 114-S TC, 1x MAS 2 TC, includes system cable	8990,00
TEAMCONN T BNDL S FIX EU	506737	Set of 1x SL CUCB1 EU, 2x SL 52 AW, 1x SL MIC HUB 1, 4x MEB 104-L TC, 1x MAS 1 TC, 1x MAS 2 TC, includes system cable	7690,00
TEAMCONN T BNDL S FLEX EU	506740	Set of 1x SL CUCB1 EU, 2x SL 52 AW, 1x SL MIC HUB 1, 4x MEB 114-S TC, 1x MAS 2 TC, includes system cable	7950,00
TEAMCONN T CUCB1 EU	506235	Central unit, 8x mic IN, 8x line OUT, 2x line IN, RS232, TELCO, LAN, USB, headset jack, includes ComBox	5450,00
SL Mic Hub 1	506606	Microphone hub for 4 microphones, includes cable	229,00
SL Mobile Adapter 1	506767	Adapter for mobile devices to the com box	38,00
SL Ceiling Mic	506797	Ceiling microphone, beam-forming technology, Phoenix connectors, includes EU power pack, GPIO and power cable	11990,00
SL CM FB	506846	Ceiling fixing bracket for SL ceiling mic, for installing the microphone directly under the ceiling	219,00
TeamConnect Ceiling EU	506975	Ceiling microphone system consists of: TC ceiling mic, TC CU1, COM box, 2x SL 52, EU power pack, 10m cable set, 5m steel rope	14990,00
TC-W Set Case EU	506686	TeamConnect Wireless set, 1x master, 3x satellite, 4x 100, jack cable, USB cable, microfiber cloth	4190,00
TC-W Set Tray EU	506692	TeamConnect Wireless Kit with 1 master, 3 satellites, 4 batteries, charging bar, power pack, USB cable and jack cable	4190,00
TC-W SET TRAY M EU	507429	TeamConnect wireless set with 1 master, 1 satellite, 2 batteries, charging strip, power supply, USB cable and cable harness	2750,00
BA 100	506681	TeamConnect Wireless battery, Li-Ion, 3.7 V / 2600 mAh	99,00
NT 12-10BW	506728	Power adapter for TC- W case, 100-240 VAC, 12 VDC / 1 A, with country adapter	40,00
TC-W Case	506685	Charging and transport case for 1 master and 3 satellites, charge level display, storage space for accessories, NT 12-10BW required	819,00
TC-W Jack Cable	506682	TeamConnect Wireless cable, 1m, 2.5mm jack to 3.5mm jack, 4 pin on both sides	12,00

TC-W Telephone Cable	506683	Telephone connection cable, 2.5mm 4 pin jack socket on easy disconnect	35,00
TC-W Tray	506691	Charging bar for 1 master, 3 satellites, 12 VDC (power pack NT 12-10BW required)	819,00
TC-W USB Cable	506684	USB cable, micro USB (B) to USB (A), 1 m	12,00
MobileConnect + WiFi EU	506733	Mobile connect system, set with 1x streaming, 100-240 VAC, 19"/1HE, 1x AccessPoint, 1x PoE-Adapter and cable set	9450,00
MobileConnect EU	506888	Mobile Connect StreamingServer, 100-240 VAC, 19"/1HE Single-Port PoE adapter, IEEE 802.3af, 100 - 240 VAC, plug-in power supply including country adapter EU / UK / US / AU	8990,00
PoE Injector EU/US/UK/AU	507410		59,00
Ruckus AP 7372 WW - Indoor	506852	WiFi AccessPoint, 2,4/5GHz, PoE (802.3af) / 12 VDC (1A), 2x RJ45	799,00
CinemaConnect +WiFi EU	506736	Cinema connect system, set with 1x streaming server, 100-240 VAC, 19"/1HE, 1x WLAN router, 1x PoE-Adapter and cable set	9450,00
CinemaConnect EU	506885	Cinema Connect StreamingServer, 100-240 VAC, 19"/1HE	8990,00
LSP 500 PRO	505476	Wireless sound system, battery-operated, remote controlled, Wi-Fi, Bluetooth, includes 2x LBA 500 and dust cover	2760,00
LAB 500	505479	Trolley bag for LSP 500 PRO	299,00
LAH 500	505992	Flying adapter for LSP 500 PRO	119,00
LAP 500	505478	Protective Cover, protective cover for LSP 500 PRO	99,00
LAS 500	505666	Slip Cover, white cover for LSP 500 PRO	42,00
LBA 500	505596	Replacement battery for LSP 500 PRO	216,00
HD 600	004465	Headphones, circumaural, open, 300 Ω, cable 3 m long, stereo jack 3.5 mm, adapter 6.3 mm	399,00
HD 650	009969	Headphones, circumaural, open, 300 Ω, cable 3m long, stereo jack 3.5mm, adapter 6.3mm	459,00
IE 60	504769	HiFi earbuds, 16 Ω, cable 1.2 m with stereo plug 3.5 mm	149,00
HD 200 PRO	507182	Hi-fi stereo headphones, 32 Ω, closed, cable 2m with 3.5mm jack, includes adapter to 6.3mm jack	75,00
HD 205-II	504292	Stereo headphone, 32 Ω, closed, cable 3 m long, stereo jack 3.5 mm with adapter 6.3 mm	45,00
HD 25	506909	Dynamic headphones, 70 Ω, closed, supra-aural,, adjustable headband, steel core cable, single-sided, 1.5m long, 3.5mm angle jack, adapter	149,00
HD 25 LIGHT	506910	dynamic headphones, 60 Ω, compact, steel charger cable, bidirectional, 3m, 3.5mm plug, straight, adapter	129,00

HD 25 PLUS	506908	dynamic headphones, 70 Ω , compact, expandable bracket, coiled cord, unidirectional, 3m (1m) length, 3.5mm plug, straight	199,00
HD 26 PRO	505691	HiFi stereo headphones, 100 Ω , compact, steel charger cable 1.5 m, plug 3.5 mm, adapter 6.3 mm, ActiveGard	269,00
HD 280 PRO	506845	Dynamic hi-fi stereo headphones, 64 Ω , closed, adjustable headband, coiled cable 3m, jack 3.5mm, black	99,00
HD 380 PRO	502717	Professional monitoring headphone • with E.A.R. technology • 150 Ohms	159,00
HD8 DJ	505792	dynamic headphones, 95 Ω , closed, 2 OFC cables with woven reinforced copper, spiral/flat, 1.5/3 m long, 3.5mm jack, adapter	329,00
HZH 60	003553	Hygienic Protection	43,00
HMD 26-II-100	505771	Audio headset, 100 Ω per system, dynamic microphone, supercardioid, cable not included, ActiveGard	499,00
HMD 26-II-100-8	505772	Audio headset, 100 Ω via system, dynamic microphone, supercardioid, connection cable, 2 m, open end, ActiveGard	549,00
HMD 26-II-600	505773	Audio headset, 600 Ω per system, dynamic microphone, supercardioid, cable not included, ActiveGard	499,00
HMD 26-II-600-8	505774	Audio headset, 600 Ω via system, dynamic microphone, supercardioid, connection cable, 2 m, open end, ActiveGard	549,00
HMD 26-II-600-S	505775	Audio headset, one-sided, 600 Ω , dynamic microphone, supercardioid, cable not included, ActiveGard	499,00
HMD 26-II-600-X3K1	505776	Audio headset, 600 Ω via system, dynamic microphone, supercardioid, connection cable, 2m, XRL/KL, ActiveGard	599,00
HMD 27	506902	Audio headset, 64 Ω per system, circumaural, dynamic microphone, hypercardioid, cable not included	549,00
HMD 280 PRO	004976	Audio headset, 64 Ω via system, dynamic microphone, supercardioid, coiled cable, 3m long, open end	319,00
HMD 280-13	004977	Audio headset, 300 Ω via system, dynamic microphone, supercardioid, coiled cable, 3m long, open end	319,00
HMD 280-XQ-2	502714	Audio headset, 300 Ω , dynamic microphone, supercardioid, cable 2m, XLR 3-pin/6.3 mm jack, adapter 6.3/3.5mm	319,00
HMD 281 PRO	004978	Audio headset, one-sided, 64 Ω , dynamic microphone, supercardioid, coiled cable, 3m long, open end	279,00

HMD 281-13	004979	Audio headset, one-sided, 300 Ω, dynamic microphone, supercardioid, coiled cable, 3m long, open end	279,00
HMD 46-3	500849	Audio headset, 300 Ω per system, dynamic microphone, supercardioid, cable not included, ActiveGard	379,00
HMD 46-3-6	500466	Audio headset, 300 Ω via system, dynamic microphone, supercardioid, connection cable, 1.8m, open end, ActiveGard	399,00
HMD 46-31	502483	Audio headset, 300 Ω per system, dynamic microphone, supercardioid, cable not included	379,00
HMDC 26-II-600	505777	Audio headset, 600 Ω per system, dynamic microphone, supercardioid, cable not included, NoiseGard	599,00
HMDC 27	506978	Audio headset, NoiseGard 600/200 Ω (ANR on/off), circumaural, dynamic microphone, hypercardioid, with connection cable II-X3K1	639,00
HME 26-II-100	505779	Audio headset, 100 Ω per earphone, electret microphone, omnidirectional, cable not included, ActiveGard	499,00
HME 26-II-100(4)P48	505778	Audio headset, 100 Ω, electret microphone, cardioid, cable not included, ActiveGard, optimized for audio codec	549,00
HME 26-II-600	505781	Audio headset, 600 Ω per earphone, electret microphone, omnidirectional, cable not included, ActiveGard	499,00
HME 26-II-600(4)	505780	Audio headset, 600 Ω per earphone, electret microphone, cardioid, cable not included, ActiveGard	499,00
HME 27	506899	Audio headset, 64 Ω per system, circumaural, dynamic microphone, cardioid, cable not included	549,00
HME 46-3	500857	Audio headset, 300 Ω per system, condenser, supercardioid, cable not included, ActiveGard	399,00
HME 46-3-6	500467	Audio headset, 300 Ω per system, condenser, supercardioid, connection cable, 1.8m long, open end	459,00
HME 46-31	502484	Audio headset, 300 Ω per system, condenser, supercardioid, cable not included	399,00
HME 46-DCN	504286	Audio headset for BOSCH DCN system, condenser, connection cable 1.8 m, DIN 5-pin jack	489,00
CAB-H-6	502533	Cable for HMD/HME 46 and 26, coiled, 3m long, open end	89,00
Cable II-8	505797	Cable for HMD/HME 26/46, twin-lead cable with woven reinforced copper, extreme noise reduction, 2m, open end	89,00
Cable II-X3K1	505782	Cable for HMD/HME 26/46, twin-lead cable with woven reinforced copper, extreme noise reduction, 2m, XLR-3M/jack 6.3mm	99,00

Cable II-X3K1-P48	505783	Cable for HMD/HME 26/46, twin-lead cable with woven reinforced copper, extreme noise reduction, 2m, XLR-3M/jack 6.3mm	179,00
Cable II-X4F	505784	Cable for HMD/HME 26/46, twin-lead cable with woven reinforced copper, extreme noise reduction, 2m, XLR-4F	109,00
Cable II-X5	505785	Cable for HMD/HME 26/46, twin-lead cable with woven reinforced copper, extreme noise reduction, 2m, XLR-5	109,00
Cable-H-X3K1	502456	Connection cable for HMD/HME 46 and 26, coiled, 3m long, XLR-3M/jack 6.3mm	119,00
Cable-H-X4F	502457	Connection cable for HMD/HME 46 and 26, coiled, 3m long, XLR-4F	99,00
Cable-H-X5	502458	Connection cable for HMD/HME 46 and 26, coiled, 3m long, XLR-5M	99,00
CAB-B-7	502470	Cable for HMDC 26, twin-lead steel core cable 2m, low noise, with battery control panel, open end	229,00
CAB-PTT-6	500844	Cable for HMD/HME 46 and 26, PTT, 1.8m long, open end	259,00
Cable-6	500836	Unterminated copper cable, 1.85 m	69,00
Cable-7	502360	Unterminated steel wire cable, 2 m	69,00
AAC 1031	390022	A 1031 Rain Cover	45,00
AAC 2003	390021	A 2003 Rain Cover	45,00
AC 3200-II HIGH GAIN	390008	Active antenna combiner with 8 input channels and one output channel.	4795,00
ADN IK1	390019	ADN Installation Kit, Set of 5 pcs	269,00
B 5000-2 COMMAND	390017	Battery pack for SKM 5200, command function	289,00
CI R-4-NRS	390026	Instrument Cable 3pin Lemo - Angled Silent Jack - for SK2k/9k/6k - 1m	119,00
CI R-4A-NRS	390027	Instrument Cable 3pin Lemo - Angled Silent Jack - for SK50/5212 - 1m	149,00
CI R-EW-NRS	390028	Instrument Cable 3,5mm Jack - Angled Silent Jack - for EW G3 - 1m	95,00
e 835-S-PTT	390020	Vocal Microphone Switched Non-Latching	119,00
EM 3732-11-WB	390016	2-channel diversity receiver, ranges: 470-638 MHz and 614-798 MHz, HiDyn + / HDX Compander, Ethernet, 19"/1HE	5400,00
GA 6042 R	390025	19" Rack Adapter for two EK 6042	4560,00
HS 2-EW (BEIGE)	390002	Headset HS 2 with evolution Wireless connector, beige	489,00
HS 2-EW (BLACK)	390001	Headset HS 2 with evolution Wireless connector, black	489,00
MZGE 8000 P48	390024	Mic Stand Clamp for P48 Adapter	139,00
P48 ADAPTER BLACK	390023	Phantom Power Adapter for SK 6000/9000 Black	839,00

P48 Adaptor SK 9000	390007	Phantom power adapter for bodypack transmitter SK 9000, XLR-3F microphone input	839,00
SKM 5200 EXT	390018	Grip extension for SKM 5200	439,00
SL HEADMIC 1 - 4 BE -NC	390004	Neckband microphone, omnidirectional, beige, fixed connection cable 1.6 m, 3-pin, SE plug	599,00
SL HEADMIC 1 - 4 BK -NC	390005	Neckband microphone, omnidirectional, black, fixed connection cable 1.6 m, 3-pin, SE plug	599,00
SL HEADMIC 1 - 4 SB -NC	390006	Neckband microphone, omnidirectional, silver/black, fixed connection cable 1.6 m, 3-pin, SE plug	599,00
Sound Academy Training Support Services	WWSAT	Daily Charge for bespoke Sound Academy Activity	1200,00
	WWCDAE	Daily Charge for bespoke CDAE Activity	1200,00
Wireless Mics & Monitoring Masterclass	WWSAT2	Cost per attendee for the Masterclass Course	399,00
Wireless Mics & Monitoring Essentials	WWSAT1	Cost per attendee for the Essentials Course	199,00
TLM 102	008626	Large diaphragm microphone, condenser, cardioid, 48V phantom power, XLR-3 M, nickel, includes SG 2	599,00
TLM 102 mt	008627	Large diaphragm microphone, condenser, cardioid, 48V phantom power, XLR-3 M, black, includes SG 2	599,00
TLM 102 mt Studio Set	008657	Set each with 1x : TLM 102 mt and EA 4, black	699,00
TLM 102 Studio Set	008656	Set each with 1x : TLM 102 and EA 4, nickel	699,00
TLM 103	008430	Large diaphragm microphone, condenser, cardioid, 48V phantom power, XLR-3 M, nickel, includes SG 2	999,00
TLM 103 Mono Set	008508	Set each with 1x : TLM 103 and EA 1, nickel	1190,00
TLM 103 mt	008431	Large diaphragm microphone, condenser, cardioid, 48V phantom power, XLR-3 M, black, includes SG 2	999,00
TLM 103 mt Mono Set	008509	Set each with 1x : TLM 103 and EA 1, black	1200,00
TLM 103 mt stereo set	008502	Set each with 2x : TLM 103 and EA 1, black	2190,00
TLM 103 mt studio set	008544	Set each with 1x : TLM 103 and EA 1, black	1100,00
TLM 103 stereo set	008501	Each with 2x: TLM 103 and EA 1, nickel	2190,00
TLM 103 studio set	008545	Each with 1x: TLM 103 and EA 1, nickel	1100,00

TLM 193	008381	Large diaphragm microphone, condenser, cardioid, 48V phantom power, XLR-3 M, black, includes SG 1	1200,00
TLM 49 Set	008550	Large diaphragm microphone, condenser, cardioid, 48V phantom power, XLR-3M, nickel, includes EA 3	1500,00
U 47 FET	006427	Large diaphragm microphone, condenser, cardioid, 48V phantom power, XLR-3M, nickel	3600,00
TLM 107	008666	Large diaphragm microphone, omnidirectional/subcardioid/cardioid/hypercardioid/bidirectional, navigation button, P48, XLR-3M, nickel	1300,00
TLM 107 bk	008667	Large diaphragm microphone, omnidirectional/subcardioid/cardioid/hypercardioid/bidirectional, navigation button, P48, XLR-3M, black	1300,00
TLM 107 bk Studio Set	008674	Set each with 1 x TLM 107 and EA 4, black	1400,00
TLM 107 Studio Set	008673	Set each with 1 x TLM 107 and EA 4, nickel	1400,00
TLM 170 R	007165	Large diaphragm microphone, omnidirectional/subcardioid/cardioid/hypercardioid/bidirectional, 48V phantom, XLR-3M, nickel	2700,00
TLM 170 R mt	007166	Large diaphragm microphone, omnidirectional/subcardioid/cardioid/hypercardioid/bidirectional, 48V phantom, XLR-3M, black	2700,00
TLM 170 R mt stereo set	008504	Set each with 2x TLM 170 R mt and EA 170 mt, black	6000,00
TLM 170 R stereo set	008503	Set each with 2x TLM 170 R and EA 170, nickel	6000,00
TLM 67	008605	Large diaphragm microphone, condenser, omnidirectional/cardioid/bidirectional, 48V phantom power, XLR-3M, pearl gray	1700,00
U 87 Ai	007022	Large diaphragm microphone, condenser, omnidirectional/cardioid/bidirectional, 48V phantom power, XLR-3M, nickel	2500,00
U 87 Ai mt	007023	Large diaphragm microphone, condenser, omnidirectional/cardioid/bidirectional, 48V phantom power, XLR-3M, black	2500,00
U 87 Ai mt Stereo Set	008506	Set each with 2x U 87 Ai mt and EA 87 mt, black	5700,00
U 87 Ai mt studio set	008661	Set each with 1x U 87ai (spherical/cardioid/eight) and EA 87, black	2700,00
U 87 Ai Stereo set	008505	Set each with 2x U 87 Ai and EA 87, nickel	5700,00
U 87 Ai Studio Set	008660	Set each with 1x U 87ai (spherical/cardioid/eight) and EA 87, nickel	2700,00
U 89 i	006449	Large diaphragm microphone, omnidirectional/subcardioid/cardioid/hypercardioid/bidirectional, 48V phantom, XLR-3M, nickel	2800,00

U 89 i mt	006450	Large diaphragm microphone, omnidirectional/subcardioid/cardioid/hypercardioid/bidirectional, 48V phantom, XLR-3M, black	2800,00
M 147 Tube	008435	Condenser microphone, cardioid, DIN-8F, nickel, includes SG 2, N 149 A (EU) and KT 8 (10 m)	2600,00
M 149 Tube	008390	Condenser microphone, spherical/wide cardioid/hypercardioid/eight, DIN-8F, including EA 170, N 149 A and KT 8	4500,00
M 150 Tube	008456	Condenser microphone, omnidirectional, DIN-8F, nickel, includes EA 170, N 149 A and KT 8	5500,00
BCM 104	008483	Large-diaphragm microphone, condenser, cardioid, 48V phantom power, XLR-3 M, nickel	999,00
BCM 705	008507	Broadcast microphone, dynamic, hypercardioid, XLR-3 M, nickel	599,00
KM 183	008437	Small-diaphragm microphone, condenser, spherical, XLR-3F, 48V phantom, nickel, including WNS100 and SG21	749,00
KM 183 mt	008438	Small-diaphragm microphone, condenser, spherical, XLR-3F, 48V phantom, black, including WNS100 and SG21	749,00
KM 183 mt stereo set	008521	Each with 2x km 183 mt (omnidirectional), WNS 100 and SG 21, black	1400,00
KM 183 stereo set	008522	Each with 2x km 183 (omnidirectional), WNS 100 and SG 21, nickel	1400,00
KM 184	008439	Small-diaphragm microphone, condenser, cardioid, XLR-3F, 48V phantom, nickel, including WNS100 and SG21	699,00
KM 184 mt	008389	Small-diaphragm microphone, condenser, cardioid, XLR-3F, 48V phantom, black, including WNS100 and SG21	699,00
KM 184 mt Stereo Set	008523	Each with 2x km 184 mt (cardioid), WNS 100 and SG 21, black	1300,00
KM 184 Stereo Set	008524	Each with 2x km 184 (cardioid), WNS 100 and SG 21, nickel	1300,00
KM 185	008440	Small-diaphragm microphone, condenser, hypercardioid, XLR-3F, 48V phantom, nickel, including WNS100 and SG21	749,00
KM 185 mt	008441	Small-diaphragm microphone, condenser, hypercardioid, XLR-3F, 48V phantom, black, including WNS100 and SG21	749,00
KM 185 mt Stereo Set	008525	Each with 2 x km 185 mt (hypercardioid), WNS 100 and SG 21, black	1400,00
KM 185 Stereo Set	008526	Each with 2 x km 185 (hypercardioid), WNS 100 and SG 21, nickel	1400,00
SBK 130 A	008612	Diffraction sphere for KM 130, KM 131, KM 183, black	99,00

KM 183 A nx	008631	Small-diaphragm microphone, condenser, spherical, XLR-3F, 48V phantom, NEXTEL black, including WNS120 and SG21	1100,00
KM 184 A nx	008632	Small-diaphragm microphone, condenser, cardioid, XLR-3F, 48V phantom, NEXTEL black, including WNS120 and SG21	1050,00
KK 120	008589	Capsule head KMD/A, condenser, bidirectional, system socket, nickel	1100,00
KK 120 nx	008590	Capsule head KMD/A, condenser, bidirectional, system socket, Nextel black	1100,00
KK 131	008591	Capsule head KMD/A, condenser, omnidirectional (free field equalized), system socket, nickel	649,00
KK 131 nx	008592	Capsule head KMD/A, condenser, omnidirectional (free field equalized), system socket, Nextel black	649,00
KK 133	008639	Capsule head KMD/A, condenser, omnidirectional (diffuse field equalized), system socket, nickel, includes SBK 133	2000,00
KK 133 nx	008640	Capsule head KMD/A, condenser, omnidirectional (diffuse field equalized), system socket, Nextel b/w, includes SBK 133	2000,00
KK 143	008593	Capsule head KMD/A, condenser, wide cardioid, system socket, nickel	649,00
KK 143 nx	008594	Capsule head KMD/A, condenser, wide cardioid, system socket, Nextel black	649,00
KK 145	008595	Capsule head KMD/A, condenser, cardioid (with bass roll off), system socket, nickel	649,00
KK 145 nx	008596	Capsule head KMD/A, condenser, cardioid (with bass roll off), system socket, Nextel black	649,00
KK 183	008566	Capsule head KMD/A, condenser, omnidirectional, system socket, nickel	649,00
KK 183 nx	008567	Capsule head KMD/A, condenser, omnidirectional, system socket, Nextel black	649,00
KK 184	008568	Capsule head KMD/A, condenser, cardioid, system socket, nickel	549,00
KK 184 nx	008569	Capsule head KMD/A, condenser, cardioid, system socket, Nextel black	549,00
KK 185	008570	Capsule head KMD/A, condenser, hypercardioid, system socket, nickel	649,00
KK 185 nx	008571	Capsule head KMD/A, condenser, hypercardioid, system socket, Nextel black	649,00
KM A	008634	Analog output stage for KK capsule heads, XLR-3F, 48V phantom power, nickel	649,00
KM A nx	008635	Analog output stage for KK capsule heads, XLR-3F, 48V phantom power, Nextel black	649,00
AK 45	069015	Active capsule KM100, condenser cardioid (with bass roll off), system socket, black	676,86
KMS 104	008548	Vocal microphone, condenser, cardioid, 48 V phantom power, XLR-3M, nickel, includes SG 105	549,00

KMS 104 bk	008549	Vocal microphone, condenser, cardioid, 48 V phantom power, XLR-3M, black, includes SG 105	549,00
KMS 104 plus	008624	Vocal microphone, condenser, cardioid, 48 V phantom power, XLR-3M, nickel, includes SG 105	549,00
KMS 104 Plus bk	008625	Vocal microphone, condenser, cardioid, 48 V phantom power, XLR-3M, black, includes SG 105	549,00
KMS 105	008454	Vocal microphone, condenser, supercardioid, 48 V phantom, XLR-3M, nickel, includes SG 105	549,00
KMS 105 bk	008455	Vocal microphone, condenser, supercardioid, 48 V phantom, XLR-3M, black, includes SG 105	549,00
KMR 81 i	006961	Directional microphone, supercardioid/directional, 48 V phantom power, XLR-3 M, nickel, includes WS 81	1500,00
KMR 81 i mt	006962	Directional microphone, supercardioid/directional, 48 V phantom power, XLR-3 M, black, includes WS 81	1500,00
KMR 82 i	006878	Directional microphone, supercardioid/directional, 48 V phantom power, XLR-3 M, nickel, includes WS 81	1700,00
KMR 82 i mt	006879	Directional microphone, supercardioid/directional, 48 V phantom power, XLR-3 M, black, includes WS 81	1700,00
D-01	008482	Large-diaphragm microphone, condenser, spherical/cardioid/eight (with intermediate levels), digital, AES 42, nickel	4800,00
TLM 103 D	008603	Large diaphragm microphone, condenser, cardioid, digital, AES 42, nickel, includes SG 2	1650,00
TLM 103 D mt	008604	Large diaphragm microphone, condenser, cardioid, digital, AES 42, black, includes SG 2	1650,00
KM D - 48 kHz	008579	Digital output stage for KK capsule heads, AES 42, preset 48 KHz, nickel	799,00
KM D nx - 48 kHz	008582	Digital output stage for KK capsule heads, AES 42, preset 48 KHz, Nextel black	799,00
KMS 104 D	008643	Digital cardioid handheld with K 104 capsule, KMS pouch and SG 105	799,00
KMS 104 D BK	008644	Digital cardioid handheld with K 104 capsule, KMS pouch and SG 105	799,00
KMS 105 D	008645	Digital supercardioid handheld with K 105 capsule, KMS pouch and SG 105	799,00
KMS 105 D BK	008646	Digital supercardioid handheld with K 105 capsule, KMS pouch and SG 105	799,00
KMR 81 D	008648	Directional microphone, supercardioid/directional, digital, AES 42, XLR-3 M, black, includes WS 81	1900,00
Connection kit AES /EBU	008584	Power supply for digital microphones input AES42, output AES/EBU, 100-240 VAC	199,00
Connection kit S/PDIF	008585	Power supply for digital microphones, input AES42, output S/PDIF, 100-240 VAC	199,00

DMI 2 Portable	542404	Digital microphone interface, 2 channels AES 42, 44.1-192 kHz, 1 x AES/EBU, 10-18 VDC, Hirose	949,59
DMI 8 ES100	539398	optional Ethersound Interface for the DMI 8	1015,70
DMI-8 - EU	533130	Digital microphone interface, 8 channels, 44.1-192 kHz, 4 x AES/EBU, 90-240 VAC	2147,93
DMI-8 connection set	533126	with USB 485, USB and RJ45 cable	164,46
N DMI-2 P*	558090	Power adapter for DMI-2 p, 12 VDC, 4-pin Hirose connector, 90-260 VAC, includes EU, UK and US adapters	98,35
KU 100	007130	Dummy head microphone, stereo, 48V phantom / 6x mignon, XLR-5M / 2x BNC, including IC 5, AC 20 and power supply 230VAC	8200,00
USM 69 i	006974	Stereo microphone with double capsule, switchable directionality, 48V phantom, XLR-5M, nickel	5900,00
USM 69 i mt	006976	Stereo microphone with double capsule, switchable directionality, 48V phantom, XLR-5M, black	5900,00
EA 1	008449	Elastic mounting for M 147 and TLM 102/103/193, 3/8" / 5/8" / 1/2" tripod thread, nickel	249,00
EA 1 mt	008450	Elastic mounting for M 147 and TLM 102/103/193, 3/8" / 5/8" / 1/2" tripod thread, black	249,00
EA 170	007271	Elastic mounting for M 149/150 and TLM 170, 3/8" / 5/8" / 1/2" tripod thread, nickel	299,00
EA 170 mt	007273	Elastic mounting for M 149/150 and TLM 170, 3/8" / 5/8" / 1/2" tripod thread, black	299,00
EA 2	008432	Elastic suspension for D 01 and TLM 193, 3/8" / 5/8" / 1/2" tripod thread, nickel	299,00
EA 2 mt	008428	Elastic suspension for D 01 and TLM 193, 3/8" / 5/8" / 1/2" tripod thread, black	299,00
EA 2124 A mt	008433	Elastic mounting for KM 100, KM D/A, KMS, KMR 81, series 180, 3/8" / 5/8" / 1/2" tripod thread, black	149,00
EA 4	008641	Elastic mounting for TLM 102, nickel	139,00
EA 4 bk	008642	Elastic mounting for TLM 102, black	139,00
EA 87	007297	Elastic mounting for U 87 and TLM 67, 3/8" / 5/8" / 1/2" tripod thread, nickel	299,00
EA 87 mt	007298	Elastic mounting for U 87 and TLM 67, 3/8" / 5/8" / 1/2" tripod thread, black	299,00
EA 89 A	007195	Elastic mounting for U 89, 3/8" / 5/8" / 1/2" tripod thread, nickel	299,00
EA 89 A mt	007196	Elastic mounting for U 89, 3/8" / 5/8" / 1/2" tripod thread, black	299,00
AC 20	006595	Y cable, length: 1m, XLR-5F -> 2x XLR-3M	149,00
IC 3 mt	006543	Microphone cable, length: 10m, XLR-3F -> XLR-3M, black	159,00
IC 4	006547	Microphone cable with swivel ball joint, length: 10m, XLR-3F -> XLR-3M, nickel	469,00

IC 4 mt	006557	Microphone cable with swivel ball joint, length: 10m, XLR-3F -> XLR-3M, black	469,00
IC 5 mt	006624	Microphone cable, length: 10m, XLR-5F -> XLR-5M, black	329,00
IC 6	006621	Microphone cable with swivel ball joint, length: 10m, XLR-5F -> XLR-5M, nickel	549,00
IC 6 mt	006622	Microphone cable with swivel ball joint, length: 10m, XLR-5F -> XLR-5M, black	549,00
KT 8	008407	Microphone cable, length: 10m, DIN-8F -> DIN-8M, black	299,00
LC 4	008607	Microphone cable for KM A and KM D, length: 10 m, system connector, black	379,00
LC 4	008606	Microphone cable for KM A and KM D, length: 5 m, system connector, black	339,00
PS 15	008472	Pop screen with tube clamp, Ø 15 cm, black	89,00
PS 20 a	008488	Pop screen with tube clamp, Ø 20cm, black	99,00
N 149 A	008447	Power supply for tube microphones, DIN-8F (microphone), XLR-3 M, 100-240 VAC, EU power cord	889,00
N 248	008537	Power supply, 48V phantom for 2 microphones, remote control for TLM 170R, 2 x XLR-3F, 2 x XLR-3M, 230 VAC	699,00
DS 100-1	008491	Swivel mount for two KVF capsule extensions, black	89,00
DS 120	007343	Dual stand mount with 2 x 1/2" threaded bolts, 3/8"/5/8"/1/2" tripod thread, black	239,00
PA 100	006199	Pistonphone adapter for dummy head KU 100, black	39,00
SG 100	006688	Swivel mount for a KVF capsule extension, 3/8"/ 5/8" / 1/2" tripod thread, black	39,00
SG 100-1	008490	Swivel mount for tripod mounting a KVF capsule extension, black	69,00
SG 105	008460	Stand clip for KMS microphones, 3/8"/ 5/8" / 1/2" tripod thread, black	19,00
SG 109	008614	Stand for KM system, 3/8" tripod thread, black	109,00
SG 110 nx	008611	Swivel joint for KM D and KM A, ± 110 ° swiveling	329,00
SG 2	008636	Swivel mount for D-01, M 147/150 Tube, TLM 49/102/103/170 and U 87 ai, 3/8"/ 5/8" / 1/2" tripod thread, black	59,00
SG 21 bk	008613	Swivel mount for miniature microphones, 3/8"/ 5/8" / 1/2" tripod thread, black	49,00
SG 287	008658	Swivel mount for TLM 67 and U 87, black	79,00
SG 289	008659	Swivel mount for U 89i, black	89,00
SG 5	008529	Swivel mount, 3/8" threaded bolt, 3/8" / 5/8"/ 1/2" tripod thread, black	69,00
SGE 100	006742	Swivel mount for small microphone capsules, 3/8" tripod thread, black	149,00

STH 100	007315	Stereo mount for KM 100, X/Y and ORTF, swivel stand mount with 3/8"/ 5/8" / 1/2" tripod thread, black	189,00
STH 120	008422	MS stereo mount for KM 100, swivel ball joint, 3/8"/ 5/8" / 1/2" tripod thread, black	109,00
Z 26 mt	006207	Shock absorber for noise reduction, 3/8" threaded bolt, 3/8" / 5/8"/ 1/2" tripod thread, black	99,00
KVG 1120 nx	008610	Capsule extension for system KM D / KM A, length: 120cm, system connector, Nextel black	819,00
KVG 130 nx	008608	Capsule extension for system KM D / KM A, length: 30 cm, system connector, Nextel black	679,00
KVG 160 nx	008609	Capsule extension for system KM D / KM A, length: 60 cm, system connector, Nextel black	759,00
MF 2	007266	Tabletop stand, circular base ø 6cm with foam rubber washer, 1/2" thread, black	119,00
MF 3	007321	Table stand, circular base ø 11cm with foam rubber washer, 3/8" and 1/2" thread, black	249,00
MF 4	007337	Floor stand, circular base ø 16cm with foam rubber washer, 3/8" and 1/2" thread, black	339,00
MF 5	008489	Floor stand, circular base ø 25 cm with rubber ring, 3/8" thread, powder-coated, gray	159,00
STV 20	006187	Tripod extension, length: 200mm, ø 19mm, black	129,00
STV 4	006190	Tripod extension, length: 40 mm, ø 19mm, black	49,00
STV 40	006188	Tripod extension, length: 400 mm, ø 19mm, black	159,00
STV 60	006189	Tripod extension, length: 600 mm, ø 19mm, black	189,00
MNV 100	006811	Tilting clamp for microphone auditorium hanger, black	129,00
MNV 21 mt	006802	Tilting clamp with suspension cable, for KM system and KMR 81, black	59,00
MNV 87	006804	Tilting clamp with suspension cable, rotatable 1/2" threaded bolt, nickel	229,00
MNV 87 mt	006806	Tilting clamp with suspension cable, rotatable 1/2" threaded bolt, black	229,00
WNS 100 black	007323	Windscreen for KM 100 and KM D, KM A, and series 180, black	19,00
WNS 110 Black	008535	Windscreen for KM 100 and KM D, KM A, and series 180, increased efficiency, black	19,00
WNS 120	008427	Windscreen for KM 120 and AK 20, black	19,00
WS 100	006751	Windscreen for KM 100 and KM D, KM A, and series 180, black	19,00
WS 191	007292	Windscreen for RSM 191	24,00
WS 47	006826	Windscreen for D-01, black	59,00
WS 69	006750	Windscreen for USM 69i and SM 69, black	39,00
WS 81	007268	Windscreen for KMR 81i, black	19,00
WS 82	007264	Windscreen for KMR 82i, black	39,00
WS 87	006753	Windscreen for M 147 Tube, TLM 50/67/103/170, and U 87, black	29,00
WS 89	007197	Windscreen for TLM 193 and U 89, black	29,00

WS2	008637	Windscreen for TLM 102, black	19,00
WSB	007372	Windscreen for KU 100, black	419,00
WSS 100	007352	Windscreen for KK 104/105 and KMS 104/105/140/150, black	39,00
WKE 191 set*	539383	Windscreen set for RSM 191, consists of elastic suspension EA 82C, basket windscreen with windjammer and pistol grip	536,36
WKE 81 set*	539381	Windscreen set for KMR 81i, consists of elastic suspension EA 82C, basket windscreen with windjammer and pistol grip	486,78
WKE 82 set*	539382	Windscreen set for KMR 82i, consists of elastic suspension EA 82C, basket windscreen with windjammer and pistol grip	536,36
		Active Near-field Monitor, 5.25" + 1" drivers, magnetically shielded, 6.5 liters, 80 + 80 W, 111.1 dB SPL, 52 - 21k Hz, metallic anthracite	
KH 120 A G	503930	Active Near-field Monitor, 5.25" + 1" drivers, magnetically shielded, 6.5 liters, 80 + 80 W, 111.1 dB SPL, 52 - 21k Hz, white	649,00
KH 120 A W	506179	Same as the KH 120 A G but with an additional BNC 192 kHz digital input and delay feature	649,00
KH 120 D G	503932	Active Near-field DSP Monitor, 4" + 1" drivers, 3.7 liters, 120 + 70 W, 108.8 dB SPL, 57 - 21kHz, metallic anthracite	1200,00
KH 80 DSP A G EU	506834	Active Near-field DSP Monitor, 4" + 1" drivers, 3.7 liters, 120 + 70 W, 108.8 dB SPL, 57 - 21kHz, white	499,00
KH 80 DSP A W EU	506837	Active Near-field DSP Monitor, 4" + 1" drivers, 3.7 liters, 120 + 70 W, 108.8 dB SPL, 57 - 21kHz, white	499,00
KH 310 A L G	505575	Active Near-field Monitor, left version, 8" + 3" + 1" drivers, magnetically shielded, 16.2 liters, 210 + 90 + 90 W, 116.3 dB SPL, 34 - 21k Hz, metallic anthracite	1900,00
KH 310 A R G	505576	Active Near-field Monitor, right version, 8" + 3" + 1" drivers, magnetically shielded, 16.2 liters, 210 + 90 + 90 W, 116.3 dB SPL, 34 - 21k Hz, metallic anthracite	1900,00
KH 310 D L G	505995	Active Near-field Monitor, left version, 8" + 3" + 1" drivers, magnetically shielded, additional BNC / XLR 192 kHz digital inputs and delay feature, 16.2 liters, 210 + 90 + 90 W, 116.3 dB SPL, 34 - 21k Hz, metallic anthracite	2500,00

KH 310 D R G	505996	Active Near-field Monitor, right version, 8" + 3" + 1" drivers, magnetically shielded, additional BNC / XLR 192 kHz digital inputs and delay feature, 16.2 liters, 210 + 90 + 90 W, 116.3 dB SPL, 34 - 21k Hz, metallic anthracite	2500,00
KH 420	505988	Active Mid-field Monitor, 10" + 3" + 1" drivers, magnetically shielded, analog and optional digital inputs, 41,2 liters, 330 + 140 + 140 W, 122.4 dB SPL, 26 - 22k Hz, metallic anthracite	4200,00
KH 805 A G	506770	Active Subwoofer with 2.0 / 0.1 Bass Management, 10" driver, magnetically shielded, 41.4 liters, 160 (200) W, 110.7 dB SPL, 18 Hz, metallic anthracite	1500,00
KH 810 G	503951	Active Subwoofer with 7.1 High Definition Bass Management™, 10" driver, magnetically shielded, 41.4 liters, 160 (200) W, 110.7 dB SPL, 18 Hz, metallic anthracite	2500,00
KH 870 G	503947	Active Subwoofer with 7.1 High Definition Bass Management™, 2 x 10" driver, magnetically shielded, 86 liters, 320 (400) W, 116.7 dB SPL, 18 Hz, metallic anthracite	4000,00
GKH 420 B	505990	Robust metal grille to protect the KH 420 drivers. Black (RAL 9005)	329,00
LH 25	501450	Mounting bracket for the KH 310 for wall or ceiling fastening, or for fixing onto loudspeaker stands, black (RAL 7021)	79,00
LH 28	501716	Adapter for mounting on standard tripods with 35 mm (1 3/8") diameter, black (RAL 9005)	49,00
LH 29	501715	TV-spigot for mounting onto lighting stands or G-clamps and truss bars, color: metal	55,00
LH 32	501718	Wall bracket, can be tilted horizontally and vertically, black (RAL 9005)	60,00
LH 36	501460	Tilting adapter to tilt monitor in center of gravity up to max. 18° (13° for O 500 C). Has M20 thread for ceiling mount and 2 x M8 thread for LH 28, LH 29, LH 37, LH 41, LH 42 or LH 48, black (RAL 9005)	229,00
LH 37	501461	Adapter for mounting on a subwoofer with top panel flange in conjunction with LH 25, LH 31, LH 35, LH 36, LH 41, LH 61, black (RAL 9005)	39,00
LH 41	502254	Adapter to fit the loudspeaker onto a tripod stand. Can be used with the LH 28, LH 29, or LH 37. Adding an LH 36 gives a tilting function, black (RAL 9005)	169,00
LH 42	502255	Adapter to suspend a KH 420 from a ceiling. Can be used with the LH 28, LH 29, LH 37, LH 43, LH 45 or LH 46, black (RAL 9005)	599,00
LH 43	502256	Adapter to mount an LH 42, or LH 47 + other LH hardware onto a surface such as a ceiling, black (RAL 9005)	169,00

LH 45	502294	L' shaped adapter to mount a loudspeaker onto a wall, black (RAL 9005)	219,00
LH 46	503908	Mounting hardware to vertically position a loudspeaker suspended off a ceiling, black (RAL 9005)	399,00
LH 47	503909	Mounting adapter plate to fit the LH 43, LH 45 or LH 46 with LH 25, LH 28, LH 29, LH 45, LH 61, black (RAL 9005)	45,00
LH 48	503910	Tripod adapter plate (115 mm) to mount on König & Meyer tripods No. 26790 and No. 26795, black (RAL 9005)	25,00
LH 61	503936	A mounting adapter with a hole spacing of 70 mm to fit onto the loudspeaker and hole spacing of 115 mm for LH 28, LH 29, LH 37, LH 47, LH 48 or K&M Design Stand, and a 3/8" thread for a microphone stand. Vertical adjustment is also possible over the range $\pm 20^\circ$, black (RAL 9005)	119,00
LH 64	503935	An adapter to convert a pair of 70 mm spaced M8 mounting points to the standard Omnimount 75, VESA 75, and VESA 100 mounting points, black (RAL 9005)	39,00
LH 65	503938	Table stand with horizontal and vertical angling, and height adjustment, black (RAL 9005)	159,00
BKH 310	505579	A stylish soft carry bag for use when storing or regularly transporting a KH 310 between locations. Has strong handles, a pocket for cables, and a pouch for the operating manual, black	189,00
DIM 1	502251	For the KH 420, adds 192 kHz 24-bit XLR and BNC digital inputs and a BNC digital output for digital signal interconnectivity. 409.5 ms of delay allows for lipsync and time-of-flight adjustment	659,00
GKH 310 B	505580	Robust metal grille to protect the KH 310 drivers, black (RAL 9005)	189,00
NRC 1	505557	A simple hardware remote used to control the system volume, LFE gain, and bass management bypass. A standard CAT-5 (or better) network cable, available from third parties, is required, black	289,00
REK 3	505558	A kit to locate the KH 805/810/870 electronics panel up to 30 m (90') away from the loudspeaker cabinet. A standard 4-pole Speakon terminated loudspeaker cable, available from third parties, is required	499,00
REK 4	506719	A kit to locate the KH 410 electronics panel up to 30 m (90') away from the loudspeaker cabinet. A standard 4-pole Speakon terminated loudspeaker cable, available from third parties, is required	559,00

		Enables the connection of multiple subwoofers to a single remote controller: NRC 1 or any other source of RS-232 data. Up to 3 subwoofers can be driven off one SEA 1. Additional SEA 1s are required for larger systems. Standard CAT-5 (or better) network cables, available from third parties, can be used, black	
SEA 1	503911		199,00
	BNKM-		
210/2 Mic Stand	21020300	01 Microphone Stand - Nickel	74,00
	BNKM-		
210/2 Mic Stand	21020300	55 Microphone Stand - Black	71,00
	BNKM-		
210/8 Mic Stand	21080300	01 Microphone Stand - Nickel	69,00
	BNKM-		
210/8 Mic Stand	21080300	55 Microphone Stand - Black	67,00
	BNKM-		
210/9 Mic Stand	21090300	01 Microphone Stand - Nickel	82,00
	BNKM-		
210/9 Mic Stand	21090300	55 Microphone Stand - Black	79,00
	BNKM-		
259 Mic Stand	25900300	55 Microphone Stand - Black	79,00
	BNKM-		
259/10 Mic Stand	25910300	55 Microphone Stand - Black	61,00
	BNKM-		
BOOM ARM	21110300	55 BOOM ARM	27,00
	BNKM-		
BOOM ARM	21231300	55 BOOM ARM with counterweight	129,00
	BNKM-		
Carrying Case	21311000	0 Carrying Case for 2 x speaker stands: 1200 x 250 x 250mm	35,00
	BNKM-		
Carrying Case	21421000	00 Carrying Case for 2 mic stands: 1000 x 130 x 130mm	22,00
	BNKM-		
Headphone Holder	16080000	55 Headphone Holder - Black	16,00

Headphone Holder 19"	BNKM-49302012	Headphone Holder - Black - for 19"	16,00
Headphone Holder With Table Clamp	BNKM-16085000	Headphone Holder - Black - With Table Clamp	38,00
Headphone Wall Holder	BNKM-16310000	Headphone Holder - Black - Wall Holder	16,00
Mic Stand	BNKM-26000300	Microphone Stand - Black	57,00
Microphone Bar	BNKM-23510300	Microphone Bar - Black	19,00
Microphone Clip	BNKM-85035000	Microphone Clip - 3/8" And 5/8" - Diam: 17-22mm	4,00
Microphone Clip	BNKM-85050000	Microphone Clip - 3/8" And 5/8" - Diam: 22-28mm	4,00
Microphone Clip	BNKM-85055000	Microphone Clip - 3/8" And 5/8" - Diam: 28-34mm	5,00
Microphone Clip	BNKM-85060000	Microphone Clip - 3/8" And 5/8" - Diam: 34-40mm	5,00
Microphone Clip	BNKM-85070000	Microphone Clip - 3/8" And 5/8" - Diam: 34-40mm	5,00
Microphone Desk Arm	BNKM-23850311	Microphone Desk Arm - Black	119,00
Microphone Desk Arm	BNKM-23860311	Microphone Desk Arm - Black	209,00
Microphone Fishing Pole	BNKM-23750000	Microphone »Fishing Pole« - Black	79,00
Microphone Fishing Pole	BNKM-23760000	Microphone »Fishing Pole« - Black	129,00
Microphone Fishing Pole	BNKM-23770000	Microphone »Fishing Pole« - Black	139,00
Microphone Stand	BNKM-20130300	Microphone Stand - Black	54,00

Microphone Stand	BNKM- 25500300 55	Microphone Stand - Black	86,00
Microphone Stand	BNKM- 26125300 55	Microphone Stand - Black	62,00
Microphone Stand	BNKM- 26200300 55	Microphone Stand - Black	149,00
Overhead Microphone Stand	BNKM- 20800309 55	Overhead Microphone Stand - Black	109,00
Overhead Microphone Stand	BNKM- 20811409 55	Overhead Microphone Stand - Black	269,00
Overhead Microphone Stand	BNKM- 21021300 55	Overhead Microphone Stand - Black	99,00
Popkiller	BNKM- 23956000 55	Popkiller - Black - Lenght: 330mm - Diam: 130mm	31,00
Popkiller	BNKM- 23966000 55	Popkiller - Black - Lenght: 330mm - Diam: 200mm	40,00
Speaker Stand	BNKM- 21300009 55	Speaker Stand - Black - H: 1385-2180mm - weight: 8,3KG - Load: 50 KG - diam: 35mm+ M10	249,00
Speaker Stand	BNKM- 21435009 55	Speaker Stand - Black - H: 1320-2020mm - weight: 5,9KG - Load: 50 KG - diam: 35mm	84,00
Speaker Stand	BNKM- 21450000 55	Speaker Stand - Black - H: 1270-1930mm - weight: 2,3KG - Load: 50 KG - diam: 35mm	64,00
Speaker Stand	BNKM- 21460009 55	Speaker Stand - Black - H: 1375-2185mm - weight: 4,4KG - Load: 50 KG - diam: 35mm	159,00
TABLE FLANGE Table	BNKM- 23855000 55	Table Flange	19,00
Microphone Stand Table	BNKM- 23200300 55	Table Microphone Stand - Black	31,00
Microphone Stand	BNKM- 23250300 55	Microphone Flat Stand - Black	36,00
Table/Floor Mic Stand	BNKM- 23300300 55	Table/Floor Mic Stand - Black	51,00

Table/Floor Mic Stand	BNKM- 23400300 55	Table/Floor Mic Stand - Black	65,00
--------------------------	-------------------------	-------------------------------	-------